# JVC


# SERVICE MANUAL

## **COLOR TELEVISION**

**BASIC CHASSIS** 

AC

AV-36D202/H AV-36D302/H AV-36D502/H AV-36D202/R AV-36D302/R AV-36D502/R AV-36D202/Y AV-36D502/Y



## **CONTENTS**

SPECIFICATIONS	2
SAFETY PRECAUTIONS	
FEATURES	
MAIN DIFFERENCE LIST	
HOW TO IDENTIFY MODELS	
FUNCTIONS	_
SPECIFIC SERVICE INSTRUCTIONS	
SERVICE ADJUSTMENTS	14
STANDARD CIRCUIT DIAGRAM (APPENDIX)	
PARTS LIST	



## **SPECIFICATIONS**

Items		Contents
Dimensions (W $\times$ H $\times$ D)	37-7/8" × 30-1/2" × 24-1/2" / 96.2cm ×	77.3cm × 62.1cm
Blace	140 C lba/CO Oka	
Mass	149.6 lbs/68.0kg	
TV RF System	CCIR(M)	
Color Sound System	NTSC, BTSC System (Multi Channel	Sound)
TV Receiving Channels and Frequency		
VL Band	(02~06) 54MHz~88MHz	
VH Band	(07~13) 174MHz~216MHz	
UHF Band	(14~69) 470MHz~806MHz	
CATV Receiving Channels and Frequency		
Low Band	(02~06, A-8) by (02~06&01)	$\neg$
High Band	(07~13) by (07~13)	
Mid Band	(A~1) by (14~22)	
Super Band	(J~W) by (23~36)	(54MHz~804MHz)
Hyper Band	(W+1~W+28) by (37~64)	,
Ultra Band	(W+29~W+84) by (65~125)	
Sub Mid Band	(A8, A4~A1) by (01, 96~99)	
TV/CATV Total Channel	180 Channels	_
Intermediate Frequency		
Video IF Carrier	45.75MHz	
Sound IF Carrier	41.25MHz (4.5MHz)	
Color Sub Carrier	3.58MHz	
Power Input	120V AC, 60Hz	
Power Consumption	130W [AV-36D202, AV-36D302], 133W [AV-36D502]	
Picture Tube	130W [AV-36D202, AV-36D302], 133W [AV-36D502]	
	31kV±1.3kV (at zero beam current)	
High Voltage	$2" \times 4-3/4" / 5 \times 12$ cm Oval type $\times 2$	
Speaker		0 [AV 00DE00]
Audio Power Output	4W × 2 [AV-36D202, AV-36D302], 5W	
Video / Audio Input (1 / 2 / 3)	Video(1,3) : 1Vp-p, 75Ω (RCA pin	
	Audio(1,2,3) : 500mVrms ( -4dBs ),	
	S-Video (Input 1 Over) [AV-36D202,	
	(Input 1 / 2 Over ) [AV-36D50	
		ync provided, when terminated with 75Ω)
	C: 0.286Vp-p (burst signal, w	hen terminated with 75 $\Omega$ )
	Component Input (Input 2)	
		ync provided, when terminated with 75Ω)
	P <sub>B</sub> /P <sub>R</sub> : 0.7Vp-p 75 Ω	·······
Audio Output	Variable : More then 0~1550mVrms	,
(Variable)	Low impedance (400Hz wh	en modulated 100%) (RCA pin jack)
AV Compu link EX Input	3.5mm mini jack	
Antenna terminal	75Ω(VHF/UHF) Terminal, F-Type Con	
Remote Control Unit	RM-C303G-1A [AV-36D202, AV-36D3	
	RM-C301G-2A [AV-36D502]	
	(AA/R6/UM-3 battery × 2)	

Design & specifications are subject to change without notice.

## SAFETY PRECAUTIONS

- The design of this product contains special hardware, many circuits and components specially for safety purposes. For continued protection, no changes should be made to the original design unless authorized in writing by the manufacturer. Replacement parts must be identical to those used in the original circuits. Service should be performed by qualified personnel only.
- Alterations of the design or circuitry of the products should not be made. Any design alterations or additions will void the manufacturer's warranty and will further relieve the manufacturer of responsibility for personal injury or property damage resulting therefrom.
- 3. Many electrical and mechanical parts in the products have special safety-related characteristics. These characteristics are often not evident from visual inspection nor can the protection afforded by them necessarily be obtained by using replacement components rated for higher voltage, wattage, etc. Replacement parts which have these special safety characteristics are identified in the parts list of Service manual. Electrical components having such features are identified by shading on the schematics and by ( ⚠ ) on the parts list in Service manual. The use of a substitute replacement which does not have the same safety characteristics as the recommended replacement part shown in the parts list of Service manual may cause shock, fire, or other hazards.

#### 4. Use isolation transformer when hot chassis.

The chassis and any sub-chassis contained in some products are connected to one side of the AC power line. An isolation transformer of adequate capacity should be inserted between the product and the AC power supply point while performing any service on some products when the HOT chassis is exposed.

5. Don't short between the LIVE side ground and ISOLATED (NEUTRAL) side ground or EARTH side ground when repairing.

Some model's power circuit is partly different in the GND. The difference of the GND is shown by the LIVE : ( $\bot$ ) side GND, the ISOLATED(NEUTRAL) : ( $\frac{1}{11}$ ) side GND and EARTH : ( $\bigoplus$ ) side GND. Don't short between the LIVE side GND and ISOLATED(NEUTRAL) side GND or EARTH side GND and never measure with a measuring apparatus (oscilloscope etc.) the LIVE side GND and ISOLATED(NEUTRAL) side GND or EARTH side GND at the same time.

If above note will not be kept, a fuse or any parts will be broken.

- If any repair has been made to the chassis, it is recommended that the B1 setting should be checked or adjusted (See ADJUSTMENT OF B1 POWER SUPPLY).
- 7. The high voltage applied to the picture tube must conform with that specified in Service manual. Excessive high voltage can cause an increase in X-Ray emission, arcing and possible component damage, therefore operation under excessive high voltage conditions should be kept to a minimum, or should be prevented. If severe arcing occurs, remove the AC power immediately and determine the cause by visual inspection (incorrect installation, cracked or melted high voltage harness, poor soldering, etc.). To maintain the proper minimum level of soft X-Ray emission, components in the high voltage circuitry including the picture tube must be the exact replacements or alternatives approved by the manufacturer of the complete product.
- 8. Do not check high voltage by drawing an arc. Use a high voltage meter or a high voltage probe with a VTVM. Discharge the picture tube before attempting meter connection, by connecting a clip lead to the ground frame and connecting the other end of the lead through a  $10k\Omega$  2W resistor to the anode button.
- 9. When service is required, observe the original lead dress. Extra precaution should be given to assure correct lead dress in the high voltage circuit area. Where a short circuit has occurred, those components that indicate evidence of overheating should be replaced. Always use the manufacturer's replacement components.

#### 10. Isolation Check

#### (Safety for Electrical Shock Hazard)

After re-assembling the product, always perform an isolation check on the exposed metal parts of the cabinet (antenna terminals, video/ audio input and output terminals, Control knobs, metal cabinet, screwheads, earphone jack, control shafts, etc.) to be sure the product is safe to operate without danger of electrical shock.

#### (1) Dielectric Strength Test

The isolation between the AC primary circuit and all metal parts exposed to the user, particularly any exposed metal part having a return path to the chassis should withstand a voltage of 1100V AC (r.m.s.) for a period of one second.

(.... Withstand a voltage of 1100V AC (r.m.s.) to an appliance rated up to 120V, and 3000V AC (r.m.s.) to an appliance rated 200V or more, for a period of one second.)

This method of test requires a test equipment not generally found in the service trade.

#### (2) Leakage Current Check


Plug the AC line cord directly into the AC outlet (do not use a line isolation transformer during this check.). Using a "Leakage Current Tester", measure the leakage current from each exposed metal part of the cabinet, particularly any exposed metal part having a return path to the chassis, to a known good earth ground (water pipe, etc.). Any leakage current must not exceed 0.5mA AC (r.m.s.).

However, in tropical area, this must not exceed 0.2mA AC (r.m.s.).

#### Alternate Check Method

Plug the AC line cord directly into the AC outlet (do not use a line isolation transformer during this check.). Use an AC voltmeter having 1000 ohms per volt or more sensitivity in the following manner. Connect a  $1500\Omega$  10W resistor paralleled by a  $0.15\mu F$  AC-type capacitor between an exposed metal part and a known good earth ground (water pipe, etc.). Measure the AC voltage across the resistor with the AC voltmeter. Move the resistor connection to each exposed metal part, particularly any exposed metal part having a return path to the chassis, and measure the AC voltage across the resistor. Now, reverse the plug in the AC outlet and repeat each measurement. Any voltage measured must not exceed 0.75V AC (r.m.s.). This corresponds to 0.5mA AC (r.m.s.).

However, in tropical area, this must not exceed 0.3V AC (r.m.s.). This corresponds to 0.2mA AC (r.m.s.).




#### 11. High voltage hold down circuit check.

After repair of the high voltage hold down circuit, this circuit shall be checked to operate correctly.

See item "How to check the high voltage hold down circuit".

This mark shows a fast operating fuse, the letters indicated below show the rating.








## **FEATURES**

- Full-square CRT (cathode ray tube) reproduces fine textured picture in every detail.
- I<sup>2</sup>C bus control utilizes single chip ICs.
- Built in Twin Tuner system. [Only for AV-36D502 model]
- Built-in HYPER-SURROUND system.
- Built-in BBE.
- Adoption of the Picture-In-Picture (PIP) function. [Only for AV-36D502 model]
- 3 LINE DIGITAL COMB FILTER circuit improved picture quality.
- Component input terminal for talking best advantage of Component Video Signal.
- Audio Video input terminal.
   (S-input ×1, V-input ×2) [AV-36D202, AV-36D302 model]
   (S-input ×2, V-input ×2) [AV-36D502 model]
- Variable audio output terminal.
- Closed-caption broadcasts can be viewed.
- With AV COMPU LINK EX terminal.

## ■ SYSTEM BLOCK DIAGRAM



## **MAIN DIFFERENCE LIST**

## [AV-36D202/H & AV-36D202/R & AV-36D202/Y]

$\triangle$	Model Part name	AV-36D202/H	AV-36D202/R	AV-36D202/Y
	MAIN PWB	SAC-1525A-M2	SAC-1524A-M2	SAC-1523A-M2
			0.10 10 11 11 11	3.13 1323.11.11
	CRT SOCKET PWB	SAC-3505A-M2	SAC-3504A-M2	SAC-3503A-M2
⚠	PICTRE TUBE	A90LPY30X04	A90AEJ15X01	A90AHH50X10/V/

## [AV-36D302/H & AV-36D302/R & AV-36D302/Y]

⚠	Model Part name	AV-36D302/H	AV-36D302/R	AV-36D302/Y
	MAIN PWB	SAC-1519A-M2	SAC-1518A-M2	SAC-1517A-M2
	CRT SOCKET PWB	SAC-3505A-M2	SAC-3504A-M2	SAC-3503A-M2
⚠	PICTURE TUBE	A90LPY30X04	A90AEJ15X01	A90AHH50X10/V/

## [AV-36D502/H & AV-36D502/R & AV-36D502/Y]

⚠	Model Part name	AV-36D502/H	AV-36D502/R	AV-36D502/Y
	MAIN PWB	SAC-1505A-M2	SAC-1504A-M2	SAC-1503A-M2
	CRT SOCKET PWB	SAC-3505A-M2	SAC-3504A-M2	SAC-3503A-M2
⚠	PICTURE TUBE	A90LPY30X04	A90AEJ15X01	A90AHH50X10/V/

## **HOW TO IDENTIFY MODELS**

The difference between AV-36D202/H, AV-36D202/R and AV-36D202/r is in the PICTURE TUBE.
 As the result of the difference in PICTURE TUBE, the MAIN PWB also differ.


$\triangle$	Model	AV-36D202/н	AV-36D202/B	AV-36D202 <sub>17</sub>
	Part name	111 002 202,	7.1. 002_0	7.1. 302_32.
<u> </u>	RATING LABEL	LC31139-001A-A	<b>←</b>	<b>—</b>
		INDICATED AV-36D202  TO MODEL NO.  AC 120V 60Hz  XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	INDICATED AV-36D202  AC 120V 60H2 XXX W IN CASS WE THE THE THE THE THE THE THE THE THE TH	INDICATED AV-36D202  AC 120V 60Hz XXX W IT TOTAL STREET AND ACT 120V 60Hz XXX W IT TOT



The difference between AV-36D302n , AV-36D302n and AV-36D302n is in the PICTURE TUBE.
 As the result of the difference in PICTURE TUBE, the MAIN PWB also differ.


⚠	Model Part name	AV-36D302/н	AV-36D302/R	AV-36D302/v
Δ	RATING LABEL	LC31139-001A-A	<b>←</b>	<b>←</b>
		INDICATED AV-36D302  AC 120V 60Hz XXX W XXX S S S S S S S S S S S S S S S	INDICATED AV-36D302    VENDEL NO.   ICTORNAL	INDICATED AV-36D302    VE   MODEL NO.

The difference between AV-36D502/H, AV-36D502/R and AV-36D502/r is in the PICTURE TUBE.
 As the result of the difference in PICTURE TUBE, the MAIN PWB also differ.




## **FUNCTIONS**

#### **■ FRONT PANEL**




## **■ FRONT PANEL DOOR OPENED**




INPUT3 VIDEO/AUDIO TERMINAL

■ REAR PANEL [AV-36D202] [AV-36D302]



## [AV-36D502]



■ REMOTE CONTROL UNIT (RM-C303G-1A) [AV-36D202] [AV-36D302]



(RM-C301G-2A) [AV-36D502]





## SPECIFIC SERVICE INSTRUCTIONS

## **DISASSEMBLY PROCEDURE**

#### REMOVING THE REAR COVER

- 1. Unplug the power supply cord.
- 2. Remove the 12 screws marked (A) as shown in Fig.1.
- 3. Withdraw the REAR COVER toward you.

#### [CAUTION]

 When reinstalling the rear cover, carefully push it inward after inserting the MAIN PWB into the rear cover groove.

#### **REMOVING THE CHASSIS**

- After removing the rear cover.
- 2. Withdraw the chassis backward along the rail in the arrow direction marked © as shown in Fig.1.

(If necessary, take off the wire clamp, connector's etc.)

\* When conducting a check with power supplied, be sure to confirm that the CRT earth wire is connected to the CRT SOCKET PWB and the MAIN PWB.

## **REMOVING THE TERMINAL BOARD**

- After removing the rear cover.
- 1. Remove the 4 screws marked (D) as shown in Fig.1.
- 2. When you pull out the TERMINAL BOARD in the direction of arrow marked (E) as shown in Fig.1, it can be removed.

## REMOVING THE FRONT CONTROL AND FRONT AV INPUT PW BOARDS

- After removing the rear cover and chassis.
- 1. Remove the 3 screws marked  $\widehat{\mathbb{F}}$  and the 2 screws marked  $\widehat{\mathbb{J}}$  as shown in Fig.1.
- 2. Then remove the FRONT CONTROL PWB and FRONT AV INPUT

(If necessary, take off the wire, connector's etc.)

#### REMOVING THE LF PW BOARD

- After removing the rear cover and chassis.
- 1. Lift the left side of the LF PWB while pressing the 2 PWB stoppers marked G in the arrow direction marked H as shown in Fig.1.
- 2. Then remove the LF PWB.

(If necessary, take off the wire, connector's etc.)

#### REMOVING THE SPEAKER

- After removing the rear cover.
- 1. Remove the 4 screws marked (K) as shown in Fig.1.
- 2. Withdraw the speaker backward.
- 3. Follow the same steps when removing the other hand speaker.

#### **CHECKING THE MAIN PW BOARD**

- 1. To check the back side of the MAIN PW Board.
  - 1) Pull out the chassis. (Refer to REMOVING THE CHASSIS).
  - Erect the chassis vertically so that you can easily check the back side of the MAIN PW Board.

#### [CAUTION]

- When erecting the chassis, be careful so that there will be no contacting with other PW Board.
- Before turning on power, make sure that the CRT earth wire and other connectors are properly connected.

## **WIRE CLAMPING AND CABLE TYING**

- 1. Be sure clamp the wire.
- Never remove the cable tie used for tying the wires together. Should it be inadvertently removed, be sure to tie the wires with a new cable tie.






Fig.1



#### **REMOVING THE CRT**

- \* Replacement of the CRT should be performed by 2 or more persons.
- After removing the rear cover, chassis etc.,
- 1. Putting the CRT change table on soft cloth, the CRT change table should also be covered with such soft cloth (shown in Fig. 2).
- 2. While keeping the surface of CRT down, mount the TV set on the CRT change table balanced will as shown in Fig. 3.
- 3. Remove 4 screws marked by arrows with a box type screwdriver as shown in Fig. 3.
- Since the cabinet will drop when screws have been removed, be sure to support the cabinet with hands.
- 4. After 4 screws have been removed, put the cabinet slowly on cloth (At this time, be carefully so as not to damage the front surface of the cabinet) shown in Fig. 4.
- The CRT should be assembled according to the opposite sequence of its dismounting steps.
- \* The CRT change table should preferably be smaller that the CRT surface, and its height be about 35cm.




Fig. 2




Fig. 3




Fig. 4

## COATING OF SILICON GREASE FOR ELECTRICAL IN-SULATION ON THE CRT ANODE CAP SECTION.

Subsequent to replacement of the CRT and HV transformer or repair
of the anode cap, etc. by dismounting them, be sure to coat silicon
grease for electrical insulation as shown in Fig. 5.
 Wipe around the anode button with clean and dry cloth. (Fig. 5)
 Coat silicon grease on the section around the anode button. At this

time, take care so that any silicon greases dose not sticks to the

★ Silicon grease product No. KS - 650N

anode button. (Fig. 6)




Fig. 5




Fig. 6



## MEMORY IC REPLACEMENT

## 1. Memory IC

This model use a memory IC.

This memory IC stores data for proper operation of the video and deflection circuits.

When replacing, be sure to use an IC containing this (initial value) data.

	Procedure	Screen display		
(1)	Power off Switch off the power and disconnect the power cord from the outlet.			
(2)	Replace the memory IC Initial value must be entered into the new IC.			
(3)	Power on Connect the power cord to the outlet and switch on the power.			
(4)	System constant check and setting  1) Press SLEEP TIMER key and, while the indication of "SLEEP TIMER  0 MIN." is being displayed, press DISPLAY key and VIDEO STATUS key on the remote control unit simultaneously.  2) The SERVICE MENU screen of Fig.1 is displayed.  3) While the SERVICE MENU is displayed, again simultaneously press the DISPLAY and VIDEO STATUS keys to display the Fig.2 SYSTEM CONSTANT screen.	PICTURE SOUND THEATER OTHERS		

key and adjust the setting with the MENU LEFT/RIGHT keys. (The letters of the selected item are displayed in yellow.) 5) After adjusting, release the MENU LEFT/RIGHT key to store the setting value.

4) Refer to the SYSTEM CONSTANT table and check the setting items.

Where these differ, select the setting item with the MENU UP/DOWN

6) Press the EXIT key twice to return the normal screen.

## (5) Receive channel setting


Refer to the OPERATING INSTRUCTIONS(USER'S GUIDE) and set the receive channels (Channels Preset) as described.

#### (6) User settings

Check the user setting items according to Table 2. Where these do not agree, refer to the OPERATING INSTRUCTIONS (US-ER'S GUIDE) and set the items as described.

## (7) SERVICE MENU setting

Verify what to set in the SERVICE MENU, and set whatever is necessary.(Fig.1) Refer to the SERVICE ADJUSTMENT for setting.



[AV-36D202, AV-36D302]

PICTURE	SOUND
THEATER	OTHERS
PIP	
LOW LIGHT	HIGH LIGHT
RF AFC1	RF AFC2
VCO(CW)	I2C BUS CTRL
SELECT BY	
OPERATE BY	EXIT BY (EX)

[AV-36D502]

Fig.1

MODEL	: **-****
PURITY	: NO
CCD	: YES
V-CHIP	: YES
CAN V-CHIP	: YES
*******	**
SELECT BY	
OPERATE BY	EXIT BY (FX

Fig.2



## **TABLE 1 (System Constant setting)**

Cotting itom	Cotting content	S	etting valu	е
Setting item	Setting content		AV-36D302	AV-36D502
MODEL	AV-27F802 → AV-32F802 → AV-36F802 → AV-27F702 → AV-32F702 → AV-36D502 ← AV-32D502 ← AV-32D502 ← AV-36D502 ← AV-36D502 ← AV-36D202 → AV-36D302 → AV-36D302 → AV-36D302 → AV-36D302 ← AV-36		AV-36D302	AV-36D502
PURITY	→ YES → NO — NO			
CCD	→ YES → NO — YES			
V-CHIP	→ YES → NO — YES		YES	
CAN V-CHIP	CAN V-CHIP		YES	

## TABLE 2 (User setting value)

Setting item	Setting value
1. Use remote controller keys	
POWER	OFF
CHANNEL	CH-02
VOLUME	5
INPUT	TV
HYPER SURROUND	OFF
BBE	ON
DISPLAY	OFF
SLEEP TIMER	0
VIDEO STATUS	CHOICE
PIP SOURCE	CH-04 ¬
PIP ON (PIP POSITION)	LEFT LOWR SIDE Only for AV-36D502 model
2. Setting of MENU	
PICTURE ADJUST	
TINT	CENTER
COLOR	CENTER
PICTURE	CENTER
BRIGHT	CENTER
DETAIL	CENTER
NOISE MUTING	ON
SET VIDEO STATUS	ALL CENTER
SOUND ADJUST	
BASS	CENTER
TREBLE	CENTER
BALANCE	CENTER
MTS	STEREO
CLOCK/TIMERS	
SET CLOCK	Unnecessary to set
ON/OFF TIMER	NO
INITIAL SETUP	
TV SPEAKER	ON
COMPONENT-IN	NO
LANGUAGE	ENG
CLOSED CAPTION	OFF
AUTO TUNER SETUP	TUNER MODE: AIR
CHANNEL SUMMARY	Unnecessary to set
V-CHIP	OFF
SET LOCK CODE	Unnecessary to set

## REPLACEMENT OF CHIP COMPONENT

## **■ CAUTIONS**

- 1. Avoid heating for more than 3 seconds.
- 2. Do not rub the electrodes and the resist parts of the pattern.
- 3. When removing a chip part, melt the solder adequately.
- 4. Do not reuse a chip part after removing it.


#### **■ SOLDERING IRON**

- 1. Use a high insulation soldering iron with a thin pointed end of it.
- 2. A 30w soldering iron is recommended for easily removing parts.


#### **■ REPLACEMENT STEPS**

#### 1. How to remove Chip parts


- ◆ Resistors, capacitors, etc.
- As shown in the figure, push the part with tweezers and alternately melt the solder at each end.




(2) Shift with tweezers and remove the chip part.



- ♦ Transistors, diodes, variable resistors, etc.
- (1) Apply extra solder to each lead.




(2) As shown in the figure, push the part with tweezers and alternately melt the solder at each lead. Shift and remove the chip part.




Note: After removing the part, remove remaining solder from the pattern.

## 2. How to install Chip parts


- ♦ Resistors, capacitors, etc.
- (1) Apply solder to the pattern as indicated in the figure.




(2) Grasp the chip part with tweezers and place it on the solder. Then heat and melt the solder at both ends of the chip part.



- ◆ Transistors, diodes, variable resistors, etc.
- (1) Apply solder to the pattern as indicated in the figure.
- (2) Grasp the chip part with tweezers and place it on the solder.
- (3) First solder lead **A** as indicated in the figure.



(4) Then solder leads **B** and **C**.



## SERVICE ADJUSTMENTS

## **ADJUSTMENT PREPARATION:**

- 1. You can make the necessary adjustments for this unit with either the remote control unit or with the adjustment equipment and parts as given below.
- 2. Adjustment with the remote control unit is made on the basis of the initial setting values, however, the new setting values which set the screen to its optimum condition may differ from the initial settings.
- 3. Make sure that AC power is turned on correctly.
- 4. Turn on the power for the set and test equipment before use, and start the adjustment procedures after waiting at least 30 minutes.
- 5. Unless otherwise specified, prepare the most suitable reception or input signal for adjustment.
- 6. Never touch any adjustment parts, which are not specified in the list for this adjustment-variable resistors, transformers, capacitors, etc.
- 7. Presetting before adjustment.

Unless otherwise specified in the adjustment instructions, preset the following functions with the remote control unit.

User mode setting position

VIDEO STATUS	STANDARD
HYPER SURROUND	OFF
BASS, TREBLE, BALANCE	CENTER
TINT, COLOR, PICTURE, BRIGHT, DETAIL	CENTER

## MEASURING INSTRUMENT


- 1. DC voltmeter(or digital voltmeter)
- 2. Oscilloscope
- 3. Signal generator ( Pattern generator ) [NTSC]
- 4. Remote control unit
- 5. TV audio multiplex signal generator
- 6. Frequency counter
- 7. Resistor (1MΩ)

## **ADJUSTMENT ITEMS**

- Check of B1 POWER SUPPLY
- RF AGC adjustment
- FOCUS adjustment
- WHITE BALANCE adjustment
   WHITE BALANCE (Low Light) adjustment
   WHITE BALANCE (High Light) adjustment
   PIP HIGH LIGHT WHITE BALANCE Adjustment [Only for AV-36D502 model]
- BRIGHT adjustment
  - SUB BRIGHT adjustment
- CONTRAST adjustment
  - SUB CONTRAST adjustment
- DEFLECTION adjustment
  - V CENTER and TRAPEZIUM adjustment
  - V-SIZE and V-LINEARITY adjustment
  - H SIZE and H POSITION adjustment
  - SIDE PIN and CORNER PIN adjustment
  - PIP DISPLAY POSITION adjustment [Only for AV-36D502 model]

- CHROMA adjustment
  - SUB COLOR adjustment
  - SUB TINT adjustment
- MTS circuit adjustment
  - INPUT LEVEL check
  - STEREO VCO adjustment
  - SAP VCO adjustment
  - FILTER check
  - SEPARATION adjustment
- PURITY and CONVERGENCE adjustments
  - PURITY adjustment
  - STATIC CONVERGENCE adjustment
  - DYNAIC CONVERGENCE adjustment

## **ADJUSTMENT LOCATIONS**





## BASIC OPERATION OF SERVICE MENU

#### 1. TOOL OF SERVICE MENU OPERATION

Operate the SERVICE MENU with the REMOTE CONTROL UNIT.

#### 2. SERVICE MENU ITEMS

In general, basic setting (adjustments) items or verifications are performed in the SERVICE MENU.

● I2C BUS CTRL ...... This is used when ON/OFF of the I2C BUS CTRL is set. [Fixed ON]

● PICTURE	This sets the setting values (adjustment values) of the VIDEO/CHROMA and DEFLECTION circuits.
● SOUND	This sets the setting values (adjustment values) of the AUDIO circuit.
THEATER	This is used when the THEATER MODE is adjusted.
● OTHERS	This is used when the OTHERS MODE is adjustment.
● PIP	This sets the setting values (adjustment values) of the PIP circuit. [Only for AV-36D502 model]
● LOW LIGHT	This sets the setting values (adjustment values) of the WHITE BALANCE circuit.
HIGH LIGHT	This sets the setting values (adjustment values) of the WHITE BALANCE circuit.
● RF AFC	This is used when the RF AFC MODE is veriifed. [Do not adjust/Only for AV-36D202 and AV-36D302 models]
● RF AFC1	This is used when the RF AFC1 MODE is verified. [Do not adjust/Only for AV-AV-36D502 model]
● RF AFC2	This is used when the RF AFC2 MODE is verified. [Do not adjust/Only for AV-AV-36D502 model]
● VCO (CW)	This is not used for service.

## 3. Basic Operations of the SERVICE MENU

#### (1) How to enter the SERVICE MENU.

Press SLEEP TIMER key and, while the indication of "SLEEP TIMER 0 MIN." is being displayed, press DISPLAY key and VIDEO STATUS key on the remote control unit simultaneously to enter the SERVICE MENU screen (1) shown in the next figure page.

#### (2) SERVICE MENU screen selection

Press the UP / DOWN key of the MENU to select any of the following items.

(The letters of the selected items are displayed in yellow.)

[AV-36D202, AV-36D302]		[AV-36D502]	
<ul><li>PICTURE</li></ul>	● SOUND	<ul><li>PICTURE</li></ul>	<ul><li>SOUND</li></ul>
● THEATER	● OTHERS	● THEATER	<ul><li>OTHERS</li></ul>
		● PIP	
<ul><li>LOW LIGHT</li></ul>	● HIGH LIGHT	<ul><li>LOW LIGHT</li></ul>	<ul> <li>HIGH LIGHT</li> </ul>
<ul><li>RF AFC</li></ul>		<ul><li>RF AFC1</li></ul>	<ul><li>RF AFC2</li></ul>
<ul><li>VCO(CW)</li></ul>	● I2C BUS CTRL	● VCO(CW)	● I2C BUS CTRL

#### (3) Enter the any setting (adjustment) mode

#### • PICTURE, SOUND and OTHERS mode

- 1) If select any of PICTURE, SOUND or OTHERS items, and the LEFT / RIGHT key is pressed from SERVICE MENU (MAIN MENU), the screen ② will be displayed as shown in figure page later.
- 2) Then the UP / DOWN key is pressed, the PICTURE mode screen ③ or the SOUND mode screen ④ or the OTHER mode screen ⑤ is displayed, and the PICTURE, SOUND or OTHERS setting can be performed.

#### ● PIP mode [Only for AV-36D502 model]

- 1) If select the PIP item, and the LEFT/RIGHT key is pressed from SERVICE MENU (MAIN MENU), the screen (6) will be displayed as shown in figure page later.
- 2) Then the UP/DOWN key is pressed, the PIP mode screen (?) is displayed, and the PIP setting can be performed.

#### [AV-36D202, AV-36D302]

#### ● THEATER, LOW LIGHT, HIGH LIGHT, RF AFC, VCO(CW) and I2C BUS CTRL mode


- 1) If select any of THEATER / LOW LIGHT / HIGH LIGHT / RF AFC / VCO (CW) / I2C BUS CTRL items, and the LEFT / RIGHT key is pressed from SERVICE MENU (MAIN MENU), the screens (8) (9) (10) (11) (12) will be displayed as shown in figure page later.
- 2) Then the settings or verifications can be performed.

#### [AV-36D502]

#### ● THEATER, LOW LIGHT, HIGH LIGHT, RF AFC1, RF AFC2, VCO(CW) and I2C BUS CTRL mode

- 1) If select any of THEATER / LOW LIGHT / HIGH LIGHT / RF AFC1 / RF AFC2 / VCO (CW) / I2C BUS CTRL items, and the LEFT / RIGHT key is pressed from SERVICE MENU ( MAIN MENU ), the screens (8) (9) (10) (12) (13) (14) (15) will be displayed as shown in figure page later.
- 2) Then the settings or verifications can be performed.








## (4) Setting method

- 1) UP / DOWN key of the MENU Select the SETTING ITEM.
- 2) LEFT / RIGHT key of the MENU
  Setting (adjust) the SETTING VALUE of the SETTING ITEM.
  When the key is released the SETTING VALUE will be stored (memorized).
- 3) EXIT key Returns to the previous screen.



## (5) Releasing SERVICE MENU

- 1) After returning to the SERVICE MENU upon completion of the setting (adjustment) work, press the EXIT key again.
- ★ The settings for LOW LIGHT and HIGH LIGHT are described in the WHITE BAL-ANCE page of ADJUSTMENT.



## **INITIAL SETTING VALUE OF SERVICE MENU**

- 1. Adjustment of the SERVICE MENU is made on the basis of the initial setting values; however, the new setting values which set the screen in its optimum condition may differ from the initial setting.
- 2. Do not change the initial setting values of the setting (Adjustment) items not listed in "ADJUSTMENT".

#### PICTURE MODE

- The four setting items in the video mode No.6 EXT BRI., No.7 EXT PIC., No.8 EXT COL. and No.9 EXT TINT are linked to the items in the TV MODE No.1 BRIGHT, No.2 PICTURE, No.3 COLOR and No.4 TINT, respectively. When the setting items in the TV mode are adjusted, the values in the setting items in the video mode are revised automatically to the same values in the TV mode. (The initial setting values given in () are off-set values.)
- the when the four items (No.6, 7, 8 and 9) are adjusted in the video mode, the setting values in each item are revised independently.

No.	Setting (Adjustment) item	Variable range	Initial setting value	Remark
1	BRIGHT	000 — 127	063	
2	PICTURE	000 — 127	090	
3	COLOR	000 — 127	072	
4	TINT	000 — 127	065	
5	TV DETAIL	000 — 063	045	
6	EXT BRIGHT	±025	+001	
7	EXT PICT.	±025	+002	
8	EXT COLOR	±025	+002	AV-36D202(/R&M), AV-36D302(/R&M), AV-36D502(/R&M)
	EXT COLOR	±025	+004	AV-36D202 /н, AV-36D302 /н, AV-36D502 /н
9	EXT TINT	±025	-003	
10	EXT DETAIL	000 — 063	045	
11	CMP BRIGHT	±025	-003	
12	CMP PICT.	±025	+006	
13	CMP COLOR	000 — 127	087	
14	CMP TINT	000 — 127	066	AV-36D202 /r, AV-36D302 /r, AV-36D502 /r
	CMP TINT	000 — 127	064	AV-36D202 /R, AV-36D302 /R, AV-36D502 /R
	CMP TINT	000 — 127	080	AV-36D202 /н, AV-36D302 /н, AV-36D502 /н
15	CMP DETAIL	000 — 063	050	
16	CMP R CUT	±025	-011	
17	CMP G CUT	±025	±000	
18	CMP B CUT	±025	-001	
19	CMP R DRV	±025	±000	
20	CMP B DRV	±025	±000	
21	WPL	000 / 001	001	
22	B. B. SW	000 / 001	000	
23	C TRAP	000 / 001	000	
24	CORING	000 / 001	000	
25	CMP CORING	000 / 001	001	
26	TV SHARPF	000 / 001	001	
27	EXT SHARPF	000 / 001	001	
28	CMP SHARPF	000 / 001	001	
29	RGB CONT	000 — 063	031	
30	TV ID SENS	000 / 001	000	
31	EXT ID SEN	000 / 001	001	
32	FID	000 / 001	000	
33	Y MUTE	000 / 001	000	
34	AUDIO ATT	000 — 127	127	
35	SUB CONT	000 — 015	010	



No.	Setting (Adjustment) item	Variable range	Initial setting value	Remark
36	R Y GAIN	000 / 001	001	
37	CMP R Y GA	000 / 001	001	
38	G Y PHASE	000 / 001	000	
39	CMP G Y PH	000 / 001	000	
40	CD MATRIX	000 — 003	003	
41	CMP CD MAT	000 — 003	002	
42	BLACK ST	000 — 003	001	
43	DC REST	000 — 003	001	
44	COLOR GMM	000 / 001	000	
45	UV/CBCR	000 / 001	001	
46	AT FLESH	000 / 001	000	
47	ABL GAIN	000 — 003	000	
48	ABL ST PNT	000 — 003	003	
49	RGB ABCL	000 / 001	001	
50	TV BPF TOF	000 / 001	000	
51	EXT BPF TOF	000 / 001	000	
52	GMM PNT	000 — 003	003	
53	SVM GAIN	000 — 003	003	
54	CMP SVM GA	000 — 003	003	
55	SVM PHASE	000 / 001	000	
56	AUDIO SW	000 / 001	000	
57	BUZZ	000 / 001	000	
58	IF FREQ	000 / 001	000	
59	RF AGC	000 — 063	045	
60	AFT MUTE	000 / 001	000	
61	AFT SENS	000 / 001	001	
62	R/G DRV SW	000 / 001	001	
63	BLK SW	000 / 001	000	
64	V S COR	000 — 015	012	
65	V LIN	000 — 015	008	
66	V SIZE	000 — 127	065	
67	V AGC	000 / 001	000	
68	V CENTER	000 — 063	053	
69	TV AFC	000 — 003	000	
70	EXTAFC	000 — 003	002	
71	V POSI	000 — 007	000	
72	H POSI	000 — 031	011	
73	H SIZE	000 — 063	023	
74	TV V FREQ	000 — 003	000	
75	EXT V FREQ	000 — 003	003	
76	SIDE PIN	000 — 063	027	
77	STAND BY	000 / 001	000	
78	TRAPEZ	000 — 063	035	
79	V RAMP REF	000 / 001	001	
80	V 48HZ	000 / 001	000	
81	V EHT	000 — 007	000	
82	TOP PIN	000 — 031	010	



No.	Setting (Adjustment) item	Variable range	Initial setting value	Remark
83	H EHT	000 — 007	000	
84	BTM PIN	000 — 031	012	
85	V BLK LOW	000 — 003	000	
86	V BLK UP	000 — 003	000	
87	CAPTION IN	000 / 001	000	
88	H BLK	000 / 001	000	
89	SCREEN	000 / 001	000	
90	ACB SW	000 / 001	000	
91	ACB PULSE	000 — 015	007	
92	OVER MODU	000 / 001	001	
93	APACON LIM	000 / 001	001	
94	TEST	000 — 255	128	
95	RF S/N TY	000 — 002	002	
96	EXT S/N TY	000 — 002	002	
97	RF SN YC E	000 — 255	005	
98	RF SN YC F	000 — 255	016	
99	RF SN YC G	000 — 063	032	
100	RF SN YC H	000 — 255	025	
101	EX SN YC E	000 — 255	005	
102	EX SN YC F	000 — 255	016	
103	EX SN YC G	000 — 063	032	
104	EX SN YC H	000 — 255	025	
105	RF SN VC 1	000 — 063	000	
106	RF SN VC 2	000 — 063	007	
107	RF SN VC 3	000 — 063	014	
108	RF SN VC 4	000 — 063	021	
109	EX SN VC 1	000 — 063	000	
110	EX SN VC 2	000 — 063	007	
111	EX SN VC 3	000 — 063	014	
112	EX SN VC 4	000 — 063	021	
113	COR LEVEL	000 — 003	003	
114	VNR CHK	000 — 255	003	
115	YC SN TIME	000 — 255	005	
116	VC SN TIME	000 — 255	005	
117	VM DATA A	±127	+008	
118	VM DATA B	±127	-004	
119	VM DATA C	±127	-016	
120	VM DATA D	000 / 001	000	
121	VC SN STOP	000 — 255	010	
122	CH MUTE	00/001	000	
123	VM OFF TY	000/001	000	
124	VC VM OFF	000/001	001	
125	YC VM OFF	000 — 255	255	
126	FLOCK	000 — 002	002	
127	VF LOCK EX	000/001	000	
128	PURI RGB	000 — 063	031	
129	PURI BCK	000/001	000	



## SOUND MODE

No.	Setting (Adjustment) item	Variable range	Initial setting value	Remark
1	NOISE DET.	000 / 001	001	
2	IN LEVEL	000 — 063	025	
3	FH MONITOR	000 / 001	000	
4	STEREO VCO	000 — 063	030	
5	PILOT CAN.	000 / 001	000	
6	FILTER	000 — 063	030	
7	LOW SEP.	000 — 063	028	
8	HI SEP.	000 — 063	025	
9	5FH MON.	000 / 001	000	
10	SAP VCO	000 — 063	003	
11	IN GAIN	000 / 001	000	
12	FIL. OFFSET	±010	±000	
13	BBE BASS	±010	+001	
14	BBE TRE	±010	-001	

## ● THEATER MODE

Setting (Adjustment) item	Variable range	Initial setting value	Remark
TINT	±20	-06	
COLOR	±20	-03	
PICTURE	±50	<b>–15</b>	
BRIGHT	±20	±00	
DETAIL	±20	+03	
R CUT.	±20	±00	
G CUT.	±20	±00	
B CUT.	±20	±00	
R DRIVE	±99	+07	
B DRIVE	±99	-25	
DC REST.	00 — 03	01	
BLK ST.	00 — 03	00	
GMM PNT	00 — 03	01	
CD MATRIX	00 — 03	01	
RY GAIN	00 / 01	01	
GY PHASE	00 / 01	00	
CORING	00 / 01	01	
CMP CD M	00 — 03	01	
CMP RY G	00 / 01	01	
CMP GY P	00 / 01	00	
CMP COR	00 / 01	01	



## • OTHERS MODE

No.	Setting (Adjustment) item	Variable range	Initial setting value	Remark
1	OSD POS.	000 — 007	002	
2	CCD POS.	000 — 015	003	
3	EOSEL	000 / 001	000	
4	MENU COLOR	000 — -030	-010	
5	MENU PICT.	000 — -030	-010	
6	MENU BRI.	000 — -030	-010	

## ● PIP MODE [Only for AV-36D502 model]

No.	Setting (Adjustment) item	Variable range	Initial setting value	Remark
1	PIP BR	000 — 015	005	
2	PIP PICT	030 — 045	045	
3	PIP TINT	000 — 063	036	
4	PIP COL	000 — 015	010	
5	P R CUT	000 — 015	003	
6	P G CUT	000 — 015	000	
7	P B CUT	000 — 015	002	
8	P R DR	000 — 255	052	
9	P G DR	000 — 255	055	
10	P B DR	000 — 255	060	
11	LEFT POS.	000 — 255	020	
12	RIGHT POS.	000 — 255	017	
13	UPPER POS.	000 — 127	012	
14	LOWER POS.	000 — 127	011	
15	PICT LOCK	000 / 001	001	
16	SELDEL	000 — 015	000	
17	AGCFIX	000 / 001	001	
18	AGCADST	000 / 001	000	
19	AGC	000 — 015	007	
20	VSPDEL	000 — 031	000	
21	VSPISQ	000 / 001	001	
22	YCOR	000 / 001	001	
23	XFREQF	000 / 001	001	
24	WTCHDG	000 / 001	001	
25	COLON	000 / 001	000	
26	ACQNEW	000 / 001	000	
27	DSTDET	000 / 001	001	
28	CRIBEOK	000 / 001	000	
29	FCBEOK	000 / 001	000	
30	NOCRID	000 / 001	000	
31	NONSED	000 / 001	000	



## • LOW LIGHT MODE

Setting (Adjustment) item	Variable range	Initial setting value	Remark
R CUTOFF	0 — 255	085	
G CUTOFF	0 — 255	085	
B CUTOFF	0 — 255	085	

## HIGH LIGHT MODE

Setting (Adjustment) item	Variable range	Initial setting value	Remark
R DRIVE	0 — 127	060	
B DRIVE	0 — 127	060	

## ● RF AFC MODE [Only for AV-36D202, AV-36D302 models]

Setting (Adjustment) item	Variable range	Initial setting value	Remark
RF AFC	ON / OFF	ON (DO NOT)	
FINE	-77 — +77	$_{\pm  imes  imes}$ \ ADJUST $igr brace$	

## ● RF AFC1 MODE [Only for AV-36D502 model]

Setting (Adjustment) item	Variable range	Initial setting value	Remark
RF AFC1	ON / OFF	ON (DO NOT)	
FINE	-77 — +77	$_{\pm  imes  imes}$ \ ADJUST $igr brace$	

## ● RF AFC2 MODE [Only for AV-36D502 model]

Setting (Adjustment) item	Variable range	Initial setting value	Remark
RF AFC2	ON / OFF	ON (DO NOT)	
FINE	-77 — +77	$_{\pm  imes  imes}$ $ig($ ADJUST $ig)$	

## • I2C BUS CTRL MODE

Setting (Adjustment) item	Variable range	Initial setting value	Remark
I2C BUS	ON/OFF	[FIXED ON] ( DO NOT ADJUST )	

## **ADJUSTMENTS**

## **B1 POWER SUPPLY**

Item	Measuring instrument	Test point	Adjustment part	Description
Check of B1 POWER SUPPLY	DC Voltmeter	R507 C504 side (B1) Q511 heatsink (+++)		1. Receive a black-and-white signal. 2. Connect the DC Voltmeter to R507 C504 side (B1) and Q511 heatsink ( //// ). 3. Confirm that the voltage is DC134V <sup>+2V</sup> <sub>-2V</sub> .

## **ADJUSTMENT OF RF AGC**

Item	Measuring instrument	Test point	Adjustment part	Description
RF AGC adjustment			No.59 RF AGC	<ol> <li>Receive a broadcast.</li> <li>Select the No.59 RF AGC of the PICTURE MODE.</li> <li>Press the MUTE key of the remote control unit and turn off color.</li> <li>With the LEFT key of the remote control unit, get noise in the screen picture. (0 side of setting value)</li> <li>Press the RIGHT key of the remote control unit and stop when noise disappears from the screen.</li> <li>Change to other channels and make sure that there Is no irregularity.</li> <li>Press the MUTE key and get color out.</li> </ol>

## **ADJUSTMENT OF FOCUS**

Item	Measuring instrument	Test point	Adjustment part	Description
FOCUS adjustment	Signal generator		FOCUS VR [In HVT] H VR [In HVT]	Notes:  Proceed to the following this adjustment after having completed the adjustments of B1 POWER SUPPLY, SUB BRIGHT and PICTURE.  Set VIDEO STATUS to "STANDARD".  The final adjustment of CONVERGENCE must be done after the FOCUS adjustment. (CONVERGENCE is changed by FOCUS adjustment.)  When makes difference by FOCUS adjustment, should be reconfirming PURITY adjustment.  Receive a crosshatch signal.  While looking at the screen center, adjust the FOCUS VR so that the horizontal lines will be clear and in fine detail.  Adjust the H VR so that the vertical lines will be clear and in fine detail.
				4. Make sure that the picture is in focus even when the screen gets darkened.



## **ADJUSTMENT OF WHITE BALANCE**

Item	Measuring instrument	Test point	Adjustment part	Description
R C	Signal generator  [LOW LIGHT] M  BRIGHT	***  EXIT  B CUTOFF A  6	No.1 BRIGHT  R CUTOFF G CUTOFF B CUTOFF  SCREEN VR [In HVT]	Note: Set VIDEO STATUS to "STANDARD".  1. Receive a black-and-white signal.(Color off) 2. Select the [LOW LIGHT] MODE from the SERVICE MENU. 3. Set the initial setting value of BRIGHT is 063 with the LEFT / RIGHT key of the remote control unit. 4. Set the initial setting value of R CUTOFF, G CUTOFF and B CUTOFF is 085 with the 4 to 9 key of the remote control unit. 5. Display a single horizontal line by pressing the 1 key of the remote control unit. 6. Turn the screen VR all the way to the left. 7. Turn the screen VR gradually to the right from the left until either one of the red, blue or green colors appears faintly. 8. Adjust the two colors which did not appear until the single horizontal line that is displayed becomes white using the 4 to 9 keys of the remote control unit. 9. Turn the screen VR to where the single horizontal line glows faintly. 10. Press the 2 key to return to the regular screen.  * The 3 EXIT key is the cancel key for the WHITE BALANCE.
RI	Signal generator  [HIGH LIGHT] M  HIGHT LIGH  ****  PRIVE  REMOTE CONTRO  LLINE ON H.LINE OFF  1 2	HT *** E	R DRIVE B DRIVE	Notes:  • Proceed to the following this adjustment after having completed the adjustment of LOW LIGHT WHITE BALANCE.  • Set VIDEO STATUS to "STANDARD".  1. Receive a black-and-white signal. (Color off) 2. Select the [HIGH LIGHT] MODE from the SERVICE MENU. 3. Set the initial setting value of R DRIVE and B DRIVE is 060 with the 4, 6, 7 and 9 keys of the remote control unit.  4. Adjust the screen until it becomes white using the 4, 6, 7 and 9 keys of the remote control unit.  * The 3 (EXIT) key is the cancel key for the WHITE BALANCE.
F	(4) (5) R DRIVE ▼ (7) (8)	6 B DRIVE ▼ 9		



Item	Measuring instrument	Test point	Adjustment part	Description
PIP HIGH LIGHT WHITE BALANCE [AV-36D502]	Signal generator		No.8 P R DR No.10 P B DR	Notes: • Proceed to the following this adjustment after having completed the adjustments of LOW LIGHT WHITE BALANCE and HIGH LIGHT WHITE BALANCE for the main picture. • Set VIDEO STATUS to "STANDARD".
		•	PIP screen  Main screen	<ol> <li>Receive a black-and-white signal. (Color off)</li> <li>Select the PIP MODE from the SERVICE MENU.</li> <li>Then adjust the white color of the PIP screen using the No. 8 P R DR and the No. 10 P B DR of the PIP MODE so that it is the same brightness as the main screen.</li> </ol>

## **ADJUSTMENT OF BRIGHT**

Item	Measuring instrument	Test point	Adjustment part	Description
SUB BRIGHT Adjustment			No.1 BRIGHT	Notes:  • Proceed to the following this adjustment after having completed the adjustments of LOW LIGHT WHITE BALANCE and HIGH LIGHT WHITE BALANCE.  • Set VIDEO STATUS to "STANDARD".  1. Receive a broadcast. 2. Select the No.1 BRIGHT of the PICTURE MODE. 3. Set the initial setting value of the No.1 BRIGHT with the LEFT / RIGHT key of the remote control unit. 4. If the brightness is not best with the initial setting value, make fine adjustment of the No.1 BRIGHT until you get the optimum brightness.

## **ADJUSTMENT OF CONTRAST**

Item	Measuring instrument	Test point	Adjustment part	Description
SUB CONTRAST Adjustment			No.2 PICTURE	Notes:  • Proceed to the following this adjustment after having completed the adjustment of SUB BRIGHT.  • Set VIDEO STATUS to "STANDARD".  1. Receive a broadcast. 2. Select the No.2 PICTURE of the PICTURE MODE. 3. Set the initial setting value of the No.2 PICTURE with the LEFT / RIGHT key of the remote control unit.  4. If the contrast is not best with the initial setting value, make fine adjustment of the No.2 PICTURE until you get the optimum contrast.



## **ADJUSTMENT OF DEFLECTION**

Item	Measuring instrument	Test point	Adjustment part	Description
V CENTER and TRAPEZIUM Adjustment	Signal generator		No.68 V CENTER No.78 TRAPEZ	Note: Proceed to the following this adjustment after having completed the adjustments of SUB BRIGHT and SUB CONTRAST.
				<ol> <li>Receive a crosshatch signal.</li> <li>Adjust the No.68 V CENTER of the PICTURE MODE to be the same between the CRT vertical center and crosshatch vertical center.</li> <li>Adjust the No.78 TRAPEZ of the PICTUER MODE to be the vertical lines straight.</li> <li>Confirm the vertical lines to be straight. If it is not straight, adjust to be straight at the No.78 TRAPEZ.</li> </ol>
V-SIZE and V-LINEARITY Adjustment	Signal generator		No.66 V SIZE No.65 V LIN	Note: Proceed to the following this adjustment after having completed the adjustments of SUB BRIGHT and SUB CONTRAST.
Screen size 92%		een size	Picture size 100%	<ol> <li>Receive a crosshatch signal.</li> <li>Select the No.66 V SIZE of the PICTURE MODE to squeeze the laster.</li> <li>Adjust the No.65 V LIN of the PICTURE MODE to be symmetrical</li> <li>Adjust the No.66 V SIZE until the vertical screen size is 92%.</li> </ol>
H SIZE and H POSITION Adjustment	Signal generator		No.73 H SIZE No.72 H POSI	Note: Proceed to the following this adjustment after having completed the adjustments of FOCUS, SUB BRIGHT, SUB CONTRAST, V CENTER TRAPEZIUM, V-SIZE and V-LINEARITY.
Screen size		een size 92%	Picture size 100%	<ol> <li>Receive a crosshatch signal.</li> <li>Select the No.73 H SIZE of the PICTURE MODE.</li> <li>Set the initial setting value of the No.73 H SIZE with the LEFT RIGHT key of the remote control unit.</li> <li>Adjust the No.73 H SIZE until the horizontal screen size is 92%.</li> <li>Adjust the No.72 H POSI until the screen will be horizontally centered.</li> </ol>



Item	Measuring instrument	Test point	Adjustment part	Description
SIDE PIN and CORNER PIN Adjsutment	Signal generator		No.76 SIDE PIN No.82 TOP PIN No.84 BTM PIN	Note: Proceed to the following this adjustment after having completed the adjustments of FOCUS, SUB BRIGHT, SUB CONTRAST, V CENTER, TRAPEZIUM, V-SIZE and V-LINEARITY.
	Straight	Str	aight	<ol> <li>Receive a crosshatch signal.</li> <li>Adjust such that vertical 2nd lines from left and right to be straight at the No.76 SIDE PIN of the PICTURE MODE.</li> <li>Adjust the end of vertical 2nd lines from left and right to be straight at the No.82 TOP PIN and the No.84 BTM PIN of the PICTURE MODE.</li> </ol>
PIP DISPLAY POSITION Adjustment [AV-36D502]			No.11 LEFT POS. No.12 RIGHT POS. No.13 UPPER POS. No.14 LOWER POS.	Notes: • Proceed to the following this adjustment after having completed the adjustments of V CENTER, TRAPEZIUM, V-SIZE, V-LINEARITY, H SIZE, H POSITION, SIDE PIN and CORNER PIN for the main picture. • Set VIDEO STATUS to "STANDARD".
UPPER POS.	8	RIGI	HT POS.  80% Main screen size	<ol> <li>Receive a broadcast.</li> <li>Select the PIP MODE from the SERVICE MENU.</li> <li>Then adjust the PIP screen size so that it occupies 80% ± 2% of the main screen area.</li> </ol>



## **ADJUSTMENT OF CHROMA**

Item	Measuring instrument	Test point	Adjustment part	Description	
SUB COLOR adjustment	Signal generator Oscilloscope Remote control unit	TP-B TP-E ( ;; ) [CRT SOCKET PWB]	No.3 COLOR	Notes: • Proceed to the following this adjustment after having completed the adjustment of CONTRAST. • Set VIDEO STATUS to "STANDARD".	
	Y G R (A) (-) (-) (-) (-) (-) (-) (-) (-) (-) (-			<ol> <li>Method of adjustment without measuring instrument ]</li> <li>Receive a broadcast.</li> <li>Select the No.3 COLOR of the PICTURE MODE.</li> <li>Set the initial setting value of the No.3 COLOR with the LEFT/RIGH key of the remote control unit.</li> <li>If the color is not the best with the Initial setting value, make fir adjustment of the No.3 COLOR until you get the optimum color.</li> <li>Notes:         <ul> <li>Proceed to the following this adjustment after having completed the adjustment of CONTRAST.</li> <li>Set VIDEO STATUS to "STANDARD".</li> </ul> </li> </ol>	
L				<ol> <li>Method of adjustment using measuring instrument ]</li> <li>Input the full field color bar signal (75% white).</li> <li>Select the No.3 COLOR of the PICTURE MODE.</li> <li>Set the initial setting value of the No.3. COLOR with the LEFT/RIGHT key of the remote control unit.</li> <li>Connect the oscilloscope between TP-B and TP-E.</li> <li>Adjust COLOR and bring the value of (A) in the illustration to the voltage shown in the table 1.</li> </ol>	
SUB TINT adjustment	Signal generator Oscilloscope Remote control unit	TP-B TP-E ( ;;; ) [CRT SOCKET PWB]	No.4 TINT	Notes: • Proceed to the following this adjustment after having completed the adjustment of CONTRAST. • Set VIDEO STATUS to "STANDARD".	
	Y G	R R Mg B (E	z - (+) 3)	<ol> <li>[ Method of adjustment without measuring instrument ]</li> <li>1. Receive a broadcast.</li> <li>2. Select the No.4 TINT of the PICTURE MODE.</li> <li>3. Set the initial setting value of the No.4 TINT with the LEFT/RIGHT key of the remote control unit.</li> <li>4. If the tint is not the best with the initial setting value, make fine adjustment of the No.4 TINT until you get the optimum tint.</li> <li>Notes:         <ul> <li>Proceed to the following this adjustment after having completed the adjustment of CONTRAST.</li> <li>Set VIDEO STATUS to "STANDARD".</li> </ul> </li> </ol>	
	AV-36D202/Y	, AV-36D302/H, AV-36i , AV-36D302/r, AV-36E , AV-36D302/R, AV-36i <b>Table 2</b>	)502 <sub>/Y</sub> +8V	<ol> <li>Method of adjustment using measuring instrument ]</li> <li>Input the full field color bar signal (75% white).</li> <li>Select the No.4 TINT of the PICTURE MODE.</li> <li>Set the initial setting value of the No.4 TINT with the LEFT/RIGHT key to the remote control unit.</li> <li>Connect the oscilloscope between TP-B and TP-E.</li> <li>Adjust TINT and bring the value of (B) in the illustration to the voltvoltage shown in the table 2.</li> </ol>	

## **ADJUSTMENT OF MTS CIRCUIT**

Item	Measuring instrument	Test point	Adjustment part	Description	
MTS INPUT LEVEL check			No.2 IN LEVEL	Select the No.2 IN LEVEL of the SOUND MODE.     Verify that the No.2 IN LEVEL is set at its initial setting value.	
MTS STEREO VCO adjustment	Signal generator Frequency counter	[MPX] Connector 2 pin AUDIO R 3 pin GND	No.3 FH MONITOR No.4 STEREO VCO	<ol> <li>Note: Menu "MTS" is set to "STEREO"</li> <li>Receive a RF signal (nonmodulated sound signal) from the antenna terminal.</li> <li>Select the No.3 FH MONITOR of SOUND MODE, and change the setting value from 0 to 1.</li> <li>Connect the Frequency Counter to pin 2 of [MPX] connector and GND (Pin 3 of [MPX] connector).</li> <li>Select the No.4 STEREO VCO.</li> <li>Set the initial setting value of the No.4 STEREO VCO with the LEFT/RIGHT key of the remote control unit.</li> <li>Adjust the No.4 STEREO VCO so that the frequency counter will display 15.73kHz±0.1kHz.</li> <li>Select the No.3 FH MONITOR of the SOUND MODE, and reset the setting value from 1 to 0.</li> </ol>	
MTS SAP VCO adjustment	Signal generator Frequency counter	[MPX] Connector 4 pin TP_952.5 3 pin GND 2 pin AUDIO_R	No.9 5FH MON. No.10 SAP VCO	<ol> <li>Receive a RF signal (non modulated sound signal) from the tenna terminal.</li> <li>Connect between pin 4 of [MPX] connector and GND (Pin 3 of [connector) through 1MΩ Resistor.</li> <li>Select the No.9 5FH MON. of the SOUND MODE, and resisetting value from 0 to 1.</li> <li>Connect the Frequency Counter to pin 2 of [MPX] connector GND (Pin 3 of [MPX] connector).</li> <li>Select the No.10 SAP VCO.</li> <li>Set the initial setting value of the No.10 SAP VCO with the IRIGHT key of the remote control unit.</li> <li>Adjust the No.10 SAP VCO so that the frequency counter wiplay 78.67kHz±0.5kHz.</li> <li>Select the No.9 5FH MON. of the SOUND MODE, and resisetting value from 1 to 0.</li> </ol>	
MTS FILTER check			No.6 FILTER	Select the No.6 FILTER of the SOUND MODE.     Verify that the No.6 FILTER is set at its initial setting value.	
MTS SEPARATION adjustment	TV audio multiplex signal generator Oscilloscope	[MPX] Connector 1 pin AUDIO_L 2 pin AUDIO_R 3 pin GND	No.7 LOW SEP. No.8 HI SEP.	<ol> <li>Note: Menu "MTS" is set to "STEREO"</li> <li>Input a stereo L signal (300Hz) from the TV audio multiplex signal generator to the antenna terminal.</li> <li>Connect an oscilloscope to pin 1 of [MPX] connector, and display one cycle portion of the 300Hz signal.</li> <li>Change the connection of the oscilloscope to pin 2 of [MPX] con-</li> </ol>	
signal waveform cro		R-Chacrosst  Minimum	alk portion	<ol> <li>nector, and enlarge the voltage axis.</li> <li>Select the No.7 LOW SEP. of the SOUND MODE.</li> <li>Set the initial setting value of the No.7 LOW SEP. with the LE RIGHT key of the remote control unit.</li> <li>Adjust the No.7 LOW SEP. so that the 300Hz signal level will come minimum.</li> <li>Change the signal to 3kHz, and connect an oscilloscope to pin [MPX] connector.</li> <li>Adjust the No.8 HI SEP. so that the 3kHz signal level will becominimum.</li> </ol>	




#### ADJUSTMENTS OF PURITY AND CONVERGENCE

**Note:** The final adjustment of CONVERGENCE must be done after the FOCUS adjustment. (CONVERGENCE is changed by FOCUS adjustment.)

When makes difference by FOCUS adjustment, should be reconfirming PURITY adjustment.

#### **PURITY ADJUSTMENT**

- 1. Demagnetize CRT with the demagnetizer.
- 2. Loosen the retainer screw of the deflection yoke.
- 3. Remove the wedges.
- 4. Input a green raster signal from the signal generator, and turn the screen to green raster.
- 5. Move the deflection yoke backward.
- 6. Bring the long lug of the purity magnets on the short lug and position them horizontally. (Fig.2)
- Adjust the gap between two lugs so that the GREEN RASTER will come into the center of the screen. (Fig.3)
- 8. Move the deflection yoke forward, and fix the position of the deflection yoke so that the whole screen will become green.
- Insert the wedge to the top side of the deflection yoke so that it will not move.
- 10. Input a crosshatch signal.
- 11. Verify that the screen is horizontal.
- Input red and blue raster signals, and make sure that purity is properly adjusted.



P/C MAGNETS

P: PURITY MAGNET

4:4 POLES (convergence magnets)

6:6 POLES (convergence magnets)

Fig. 1




Fig. 2




Fig. 3



## STATIC CONVERGENCE ADJUSTMENT

- 1. Input a crosshatch signal.
- Using 4-pole convergence magnets, overlap the red and blue lines in the center of the screen (Fig. 4) and turn them to magenta (red/ blue).
- Using 6-pole convergence magnets, overlap the magenta(red/blue) and green lines in the center of the screen and turn them to white.
- 4. Repeat 2 and 3 above, and make best convergence.

## **DYNAMIC CONVERGENCE ADJUSTMENT**

- 1. Move the deflection yoke up and down and overlap the lines in the periphery. (Fig. 5)
- 2. Move the deflection yoke left to right and overlap the lines in the periphery. (Fig. 6)
- 3. Repeat 1 and 2 above, and make best convergence.
- After adjustment, fix the wedge at the original position.
   Fasten the retainer screw of the deflection yoke.
   Fix the 6 magnets with glue.




Fig. 4

## (FRONT VIEW)





Fig. 5

#### (FRONT VIEW)



No. 51798 33



## HOW TO CHECK THE HIGH VOLTAGE HOLD DOWN CIRCUIT

#### 1. HIGH VOLTAGE HOLD DOWN CIRCUIT

After repairing the high voltage hold down circuit shown in Fig. 1. This circuit shall be checked to operate correctly.

#### 2. CHECKING OF THE HIGH VOLTAGE HOLD DOWN CIRCUIT

- (1) Turn the POWER SW ON.
- (2) As shown in Fig. 1, set the resistor (between S1 connector 2 & 3 ).
- (3) Make sure that the screen picture disappears.
- (4) Temporarily unplug the power cord.
- (5) Remove the resistor (between S1 connector 2 & 3 ).
- (6) Again plug the power cord, make sure that the normal picture is displayed on the screen.




Fig. 1

## **SELF CHECK FUNCTIONS**

#### 1. Outline

This model has self check functions given below. When a malfunction has been detected, the POWER is turned off and the LED flashes to inform of the failure. The malfunction is detected by the signal input state of the control line connected to the microcomputer.

#### 2. Self check items

Check item	Details of detection	Method of detection	State of malfunction
Over-current protector	Operation of B1 protector circuit.	The microcomputer detects at 1 second intervals.  If NG is detected for more than 200 ms, a malfunction is interpreted.	When a malfunction has been detected, the POWER is turned off. While the POWER is being turned off , the power key of the remote controller is not operational until the power code is taken out and put in again.

#### 3. Self check indicating function


The self-check function begins detection about 5 seconds after power is supplied.

In the event a malfunction is detected, the power is cut off immediately.

At this time, the ON-TIMER LED flashes to inform of the malfunction.

## [ON-TIMER LED indication]

The ON-TIMER LED flashes at 0.5 seconds intervals.





# JVC

# SCHEMATIC DIAGRAMS


### **COLOR TELEVISION**

**BASIC CHASSIS** 

AC

AV-36D202/H AV-36D302/H AV-36D502/H AV-36D202/R AV-36D302/R AV-36D502/R AV-36D202/Y AV-36D502/Y

CD-ROM No. SML200103





# AV-36D202 /н AV-36D302 /н AV-36D502 /н AV-36D202 /г AV-36D302 /г AV-36D502 /г AV-36D202 /г AV-36D502 /г STANDARD CIRCUIT DIAGRAM

### ■ NOTE ON USING CIRCUIT DIAGRAMS

#### 1. SAFETY

The components identified by the  $\triangle$  symbol and shading are critical for safety. For continued safety replace safety critical components only with manufactures recommended parts.

#### 2. SPECIFIED VOLTAGE AND WAVEFORM VALUES

The voltage and waveform values have been measured under the following conditions.

(1) Input signal : Color bar signal(2) Setting positions of each knob/button and

variable resistor : Original setting position when

shipped

(3) Internal resistance of tester : DC  $20k\Omega/V$ 

(4) Oscilloscope sweeping time : H  $\Rightarrow$  20µS/div  $\Rightarrow$  5mS/div

: Others  $\Rightarrow$  Sweeping time is

specified

(5) Voltage values : All DC voltage values

\*Since the voltage values of signal circuit vary to some extent according to adjustments, use them as reference values.

### 3. INDICATION OF PARTS SYMBOL [EXAMPLE]

• In the PW board : R1209  $\rightarrow$  R209

#### 4. INDICATIONS ON THE CIRCUIT DIAGRAM

#### (1) Resistors

Resistance value

 $\begin{array}{lll} \text{No unit} & : [\Omega] \\ k & : [k\Omega] \\ \text{M} & : [M\Omega] \\ \end{array}$ 

Rated allowable power

No indication : 1/10 [W]
Others : As specified

Type

No indication : Carbon resistor

OMR : Oxide metal film resistor
MFR : Metal film resistor
MPR : Metal plate resistor
UNFR : Uninflammable resistor

FR : Fusible resistor

\*Composition resistor 1/2 [W] is specified as 1/2S or Comp.

#### (2) Capacitors

Capacitance value

 $\begin{array}{ll} \text{1 or higher} & : [pF] \\ \text{less than 1} & : [\mu F] \end{array}$ 

Withstand voltage

No indication : DC50[V]

AC indicated : AC withstand voltage [V]
Others : DC withstand voltage [V]

\* Electrolytic Capacitors

47/50[Example]: Capacitance value [μF]/withstand voltage[V]

Type

No indication : Ceramic capacitor

MY : Mylar capacitor

MM : Metalized mylar capacitor PP : Polypropylene capacitor

MPP : Metalized polypropylene capacitor

MF : Metalized film capacitor
TF : Thin film capacitor


BP : Bipolar electrolytic capacitor

TAN : Tantalum capacitor

(3) Coils

 $\begin{tabular}{lll} No \ unit & : [\mu H] \\ Others & : As \ specified \\ \end{tabular}$ 

(4) Power Supply



\*Respective voltage values are indicated

#### (5) Test point

: Test point

: Only test point display

### (6) Connecting method

: Connector
: Wrapping or soldering
: Receptacle

#### (7) Ground symbol

 $\stackrel{\bot}{=}$  : EARTH ground  $\stackrel{\bot}{\vee}$  : DIGITAL ground

#### 5. NOTE FOR REPAIRING SERVICE

This model's power circuit is partly different in the GND. The difference of the GND is shown by the LIVE : (  $\perp$  ) side GND and the ISOLATED(NEUTRAL) : (  $\not$ \_ ) side GND. Therefore, care must be taken for the following points.

- (1) Do not touch the LIVE side GND or the LIVE side GND and the ISOLATED(NEUTRAL) side GND simultaneously. If the above caution is not respected, an electric shock may be caused. Therefore, make sure that the power cord is surely removed from the receptacle when, for example, the chassis is pulled out.
- (2) Do not short between the LIVE side GND and ISOLATED(NEUTRAL) side GND or never measure with a measuring apparatus ( oscilloscope, etc.) the LIVE side GND and ISOLATED(NEUTRAL) side GND at the same time. If the above precaution is not respected, a fuse or any parts will be broken.
- Since the circuit diagram is a standard one, the circuit and circuit constants may be subject to change for improvement without any notice.

### **CONTENTS**

SEMICONDUCTOR SHAPES	2-2
BLOCK DIAGRAM	2-3
CIRCUIT DIACRAMS	

P.W.B. name Model	AV-36D202	AV-36D302	AV-36D502
MAIN PWB CIRCUIT DIAGRAM	P2-5	-	P2-7
MAIN, FRONT CONTROL AND FRONT AV INPUT PWB CIRCUIT DIAGRAMS	P2-9	-	P2-11
MAIN PWB CIRCUIT DIAGRAM	P2-13	-	-
PIP PWB CIRCUIT DIAGRAM	_	_	P2-15
AV SELECTOR PWB CIRCUT DIAGRAM	P2-17	-	P2-19
CRT SOCKET PWB CIRCUIT DIAGRAM	P2-21	-	-
LF PWB CIRCUIT DIAGRAM	P2-23	-	-

### **PATTERN DIAGRAMS**


Pattern name Model	AV-36D202	AV-36D302	AV-36D502
MAIN PWB PATTERN	P2-25	-	-
AV SELECTOR PWB PATTERN	P2-27	-	-
CRT SOCKET AND PIP PWB PATTERNS	P2-29	-	-
FRONT CONTROL, FRONT AV INPUT AND LF PWB PATTERNS	P2-31	-	←


 CHANNEL CHART
 [US]
 2-33

 [CA]
 2-34


### **SEMICONDUCTOR SHAPES**

### **TRANSISTOR**






### **CHIP IC**





2-2 No.51798

### **BLOCK DIAGRAM**





### **CIRCUIT DIAGRAMS**






### MAIN, FRONT CONTROL AND FRONT AV INPUT PWB CIRCUIT DIAGRAMS [AV-36D202, AV-36D302]





#### MAIN PWB CIRCUIT DIAGRAM




### \*DIFFERENCE LIST (\*PARTS)


	R403	R404	C403	<u></u> € C515	<u></u> £511	<u></u> £521
SAC-1503A-M2	QRX01GJ-1R5 (1.5Ω)	NOT USED	NCB21HK-273X (0.027 μ F)	QFZ0197-564 (0.56 μ F)	CE41029-00A	QQLZ026-500 (50 μ H)
SAC-1504A-M2	QRX01GJ-1R0 (1Ω)	QRE121J-100Y (10Ω)	NCB21HK-273X (0.027 μ F)	QFZ0197-624 (0.62 μ F)	QQR1027-003	QQLZ026-430 (43 μ H)
SAC-1505A-M2	QRX01GJ-1R0 (1Ω)	QRE121J-100Y (10Ω)	NCB21HK-273X (0.027 μ F)	QFZ0197-564 (0.56 μ F)	QQR1027-003	QQLZ026-430 (43 μ H)
SAC-1517A-M2	QRX01GJ-1R5 (1.5Ω)	NOT USED	NCB21HK-393X (0.039 μ F)	QFZ0197-564 (0.56 μ F)	CE41029-00A	QQLZ026-500 (50 $\mu$ H)
SAC-1518A-M2	QRX01GJ-1R0 (1 $\Omega$ )	QRE121J-100Y (10Ω)	NCB21HK-273X (0.027 μ F)	QFZ0197-624 (0.62 μ F)	QQR1027-003	QQLZ026-430 (43 μ H)
SAC-1519A-M2	QRX01GJ-1R0 (1Ω)	QRE121J-100Y (10Ω)	NCB21HK-273X (0.027 μ F)	QFZ0197-564 (0.56 μ F)	QQR1027-003	QQLZ026-430 (43 μ H)
SAC-1523A-M2	QRX01GJ-1R2 (1.2Ω)	NOT USED	NCB21HK-393X (0.039 μ F)	QFZ0197-564 (0.56 μ F)	CE41029-00A	QQLZ026-500 (50 $\mu$ H)
SAC-1524A-M2	QRX01GJ-1R0 (1Ω)	QRE121J-100Y (10Ω)	NCB21HK-273X (0.027 μ F)	QFZ0197-624 (0.62 μ F)	QQR1027-003	QQLZ026-430 (43 μ H)
SAC-1525A-M2	QRX01GJ-1R0 (1Ω)	QRE121J-100Y (10Ω)	NCB21HK-273X (0.027 μ F)	QFZ0197-564 (0.56 μ F)	QQR1027-003	QQLZ026-430 (43 μ H)


### NOTE


BW : BUS WIRE X : NON MOUNT \*1 : 2SC2412K/QR/-X \*2 : 2SA1037AK/QR/-X \*3 : 1SS133-T2 \*4 : QQR0582-001Z




### AV SELECTOR PWB CIRCUIT DIAGRAM [AV-36D202, AV-36D302]








**PWB** 




AV-36D202 AV-36D302 AV-36D502 AV-36D202 AV-36D302 AV-36D502

### PATTERN DIAGRAMS


**FRONT** 






- CRT SOCKET -


### - PIP -[AV-36D502]




### FRONT CONTROL, FRONT AV INPUT AND LF PWB PATTERNS

### -FRONT CONTROL -









AV-36D20 AV-36D30 AV-36D50

### CHANNEL CHART (US)

MO		CHARL	CHANNEL		TUNED
TV	CATV	BAND	REAL	DISP.	TUNER BAND
		VL	0 0 0		I
0		VH	0 0 0 1 1 1	7 8 9 0	п
			A B	14 15	I
	X	MID	C D E F G H	16 17 18 19 20 21	
		SUPER	J K L M N O P Q R S T U V W	23 24 25 26 27 28 29 30 31 32 33 34 35 36	П
×			W+1 W+2 W+3 W+4 W+5 W+6 W+7 W+8 W+9 W+10 W+11	37 38 39 40 41 42 43 44 45 46 47	
	HYPER	W+12 W+13 W+14 W+15 W+16 W+17 W+18 W+19 W+20 W+21 W+22 W+23 W+24 W+25 W+25 W+26 W+27 W+28	48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64	IV	
		ULTRA	W+29 W+30 W+31 W+32 W+33 W+34	65 66 67 68 69 70	

МО	DE		CHAI	NNEL	TUNER		
TV	CATV	BAND	REAL	DISP.	BAND		
×	CAIV	ULTRA	W+35 W+36 W+37 W+38 W+39 W+40 W+41 W+42 W+43 W+45 W+46 W+47 W+48 W+49 W+50 W+51 W+52 W+53 W+55 W+55 W+55 W+55 W+55 W+55 W+55	71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125	IV		
		SUB MID	A-8 A-4 A-3 A-2 A-1	01 96 97 98 99	I		
0	×	UHF	14				
TOTAL 180CH { VHF 124CH { UHF 56CH							
NOTE: TO RECEIVE THE SUBSCRIPTION OR PREMIUM PROGRAMMING FROM CERTAIN CABLE COMPANIES. SPECIAL ADAPTERS MAY BE REQUIRED.							

### **CHANNEL CHART (CA)**

		OHAH			
МО	1	BAND		NNEL	TUNER
TV	CATV		REAL DISP.		BAND
		VL	0	3 4 5 6	I
<u> </u>		VH	1 1 1	8 9 0 1 2 3	
		MID	A B C D E F G H -	14 15 16 17 18 19 20 21	П
			JKLMNO	23 24 25 26 27 28	
		SUPER	P Q R S T U > W	29 30 31 32 33 34 35 36	
×		HYPER	W+1 W+2 W+3 W+4 W+5 W+6 W+7 W+8 W+9 W+10 W+11 W+12 W+13 W+14 W+15 W+16 W+17 W+18 W+19 W+20 W+21 W+22 W+23 W+24 W+25 W+26 W+27 W+28 W+29	37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65	Ш
		ULTRA	W+30 W+31 W+32 W+33 W+34	66 67 68 69 70	IV

МО	DE	DAND	CHANNEL TUNER				
TV	CATV	BAND	REAL	DISP.	BAND		
×		ULTRA	W+35 W+36 W+37 W+38 W+39 W+40 W+41 W+42 W+43 W+44 W+45 W+46 W+47 W+48 W+49 W+50 W+51 W+52 W+53 W+54 W+55 W+56 W+57 W+58 W+56 W+67 W+68 W+67 W+68 W+66 W+67 W+68 W+66 W+67 W+68 W+66 W+67 W+68 W+69 W+70 W+71 W+72 W+73 W+74 W+75 W+78 W+79 W+80 W+81 W+82 W+83 W+84	71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125	IV		
		SUB MID	A-8 A-4 A-3	01 96 97	I		
			A-2 A-1	98 99	11		
0	×	UHF	14				
TOTAL 180CH							
NOTE: TO RECEIVE THE SUBSCRIPTION OR PREMIUM PROGRAMMING FROM CERTAIN CABLE COMPANIES. SPECIAL ADAPTERS MAY BE REQUIRED.							



### **PARTS LIST**

### **CAUTION**

- The parts identified by the △ symbol are important for the safety . Whenever replacing these parts, be sure to use specified ones to secure the safety .
- The parts not indicated in this Parts List and those which are filled with lines --- in the Parts No. columns will not be supplied .
- P. W. Board Ass'y will not be supplied, but those which are filled with the Parts No. in the Parts No. columns will be supplied.

### ABBREVIATIONS OF RESISTORS, CAPACITORS AND TOLERANCES

	RESISTORS		CAPACITORS
CR	Carbon Resistor	C CAP.	Ceramic Capacitor
FR	Fusible Resistor	E CAP.	Electrolytic Capacitor
PR	Plate Resistor	M CAP.	Mylar Capacitor
VR	Variable Resistor	HV CAP.	High Voltage Capacitor
HV R	High Voltage Resistor	MF CAP.	Metalized Film Capacitor
MF R	Metal Film Resistor	MM CAP.	Metalized Mylar Capacitor
MG R	Metal Glazed Resistor	MP CAP.	Metalized Polystyrol Capacitor
MP R	Metal Plate Resistor	PP CAP.	Polypropylene Capacitor
OM R	Metal Oxide Film Resistor	PS CAP.	Polystyrol Capacitor
CMF R	Coating Metal Film Resistor	TF CAP.	Thin Film Capacitor
UNF R	Non-Flammable Resistor	MPP CAP.	Metalized Polypropylene Capacitor
CH V R	Chip Variable Resistor	TAN. CAP.	Tantalum Capacitor
CH MG R	Chip Metal Glazed Resistor	CH C CAP.	Chip Ceramic Capacitor
COMP. R	Composition Resistor	BP E CAP.	Bi-Polar Electrolytic Capacitor
LPTC R	Linear Positive Temperature Coefficient Resistor	CH AL E CAP.	Chip Aluminum Electrolytic Capacitor
		CH AL BP CAP.	Chip Aluminum Bi-Polar Capacitor
		CH TAN. E CAP.	Chip Tantalum Electrolytic Capacitor
		CH AL BP E CAP.	Chip Tantalum Bi-Polar Electrolytic Capacitor

RESISTORS									
F	G	J	К	М	N	R	Н	Z	Р
±1%	±2%	±5%	±10%	±20%	±30%	+30% -10%	+50% -10%	+80% -20%	+100% 0%

### **CONTENTS**

USING P.W. BOARD & REMOTE CONTROL UNIT	39
EXPLODED VIEW PARTS LIST	
EXPLODED VIEW	41
PRINTED WIRING BOARD PARTS LIST (AV-36D202/R)	
MAIN PW BOARD ASS'Y	42
CRT SOCKET PW BOARD ASS'Y	45
FRONT CONTROL PW BOARD ASS'Y	45
FRONT AV INPUT PW BOARD ASS'Y	45
LF PW BOARD ASS'Y	
AV SELECTOR PW BOARD ASS'Y	
REMOTE CONTROL UNIT PARTS LIST (RM-C303G-1A)	
DIFFERENCE PARTS LIST BETWEEN AV-36D202/R, AV-36D202/H AND AV-36D202/Y	48
PRINTED WIRING BOARD PARTS LIST (AV-36D302/R)	
MAIN PW BOARD ASS'Y	
CRT SOCKET PW BOARD ASS'Y	
FRONT CONTROL PW BOARD ASS'Y	
FRONT AV INPUT PW BOARD ASS'Y	
LF PW BOARD ASS'Y	_
AV SELECTOR PW BOARD ASS'Y	
REMOTE CONTROL UNIT PARTS LIST (RM-C303G-1A)	
DIFFERENCE PARTS LIST BETWEEN AV-36D302/R, AV-36D302/H AND AV-36D302/Y	56
PRINTED WIRING BOARD PARTS LIST (AV-36D502N)	
MAIN PW BOARD ASS'Y	
CRT SOCKET PW BOARD ASS'Y	
FRONT CONTROL PW BOARD ASS'Y	
FRONT AV INPUT PW BOARD ASS'Y	
LF PW BOARD ASS'Y	
PIP PW BOARD ASS'Y	_
AV SELECTOR PW BOARD ASS'Y	
REMOTE CONTROL UNIT PARTS LIST (RM-C301G-2A)	
DIFFERENCE PARTS LIST BETWEEN AV-36D502/r, AV-36D502/r AND AV-36D502/R	65
DACKING / DACKING DADTE LIST	<u> </u>
PACKING / PACKING PARTS LIST	6/

### **USING P.W. BOARD & REMOTE CONTROL UNIT**

### [AV-36D202]

P.W.B ASS'Y Model	AV-36D202/н	AV-36D202/R	AV-36D202/Y
MAIN PW BOARD	SAC-1525A-M2	SAC-1524A-M2	SAC-1523A-M2
CRT SOCKET PW BOARD	SAC-3505A-M2	SAC-3504A-M2	SAC-3503A-M2
FRONT CONTROL PW BOARD	SAC-8502A-M2	-	-
FRONT AV INPUT PW BOARD	SAC-8602A-M2	-	-
LF PW BOARD	SAC-9502A-M2	-	-
AV SELECTOR PW BOARD	SAC0S508A-M2	-	-
REMOTE CONTROL UNIT	RM-C303G-1A	-	-

### [AV-36D302]

P.W.B ASS'Y	AV-36D302/H	AV-36D302/R	AV-36D302/Y
MAIN PW BOARD	SAC-1519A-M2	SAC-1518A-M2	SAC-1517A-M2
CRT SOCKET PW BOARD	SAC-3505A-M2	SAC-3504A-M2	SAC-3503A-M2
FRONT CONTROL PW BOARD	SAC-8502A-M2	<b>—</b>	-
FRONT AV INPUT PW BOARD	SAC-8602A-M2	-	-
LF PW BOARD	SAC-9502A-M2	-	-
AV SELECTOR PW BOARD	SAC0S507A-M2	<b>—</b>	-
REMOTE CONTROL UNIT	RM-C303G-1A	-	-

### [AV-36D502]

P.W.B ASS'Y Model	AV-36D502/н	AV-36D502/R	AV-36D502/Y
MAIN PW BOARD	SAC-1505A-M2	SAC-1504A-M2	SAC-1503A-M2
CRT SOCKET PW BOARD	SAC-3505A-M2	SAC-3504A-M2	SAC-3503A-M2
FRONT CONTROL PW BOARD	SAC-8502A-M2	-	-
FRONT AV INPUT PW BOARD	SAC-8602A-M2	-	<b>←</b>
LF PW BOARD	SAC-9502A-M2	-	-
PIP PW BOARD	SAC0P502A-M2	-	-
AV SELECTOR PW BOARD	SAC0S504A-M2	-	<b>←</b>
REMOTE CONTROL UNIT	RM-C301G-2A	<b>←</b>	-




### **EXPLODED VIEW PARTS LIST (AV-36D202 & AV-36D302 & AV-36D502)**

⚠ Ref.No.	Part No.	Part Name	Description	Local
△ L01 △ T1502 △ V01 △ V01 △ V01 △ 1 2 3	CELD067-001JA QQH0092-001 A90LPY30X04 A90AEJ15X01 A90AHH50X10/V/ QMPD200-200-JC LC30191-002A-A CM46084-002	DEG COIL FBT CRT CRT CRT POWER CORD REMOCON WINDOW JVC MARK	Within MAIN PWB Inc.DY(AV-36D202/H, AV-36D Inc.DY(AV-36D202/F, AV-36D Inc.DY(AV-36D202/Y, AV-36D CN90PW Within LF PWB	302/r,AV-36D502/r)
4 5 6 7 A 8 A 9 A 10	LC20217-005A-A A48457-4-S WJY0016-003A WJY0013-005A CEBSS12D-04KJ2 LC10883-001C-A LC20626-003D-A QYSBSB3010Z	CONTROL KNOB SPRING BRAIDED WIRE BRAIDED WIRE SPEAKER CHASSIS BASE TERMINAL BOARD TAPPING SCREW	(x2) SP01, SP02 (x4)	
12 ▲ 13 14 15 ▲ 16 ▲ 17 18 ▲ 100	CHGY0031-0C LC10644-002A-A QYSBSFG4016Z LC30684-005A-A LC31139-001A-A LC20106-001D-A QYSBSB4012Z LC10642-001E-A	ANT CABLE ASSY REAR COVER TAPPING SCREW BBE LABEL RATING LABEL CORD CLAMP TAPPING SCREW FRONT CABI ASSY	(Only for AV-36D502) (x12) (x8) Inc.No.101-102(AV-36D202)	
△ 100 101 101 102	LC10642-004B-A LC20409-001C-A LC20409-005A-A CM48229-00A-C	FRONT CABI ASSY DOOR DOOR DOOR LATCH	Inc.No.101-102(AV-36D302, AV- (AV-36D202) (AV-36D302, AV-36D502)	36D502)



### **EXPLODED VIEW**



### PRINTED WIRING BOARD PARTS LIST (AV-36D202/R)

MAIN PW BOARD ASS'Y (SAC-1524A-M2)

Symbol No.	Part No.	Part Name	Description	Local	∆ Symbol No.	Part No.	Part Name	Description	Loca
RESISTO	OR .				RESIST	OR			
R1001 R1002 R1003-04 R1011 R1012 R1013 R1014 R1015	NRSA63J-473X NRSA63J-102X NRSA63J-0R0X NRSA63J-820X NRSA63J-182X NRSA63J-562X QRE121J-101Y NRSA63J-180X	MG R MG R MG R MG R MG R C R MG R	47kΩ 1/16W J 1kΩ 1/16W J 0.0Ω 1/16W J 82Ω 1/16W J 1.8kΩ 1/16W J 5.6kΩ 1/16W J 100Ω 1/2W J 18Ω 1/16W J		R1522 R1523 A R1525 R1526 R1527-28 R1529 A R1531 R1532	NRSA63J-561X QRJ146J-333X QRZ9011-470 QRE121J-272Y QRE121J-154Y NRSA63J-331X QRJ146J-391X NRSA63J-273X	MG R C R F R C R C R MG R C R MG R	33kΩ 1/4W 47Ω 1/2W 2.7kΩ 1/2W 150kΩ 1/2W 330Ω 1/16W 390Ω 1/4W	J J J J
R1016 R1018 R1020 R1021 R1022 R1023 R1024 R1025	NRSA63J-270X NRSA63J-104X NRSA63J-332X NRSA63J-123X NRSA63J-151X NRSA63J-101X NRSA63J-102X NRSA63J-561X	MG R MG R MG R MG R MG R MG R MG R MG R	27Ω 1/16W J 100kΩ 1/16W J 3.3kΩ 1/16W J 12kΩ 1/16W J 150Ω 1/16W J 100Ω 1/16W J 1kΩ 1/16W J 560Ω 1/16W J		R1533-34 ⚠ R1535 ⚠ R1537 R1538 R1543 R1544 R1545 R1546	NRSA63J-123X NRVA02D-242X NRZ0032-7151X NRSA63J-333X QRE121J-122Y QRE121J-392Y QRE121J-822Y NRSA63J-331X	MG R MF R MF R MG R C R C R C R MG R	1.2kΩ 1/2W 3.9kΩ 1/2W 8.2kΩ 1/2W	
R1026 R1028 R1038 R1039-40 R1041 R1042-43 R1045-46 R1047	NRSA63J-331X NRSA63J-821X NRSA63J-272X NRSA63J-0R0X NRSA63J-122X NRSA63J-102X NRSA63J-0R0X NRSA63J-153X	MG R MG R MG R MG R MG R MG R MG R	330Ω 1/16W J 820Ω 1/16W J 2.7kΩ 1/16W J 0.0Ω 1/16W J 2.7kΩ 1/16W J 1kΩ 1/16W J 0.0Ω 1/16W J 15kΩ 1/16W J		R1547 R1548 R1553 R1601-03 R1610-12 R1700-02 R1704-05 R1706-07	NRSA63J-104X QRE121J-152Y QRL039J-180 NRSA63J-750X NRSA63J-221X NRSA63J-102X NRSA63J-472X NRSA63J-103X	MG R C R OM R MG R MG R MG R MG R MG R	1.5kΩ 1/2W 18Ω 3W 75Ω 1/16W 220Ω 1/16W 1kΩ 1/16W 4.7kΩ 1/16W	J J J J J
81048 81101-02 81111 81131 81134 81135 81140 81141	NRSA63J-154X NRSA63J-101X NRSA63J-105X NRSA63J-272X NRSA63J-562X NRSA63J-102X NRSA63J-102X NRSA63J-070X	MG R MG R MG R MG R MG R MG R MG R	150kΩ 1/16W J 100Ω 1/16W J 1MΩ 1/16W J 2.7kΩ 1/16W J 5.6kΩ 1/16W J 1kΩ 1/16W J 5.6kΩ 1/16W J 0.0Ω 1/16W J		R1708-09 R1715 R1721-22 R1724 R1726-28 R1729 R1731-32 R1733-34	NRSA63J-101X NRSA63J-102X NRSA63J-102X NRSA63J-102X NRSA63J-102X NRSA63J-223X NRSA63J-101X NRSA63J-272X	MG R MG R MG R MG R MG R MG R MG R MG R	10kΩ 1/16W 1kΩ 1/16W 1kΩ 1/16W 1kΩ 1/16W 22kΩ 1/16W 100Ω 1/16W	] ] ] ]
81201 81231 81237 81238 81241 81243 81281 81281	NRSA63J-333X NRSA63J-182X NRSA63J-392X NRSA63J-473X NRSA63J-332X NRSA63J-152X NRSA63J-182X NRSA63J-392X	MG R MG R MG R MG R MG R MG R MG R MG R	33kΩ 1/16W J 1.8kΩ 1/16W J 3.9kΩ 1/16W J 47kΩ 1/16W J 3.3kΩ 1/16W J 1.5kΩ 1/16W J 1.8kΩ 1/16W J 3.9kΩ 1/16W J		R1737 R1738 R1739 R1740 R1741 R1742-43 R1748 R1749-51	NRSA63J-222X NRSA63J-102X NRSA63J-272X NRSA63J-103X NRSA63J-000X NRSA63J-103X NRSA63J-103X NRSA63J-103X NRSA63J-222X	MG R MG R MG R MG R MG R MG R MG R	1kΩ 1/16W 2.7kΩ 1/16W 10kΩ 1/16W 0.0Ω 1/16W 10kΩ 1/16W 10kΩ 1/16W	] ] ] ]
11283 11286 11287 11288 11289 11290 11291 11292	NRSA63J-681X NRSA63J-472X NRSA63J-101X NRSA02J-471X NRSA63J-154X NRSA02J-561X NRSA63J-103X NRSA63J-123X	MG R MG R MG R MG R MG R MG R MG R MG R	680Ω 1/16W J 4.7kΩ 1/16W J 100Ω 1/16W J 470Ω 1/10W J 150kΩ 1/16W J 560Ω 1/10W J 10kΩ 1/16W J 12kΩ 1/16W J		R1752 R1753 R1754 R1755 R1756 R1763 R1764-68 R1769-70	NRSA63J-102X NRSA63J-0R0X NRSA63J-102X NRSA63J-153X NRSA63J-103X NRSA63J-103X NRSA63J-221X NRSA63J-682X	MG R MG R MG R MG R MG R MG R MG R MG R	0.0Ω 1/16W 1kΩ 1/16W 15kΩ 1/16W 10kΩ 1/16W 10kΩ 1/16W 220Ω 1/16W	J J J J
R1301-03 R1304-06 R1354-55 R1356 R1359 R1360 R1401 R1403	NRSA63J-222X NRSA63J-101X NRSA63J-0R0X NRSA63J-123X NRSA63J-103X NRSA63J-0R0X NRSA63J-822X QRX01GJ-1R0	MG R MG R MG R MG R MG R MG R MG R	2.2kΩ 1/16W J 100Ω 1/16W J 0.0Ω 1/16W J 12kΩ 1/16W J 10kΩ 1/16W J 0.0Ω 1/16W J 8.2kΩ 1/16W J 1.0Ω 1W J		R1772 R1774 R1775 R1776 R1777 R1793-95 R1798-99 R1800	NRSA63J-103X NRSA63J-682X NRSA63J-473X NRSA63J-123X NRSA63J-103X NRSA63J-331X NRSA63J-103X NRSA63J-103X	MG R MG R MG R MG R MG R MG R MG R	47kΩ 1/16W 12kΩ 1/16W 10kΩ 1/16W 330Ω 1/16W 10kΩ 1/16W	] ] ]
R1404 R1405 R1407 R1411-12 R1414 R1431 R1432 R1433	QRE121J-100Y NRSA63J-103X NRSA02J-0R0X NRSA63J-103X QRL029J-221 QRE121J-272Y NRSA63J-104X NRSA63J-473X	C R MG R MG R MG R OM R C R MG R MG R	10Ω 1/2W J 10kΩ 1/16W J 0.0Ω 1/10W J 10kΩ 1/16W J 220Ω 2W J 2.7kΩ 1/2W J 100kΩ 1/16W J 47kΩ 1/16W J		R1801-04 R1806 R1807 R1810 R1811 R1812 R1814 R1815	NRSA63J-0R0X NRSA63J-102X NRSA63J-222X NRSA63J-0R0X NRSA63J-473X NRSA63J-102X NRSA63J-104X NRSA63J-154X	MG R MG R MG R MG R MG R MG R MG R MG R	1kΩ 1/16W 2.2kΩ 1/16W 0.0Ω 1/16W 47kΩ 1/16W 1kΩ 1/16W 100kΩ 1/16W	
R1434 R1435 R1501 R1502 R1503 R1504-05 R1511 R1512	NRSA63J-822X NRSA63J-103X NRSA63J-0R0X NRSA63J-271X QRE121J-103Y QRL039J-152 QRE121J-220Y QRE121J-681Y	MG R MG R MG R C R OM R C R	8.2kΩ 1/16W J 10kΩ 1/16W J 0.0Ω 1/16W J 270Ω 1/16W J 10kΩ 1/2W J 1.5kΩ 3W J 22Ω 1/2W J 680Ω 1/2W J		R1816 R1817 R1818 R1821 R1824 R1827 A R1857	NRSA63J-0R0X NRSA63J-104X NRSA63J-0R0X NRSA63J-104X NRSA63J-103X NRSA63J-102X QRG029J-330 QRG029J-180	MG R MG R MG R MG R MG R OM R OM R	100kΩ 1/16W 0.0Ω 1/16W 100kΩ 1/16W 10kΩ 1/16W 1kΩ 1/16W 33Ω 2W	J J J J

<u>^</u>	Symbol No.	Part No.	Part Name	Description	Local	<u></u>	No. Part No.	Part Name	I	Description	Local
	RESISTO	OR .				CAPA	CITOR				
	R1860 R1901 R1909 R1911 R1912-13 R1914 R1915 R1917	NRSA63J-562X QRF074K-R47 QRG01GJ-470 QRE121J-223Y QRT029J-R22 QRK126J-681X QRE121J-270Y QRK126J-332X	MG R UNF R OM R C R MF R C R C R	5.6kΩ 1/16W J 0.47Ω 7W K 47Ω 1W J 22kΩ 1/2W J 0.22Ω 2W J 680Ω 1/2W J 27Ω 1/2W J 3.3kΩ 1/2W J		C1286 C1287 C1288 C1352 C1354 C1391 C1392 C1393-9	QETN1HM-106Z QETN1CM-107Z NCB31HK-103X QETN1CM-336Z QFV71HJ-154Z QETN1CM-107Z NCB31HK-103X	E CAP. E CAP. C CAP. E CAP. MF CAP. E CAP. C CAP. C CAP.	10µF 100µF 0.01µF 33µF 0.15µF 100µF 0.01µF	50V M 16V M 50V K 16V M 50V J 16V M 50V K 50V K	
	R1918 R1919 R1924 R1930 R1939 R1940 R1941 R1943	QRE121J-222Y QRE121J-684Y QRE121J-222Y QRE121J-223Y QRT039J-2R2 QRE121J-181Y QRL029J-183 NRSA63J-104X	C R C R C R C R MF R C R OM R MG R	2.2kΩ 1/2W J 680kΩ 1/2W J 2.2kΩ 1/2W J 22kΩ 1/2W J 2.2Ω 3W J 180Ω 1/2W J 18kΩ 2W J 100kΩ 1/16W J		C1401 C1403 C1404 C1405 C1407 C1410 C1411 C1415	NDC21HJ-152X NCB21HK-273X QETN1VM-107Z QCS32HJ-100Z QFLC2AK-563Z QFLC2AJ-104Z QETN1HM-105Z NCB21HK-104X	C CAP. C CAP. E CAP. C CAP. M CAP. M CAP. E CAP. C CAP.	1500pF 0.027µF 100µF 10pF 0.056µF 0.1µF 1µF 0.1µF	50V J 50V K 35V M 500V J 100V K 100V J 50V M 50V K	
	R1944 R1951 R1952 R1953 R1973 R1975 R1977 R1978	NRSA63J-122X NRSA63J-473X NRSA63J-102X QRE121J-151Y QRE121J-272Y QRE121J-223Y QRE121J-2473Y NRSA63J-333X	MG R MG R MG R C R C R C R C R MG R	1.2kΩ 1/16W J 47kΩ 1/16W J 1kΩ 1/16W J 150Ω 1/2W J 2.7kΩ 1/2W J 22kΩ 1/2W J 47kΩ 1/2W J 33kΩ 1/16W J		C1421 C1431 C1432 C1501 C1502 C1503 C1504 C1507-0	QEHQ1VM-108 QETN1HM-105Z QETN1EM-476Z QCB32HK-151Z QCB32HK-331Z QEHH2CM-105Z QEZ0203-107 8 QEM61HK-475Z	E CAP. E CAP. E CAP. C CAP. C CAP. E CAP. E CAP. E CAP. E CAP.	1000µF 1µF 47µF 150pF 330pF 1µF 100µF 4.7µF	35V M 50V M 25V M 500V K 500V K 160V M 160V M 50V K	
	R1979-80	QRT029J-1R2	MF R	1.2Ω 2W J		⚠ C1510 ⚠ C1513	QFZ0196-502 QFZ0198-133	MPP CAP. MPP CAP.	0.013µF	1.5kVH±3% 1.5kVH±3%	
	CAPACI	ΓOR				⚠ C1514 ⚠ C1515	QFP32GJ-183 QFZ0197-624	PP CAP. MPP CAP.	0.018µF 0.62µF	400V J 250V J	
	C1001 C1002 C1003 C1011-12	QETN1HM-475Z QETN1HM-106Z QETN1CM-108Z NCB31HK-103X	E CAP. E CAP. E CAP. C CAP.	4.7μF 50V M 10μF 50V M 1000μF 16V M 0.01μF 50V K		C1516 C1521 C1523 C1524	QCB32HK-561Z QETN2EM-106Z QEHR1EM-108Z QETN1EM-108Z	C CAP. E CAP. E CAP. E CAP.	560pF 10μF 1000μF 1000μF	500V K 250V M 25V M 25V M	
	C1014 C1015-16 C1021 C1023	QETN1CM-107Z NCB31HK-103X QFV71HJ-824Z QETN1CM-107Z	E CAP. C CAP. MF CAP. E CAP.	100μF 16V M 0.01μF 50V K 0.82μF 50V J 100μF 16V M		C1525 C1526 C1527 C1531	QETN1VM-107Z QFV21HJ-824Z QFLC2AJ-103Z QCB32HK-102Z	E CAP. MF CAP. M CAP. C CAP.	100µF 0.82µF 0.01µF 1000pF	35V M 50V J 100V J 500V K	
	C1024 C1025 C1026 C1027	NCB31HK-103X NCB31HK-102X QETN1HM-474Z NCB21HK-104X	C CAP. C CAP. E CAP. C CAP. E CAP.	0.01µF 50V K 1000pF 50V K 0.47µF 50V M 0.1µF 50V K 10µF 50V M		C1533 C1601-0 C1609-1 C1612	1 QFV71HJ-104Z QETN1HM-105Z	E CAP. E CAP. MF CAP. E CAP.	10μF 47μF 0.1μF 1μF	50V M 25V M 50V J 50V M	
	C1028 C1030 C1034 C1036	QETN1HM-106Z NCB31HK-103X NCB31HK-103X QETN1AM-477Z	C CAP. C CAP. E CAP.	10μF 50V M 0.01μF 50V K 0.01μF 50V K 470μF 10V M		C1700 C1703 C1706 C1707 C1710	NCB31HK-102X NDC31HJ-181X QETN1HM-105Z QETN1CM-107Z NCB21EK-683X	C CAP. C CAP. E CAP. E CAP. C CAP.	1000pF 180pF 1µF 100µF 0.068µF	50V K 50V J 50V M 16V M 25V K	
	C1037 C1038 C1041-42 C1043-44	NCB31HK-103X QETN1CM-107Z QETN1HM-106Z NDC31HJ-470X	C CAP. E CAP. E CAP. C CAP.	0.01μF 50V K 100μF 16V M 10μF 50V M 47pF 50V J		C1710 C1721 C1722-2 C1724	NCB31HK-103X	C CAP. C CAP. C CAP.	0.006µ 0.01µF 39pF 470pF	50V K 50V J 50V J	
	C1045 C1046 C1047 C1048	QETN1HM-106Z NCB31HK-103X NDC21HJ-330X NCB31HK-103X	E CAP. C CAP. C CAP. C CAP.	10μF 50V M 0.01μF 50V K 33pF 50V J 0.01μF 50V K		C1726 C1800 C1801 C1802	NDC21HJ-561X QETN1CM-107Z NCB21HK-104X QETN1CM-107Z QETN1HM-106Z	C CAP. E CAP. C CAP. E CAP. E CAP.	560pF 100µF 0.1µF 100µF	50V J 16V M 50V K 16V M	
	C1111 C1112 C1113 C1114	QETN0JM-228Z NCB31HK-103X QETN1HM-474Z QETN1HM-105Z	E CAP. C CAP. E CAP. E CAP.	2200μF 6.3V M 0.01μF 50V K 0.47μF 50V M 1μF 50V M		C1803 C1804 C1805 C1806-0	NDC31HJ-102X NCB31HK-153X	C CAP. C CAP. E CAP.	10µF 1000pF 0.015µF 10µF	50V M 50V J 50V K 50V M	
	C1115 C1116 C1131 C1136	QFV71HJ-104Z NCB21HK-104X NDC31HJ-470X QENC1CM-106Z	MF CAP. C CAP. C CAP. BP E CAP.	0.1µF 50V J 0.1µF 50V K 47pF 50V J 10µF 16V M		C1810 C1811 C1813 C1816	QETN1HM-474Z QETN1HM-105Z NCB31HK-102X NCB31HK-153X	E CAP. E CAP. C CAP. C CAP.	0.47µF 1µF 1000pF 0.015µF	50V M 50V M 50V K 50V K	
	C1151 C1152 C1201 C1202	NCB31HK-103X QENC1HM-105Z NDC31HJ-100X QETN1HM-224Z	C CAP. BP E CAP. C CAP. E CAP.	0.01μF 50V K 1μF 50V M 10pF 50V J 0.22μF 50V M		C1853-5 C1856 C1857	4 QETN1CM-227Z QETN1CM-227Z QETN1CM-477Z	E CAP. E CAP. E CAP. C CAP.	220µF 220µF 470µF 1000pF	16V M 16V M 16V M 250V Z	
	C1203 C1233 C1237 C1281	NCB31HK-222X NDC31HJ-560X NCB31HK-103X QFV71HJ-474Z	C CAP. C CAP. C CAP. MF CAP.	2200pF 50V K 56pF 50V J 0.01μF 50V K 0.47μF 50V J		⚠ C1907 ⚠ C1908 C1912 C1913	QEZ0169-477 QCZ9054-102 QCZ0340-222 QFLC1HJ-471Z	E CAP. C CAP. C CAP. M CAP.	470μF 1000pF 2200pF 470pF	200V M 250V Z 50V J	
	C1282 C1283 C1284 C1285	QETN1CM-227Z NCB31HK-103X QETN1HM-225Z NCB31HK-103X	E CAP. C CAP. E CAP. C CAP.	220μF 16V M 0.01μF 50V K 2.2μF 50V M 0.01μF 50V K		C1914 C1916 C1917 C1918	QETN1HM-107Z NDC31HJ-331X NCB21HK-122X NCB21HK-104X	E CAP. C CAP. C CAP. C CAP.	100µF 330pF 1200pF 0.1µF	50V M 50V J 50V K 50V K	

⚠	Symbol No.	Part No.	Part Name		escriptio	on	Local	<u> </u>	Symbol No.	Part No.	Part Name	Description	Local
	CAPACI	TOR							DIODE				
	C1919 C1925 C1931 C1932 C1933 C1935 C1937 C1938	QFP32GJ-103 NRSA63J-0R0X QEZ0203-107 QETN1CM-108Z QETN1EM-228 QETN1EM-108Z QCZ0340-102 QETM1EM-228	PP CAP. MG R E CAP. E CAP. E CAP. E CAP. C CAP. C CAP. E CAP.	0.01μF 0.0Ω 100μF 1000μF 2200μF 1000μF 1000pF 2200μF	400V 1/16W 160V 16V 25V 25V	J M M M			D1723-24 D1800 D1801 D1810 D1811 D1901 D1910	MTZJ5.6B-T2 1SS81-T2 1SS133-T2 MTZJ8.2C-T2 1SS133-T2 D3SBA60 MA700A-T2 RGP10J-5025-T3	ZENER DIODE SI.DIODE SI.DIODE ZENER DIODE SI.DIODE DIODE BRIDGE SI.DIODE SI.DIODE		
	C1939 C1941 C1942 C1943 C1948 C1951 C1971 C1972	QCB32HK-152Z QCB32HK-102Z QEHR1HM-105Z QETN1CM-108Z QETN1EM-476Z QETN1CM-477Z QETN1CM-107Z QETN1CM-476Z	C CAP. C CAP. E CAP.	1500pF 1000pF 1µF 1000µF 47µF 470µF 100µF 47µF	500V 500V 50V 16V 25V 16V 25V	M			D1912 D1913 D1914 D1915 D1917 D1918 D1920 D1931	RGP10J-5025-T3 RGP10J-5025-T3 1SS133-T2 SARS01-T2 MTZJ30A-T2 MTZJ5.1C-T2 1SS133-T2 RU30A-F1	SI.DIODE SI.DIODE SI.DIODE SI.DIODE ZENER DIODE ZENER DIODE SI.DIODE SI.DIODE		
⚠	C1973 C1998-99	QETN1HM-106Z QCZ9074-103	E CAP. C CAP.	10μF 0.01μF	50V 125V				D1933 D1935 D1937	RU3YX-LFC4 RU3YX-LFC4 RGP10J-5025-T3	SI.DIODE SI.DIODE SI.DIODE		
	TRANSF	ORMER							D1941 D1945	MTZJ33A-T2 1SS133-T2	ZENER DIODE SI.DIODE		
⚠	T1501 T1502 T1921	CE42034-002 QQH0092-001 QQS0098-001	H.DRIVE TRANSF. H.V.TRANSF. SWITCH.TRANSF.						D1952-53 D1954-57 D1972	1SS133-T2 1SR35-400A-T2 MTZJ15C-T2	SI.DIODE SI.DIODE ZENER DIODE		
<u> </u>	T1951	QQT0315-001	POWER TRANSF.						D1973	1SS133-T2	SI.DIODE		
	COIL							-	TRANSI	STOR			
$\Lambda$	L1001 L1012 L1021 L1022 L1027 L1041 L1042 L1101	QQL244K-560Z QQLZ014-R39 QRN143J-0R0X QQL244K-220Z QRN143J-0R0X QRN143J-0R0X QQL244K-220Z QQL244K-470Z	PEAKING COIL PEAKING COIL C R PEAKING COIL C R C R PEAKING COIL COIL	56μH 0.39μH 0.0Ω 22μH 0.0Ω 0.0Ω 22μH 47μH	1/4W 1/4W 1/4W	K J K J K K			Q1011 Q1021 Q1024 Q1025 Q1041 Q1131 Q1232-33 Q1352	2SC5083/L-P/-T 2SC2412K/QR/-X 2SC2412K/QR/-X 2SA1037AK/QR/-X 2SA1037AK/QR/-X 2SC2412K/QR/-X 2SC2412K/QR/-X 2SC2412K/QR/-X	SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR		
	L1232 L1511 L1512 L1521 L1700 L1810 L1931 L1933	QQL244K-560Z QQR1027-003 QQLZ027-821 QQLZ026-430 QQL244K-4R7Z QQL244J-100Z QQL26AK-470Z QQL26AK-470Z	PEAKING COIL LINE FILTER CHOKE COIL HEATER CHOKE COIL COIL COIL	56µH 820µH 43µH 4.7µH 10µH 47µH		K K K K			Q1431 Q1501 Q1511 Q1531 Q1532 Q1541-42 Q1543 Q1700	2SC2412K/QR/-X 2SC4212/Z1/ 2SD2559-LB 2SC2785/JH/-T 2SA1037AK/QR/-X 2SA1037AK/QR/-X 2SD1408/OY/-LB 2SC2412K/QR/-X	SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR		
	L1937	QQL26AK-470Z	COIL	47µH		K			Q1701	2SA1037AK/QR/-X	SI.TRANSISTOR		
_	DIODE  D1101-02  D1305-10  D1352  D1353  D1401  D1431	MTZJ8.2C-T2 1SS133-T2 MTZJ9.1C-T2 1SS133-T2 1SR35-400A-T2 1SR35-400A-T2	ZENER DIODE SI.DIODE ZENER DIODE SI.DIODE SI.DIODE SI.DIODE						Q1703 Q1706 Q1711 Q1810 Q1941 Q1951 Q1971	2SA1037AK/QR/-X 2SC2412K/QR/-X DTC124EKA-X DTC144EKA-X 2SC2412K/QR/-X 2SD1383K/AB/-X 2SA1208/ST/Z1-T	SI.TRANSISTOR SI.TRANSISTOR DIGI.TRANSISTOR DIGI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR		
	D1432 D1501	1SS133-T2 RH3G-F1	SI.DIODE SI.DIODE						IC	TD1050AN	LC (M)		
⚠	D1502 D1521 D1523 D1524 D1525-26 D1527 D1529 D1531	RU3AM-LFC4 RH1S-T3 RGP10J-5025-T3 RGP10J-5025-T3 1SS81-T5 1SR124-400A-T2 MTZJ5.1C-T2 MA4068N/Z1/-T2	SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE ZENER DIODE ZENER DIODE						IC1101 IC1401 IC1701 IC1702 IC1703 IC1852 IC1853 IC1911	TB1253AN LA7841 MN1876478JL1 AT24C04-32D502 MM1437AF-X AN7809F AN7805F STR-G6624/F8 SE135N	I.C.(M) I.C.(MONO-ANA) I.C.(MICRO-COMP) I.C.(MICRO-COMP) I.C.(MONO-ANA) I.C.(MONO-ANA) I.C.(MONO-ANA) I.C.(MONO-ANA) I.C.(HYBRID)	(SERVICE)	
	D1535	1SS133-T2	SI.DIODE										
	D1537 D1601 D1603 D1606 D1701 D1706-10 D1721-22	1SR35-400A-T2 MTZJ9.1C-T2 MTZJ9.1C-T2 MTZJ9.1C-T2 1SS133-T2 MTZJ8.2C-T2 1SS133-T2	SI.DIODE ZENER DIODE ZENER DIODE ZENER DIODE SI.DIODE ZENER DIODE SI.DIODE SI.DIODE						OTHERS  CF1001 CF1021 CF1041 CP1932-33 CP1936	QAX0349-001 QAX0639-001Z QAX0642-001Z ICP-N75-Y ICP-N75-Y	CERAMIC FILTER CERAMIC FILTER CERAMIC FILTER I.C.PROTECT I.C.PROTECT		
_								_					

### FRONT CONTROL PW BOARD ASS'Y (SAC-8502A-M2)

Ŵ	Symbol No.	Part No.	Part Name		Description		Local
	OTHERS	3					
ı.	F1905 FR1521 FR1523-24 FR1525 J1601 J1810 K1401 K1912	QMFZ034-5R0Z-J1 QRK126J-150X QRX029J-3R3 QRZ99017-4R7 QNN0349-002 QNS0001-001 QQR0621-002Z QQR0582-001Z	FUSE C R MF R F R PIN JACK JACK BEADS CORE BEADS CORE	5A 15Ω 3.3Ω 4.7Ω	1/2W 2W 1/4W	J J	
<u> </u>	K1916-17 K1931-33 K1935 K1937 K1940 K1941 LC1601-03 PC1921	QQR0582-001Z QQR0582-001Z QQR0582-001Z QQR0582-001Z QQR0582-001Z QQR0621-002Z NQR0169-001X TLP421F/D4-GR/	BEADS CORE BEADS CORE BEADS CORE BEADS CORE BEADS CORE BEADS CORE EMI FILTER I.C.(PH.COUPLER)				
<u>^</u>	RY1941 RY1951 SF1011 TH1901 TU1001 X1201 X1700	QSK0120-001 QSK0113-001 QAX0324-002 QAD0129-3R0 QAU0176-001 CE40668-001Z QAX0307-001	RELAY RELAY SAW FILTER P.THERMISTOR TUNER CRYSTAL CER.RESONATOR				

<u> </u>	Symbol No. Part No. Part Name		Part Name	Descripti	Description		
	RESIST	OR					
	R3354-56 R3357-59 R3360-62 R3363-65 R3366-68 R3372-74 R3375-77 R3381	NRSA63J-221X NRSA63J-101X QRZ0111-152 QRG029J-103 NRSA63J-182X NRSA63J-221X NRSA63J-0R0X QRE121J-394Y	MG R MG R C R OM R MG R MG R MG R C R	220Ω 1/16W 100Ω 1/16W 1.5kΩ 1/2W 10kΩ 2W 1.8kΩ 1/16W 220Ω 1/16W 0.0Ω 1/16W 390kΩ 1/2W	J		
	R3391 R3392 R3393-95	NRSA63J-152X NRSA63J-392X NRSA63J-102X	MG R MG R MG R	1.5kΩ 1/16W 3.9kΩ 1/16W 1kΩ 1/16W	J		
_	CAPACI	TOR					
	C3354-55 C3356 C3357 C3382 C3391 C3392	NDC31HJ-331X NDC31HJ-391X QETN1CM-107Z QCZ0121-102 QETN1AM-227Z NDC31HJ-101X	C CAP. C CAP. E CAP. C CAP. E CAP. C CAP.	330pF 50V 390pF 50V 100µF 16V 1000pF 3000V 220µF 10V 100pF 50V	M Z		
	COIL						
	L3381	QQL244K-101Z	PEAKING COIL	100µH	K		
	DIODE						
	D3391	1SS133-T2	SI.DIODE				
	TRANSI	STOR					
	Q3351-53 Q3391	2SC4544-LB 2SA933AS/QR/-T	SI.TRANSISTOR SI.TRANSISTOR				
	OTHERS	6					
⚠	SK3351	QNZ0464-001	C.R.T.SOCKET				

	011111021	V DOALID AGG	•	ירטן	0-030	,,,	7-1VI <i>L</i>
Symbol No.	Part No.	Part Name			escription	n	Local
RESIST	OR						
R8702 R8703 R8705 R8706 R8707 R8708 R8709	NRSA63J-472X NRSA63J-153X NRSA63J-472X NRSA63J-153X NRSA63J-32X NRSA63J-32X NRSA63J-561X	MG R MG R MG R MG R MG R MG R MG R		4.7kΩ 15kΩ 4.7kΩ 15kΩ 3.3kΩ 1.5kΩ 560Ω	1/16W 1/16W 1/16W 1/16W 1/16W 1/16W 1/16W	] ] ] ]	
CAPACI	TOR						
C8701	QETN1EM-476Z	E CAP.		47μF	25V	М	
DIODE							
D8701	SLR-342VR3F	L.E.D.					
TRANSI	STOR						
Q8701-02	DTA124EKA-X	DIGI.TRANSISTOR					
IC							
IC8701	GP1U281Q	IFR DETECT UNIT					
OTHERS	3						
\$8701 \$8702 \$8703 \$8704 \$8705 \$8706	LC30190-001B-A QSW0619-003Z QSW0619-003Z QSW0619-003Z QSW0619-003Z QSW0619-003Z QSW0619-003Z	L.E.D.HOLDER PUSH SWITCH		F	POWER MENU CH- CH+ VOL- VOL+		
	Symbol No.  RESISTO R8702 R8703 R8705 R8706 R8707 R8708 R8709  CAPACI C8701  DIODE D8701  TRANSI: Q8701-02  IC IC8701  OTHERS S8702 S8702 S8703 S8704 S8705	Symbol No.   Part No.	RESISTOR	RESISTOR	Symbol No.   Part No.   Part Name   ERESISTOR	Symbol No.   Part No.   Part Name   Description	RESISTOR   R8702   NRSA63J-472X   MG R   4.7kΩ   1/16W   J   R8703   NRSA63J-153X   MG R   15kΩ   1/16W   J   R8705   NRSA63J-153X   MG R   4.7kΩ   1/16W   J   R8706   NRSA63J-153X   MG R   1.5kΩ   1/16W   J   R8707   NRSA63J-332X   MG R   3.3kΩ   1/16W   J   R8707   NRSA63J-332X   MG R   3.3kΩ   1/16W   J   R8708   NRSA63J-152X   MG R   1.5kΩ   1/16W   J   R8709   NRSA63J-561X   MG R   560Ω   1/16W   J   J   J   R8709   NRSA63J-561X   MG R   560Ω   1/16W   J   J   J   R8701   QETN1EM-476Z   E CAP.   47μF   25V   M   J   J   LE.D.   LE.D.

### FRONT AV INPUT PW BOARD ASS'Y (SAC-8602A-M2)

				`			,	
<u> </u>	Symbol No.	Part No.	Part Name	Г	Description	1	Local	
	RESISTO	OR						
	R8401 R8402-03	NRSA63J-750X NRSA63J-224X	MG R MG R	75Ω 220kΩ	1/16W 1/16W	J		
	CAPACI	TOR						
	C8401 C8402-03	QETN1HM-474Z QETN1HM-105Z	E CAP. E CAP.	0.47μF 1μF		M M		
	OTHERS	3						
	J8401 J8402 J8403 LC8401	QNN0281-003 QNN0281-002 QNN0282-001 QQR1199-001	PIN JACK PIN JACK PIN JACK FILTER					

### LF PW BOARD ASS'Y (SAC-9502A-M2)

⚠	Symbol No.	Part No.	Part Name	Description		1	Local
	RESIST	OR					
⚠	R9997 R9998	QRE121J-5R6Y QRZ9041-275	C R C R	5.6Ω 2.7MΩ	1/2W 1/2W	J K	
_	CAPACI	TOR					
<u>^</u> <u>^</u> <u>^</u>	C9901 C9902 C9904	QFZ9067-104 QFZ9067-473 QCZ9052-102	MM CAP. MM CAP. C CAP.	0.1µF 0.047µF 1000pF			
_	OTHERS	3					
<u>↑</u> <u>↑</u> <u>↑</u>	CN90PW F9901 FC9901 LF9902 VA9901	QMPD200-200-JC QMF0007-5R0J1 CEMG002-001Z QQR0527-003 ERZV10V621CS	POWER CORD FUSE FUSE CLIP LINE FILTER VARISTOR	5A			

### AV SELECTOR PW BOARD ASS'Y (SAC0S508A-M2)

Symbol No.	Part No.	Part Name		escription	n	Loca
RESIST	OR					
R0081	NRSA63J-102X	MG R	1kΩ	1/16W	J	
R0082	NRSA63J-682X	MG R	6.8kΩ	1/16W	J	
R0083	NRSA63J-153X	MG R	15kΩ	1/16W	Ĵ	
R0084	NRSA63J-683X	MG R	68kΩ	1/16W	Ĵ	
R0085	NRSA63J-332X	MG R	3.3kΩ	1/16W	Ĵ	
		MG R	3.3kΩ		J	
R0086	NRSA63J-333X	MG R		1/16W	J	
R0087	NRSA63J-153X		15kΩ	1/16W	-	
R0088	NRSA63J-152X	MG R	1.5kΩ	1/16W	J	
R0089	NRSA63J-562X	MG R	5.6kΩ	1/16W	J	
R0090	NRSA63J-563X	MG R	56kΩ	1/16W	J	
R0151-54	NRSA63J-223X	MG R	22kΩ	1/16W	J	
R0155	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
R0157	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
R0159	NRSA63J-103X	MG R	10kΩ	1/16W	J	
R0202	NRSA63J-101X	MG R	100Ω	1/16W	Ĵ	
R0210	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
R0211	NRSA63J-153X	MG R	15kΩ	1/16W	J	
R0212	NRSA63J-333X	MG R	33kΩ	1/16W	Ĵ	
R0213	NRSA63J-102X	MG R	1kΩ	1/16W	Ĵ	
R0214	NRSA63J-181X	MG R	180Ω		J	
		MG R	1.5kΩ	1/16W	J	
R0215	NRSA63J-152X					
R0216	NRSA63J-182X	MG R	1.8kΩ	1/16W	J	
R0217 R0218	NRSA63J-102X NRSA63J-222X	MG R MG R	1kΩ 2.2kΩ	1/16W 1/16W	J	
110210	NIIOA000-ZZZX		2.2132	1/1044		
R0223	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
R0229	NRSA63J-473X	MG R	47kΩ		J	
R0230	NRSA63J-223X	MG R	22kΩ	1/16W	J	
R0231	NRSA63J-101X	MG R	100Ω	1/16W	J	
R0232	NRSA63J-102X	MG R	1kΩ	1/16W	J	
R0233	NRSA63J-272X	MG R	2.7kΩ	1/16W	J	
R0234	NRSA63J-102X	MG R	1kΩ	1/16W	J	
R0235-36	NRSA63J-101X	MG R	100Ω	1/16W	J	
R0238	NRSA63J-822X	MG R	8.2kΩ	1/16W	J	
R0239	NRSA63J-123X	MG R	12kΩ	1/16W	Ĵ	
R0241	NRSA63J-821X	MG R	820Ω	1/16W	Ĵ	
R0242	NRSA63J-474X	MG R	470kΩ	1/16W	Ĵ	
R0243-44	NRSA63J-103X	MG R	10kΩ	1/16W	J	
R0243-44	NRSA63J-101X	MG R	100Ω	1/16W	J	
		MG R	100Ω 470Ω			
R0251	NRSA63J-471X			1/16W	J	
R0253	NRSA63J-681X	MG R	680Ω	1/16W	J	
R0254	NRSA63J-391X	MG R	390Ω	1/16W	J	
R0255	NRSA63J-681X	MG R	680Ω	1/16W	J	
R0258	NRSA63J-101X	MG R	100Ω	1/16W	J	

⚠	Symbol No.	Part No.	Part Name		escription	1	Local
	RESIST	OR					
	R0259	NRSA63J-222X	MG R	2.2kΩ	1/16W	J	
	R0261	NRSA63J-101X	MG R MG R	100Ω	1/16W	J	
	R0262 R0263	NRSA63J-222X NRSA63J-471X	MG R	2.2kΩ 470Ω	1/16W 1/16W	J J	
	R0265	NRSA63J-102X	MG R	1kΩ	1/16W	Ĵ	
	R0269	NRSA63J-681X	MG R	680Ω	1/16W	J	
	R0270	NRSA63J-102X	MG R	1kΩ	1/16W	J	
	R0301-02	NRSA63J-222X	MG R	2.2kΩ	1/16W	J	
	R0303-04	NRSA63J-221X	MG R	220Ω	1/16W	J	
	R0305	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
	R0333-34 R0371-74	NRSA63J-101X NRSA63J-103X	MG R MG R	100Ω 10kΩ	1/16W 1/16W	J J	
	R0375-76	NRSA63J-333X	MG R	33kΩ	1/16W	Ĵ	
	R0377-78	NRSA63J-472X	MG R	4.7kΩ	1/16W	J	
	R0385 R0387	NRSA63J-223X NRSA63J-223X	MG R MG R	22kΩ 22kΩ	1/16W 1/16W	J J	
	R0391-92 R0393-94	NRSA63J-221X NRSA63J-823X	MG R MG R	220Ω 82kΩ	1/16W 1/16W	J J	
	R0395-96	NRSA63J-221X	MG R	220Ω	1/16W	Ĵ	
	R0401	NRSA63J-183X	MG R	18kΩ	1/16W	J	
	R0402	NRSA63J-223X	MG R	22kΩ	1/16W	J	
	R0458 R0459	NRSA63J-333X NRSA63J-183X	MG R MG R	33kΩ 18kΩ	1/16W 1/16W	J J	
	R0501-02	NRSA63J-102X	MG R	1kΩ	1/16W	J	
	R0504-05	NRSA63J-102X	MG R	1kΩ	1/16W	J	
	R0507-08	NRSA63J-102X	MG R	1kΩ	1/16W	J	
	R0509	NRSA63J-221X	MG R	220Ω	1/16W	J	
	R0518	NRSA63J-333X	MG R	33kΩ	1/16W	J	
	R0519-21	NRSA63J-750X	MG R	75Ω	1/16W	J J	
	R0522-23 R0528-29	NRSA63J-224X NRSA63J-0R0X	MG R MG R	220kΩ 0.0Ω	1/16W 1/16W	J	
	R0532-33	NRSA63J-224X	MG R	220kΩ	1/16W	Ĵ	
	R0558-61	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
	R0566-67	NRSA63J-331X	MG R	330Ω	1/16W	J	
	R0571	NRSA63J-101X	MG R	100Ω	1/16W	J	
	R0573 R0574	NRSA63J-272X NRSA63J-0R0X	MG R MG R	2.7kΩ 0.0Ω	1/16W 1/16W	J J	
	R0906	NRSA63J-0R0X	MG R	0.0Ω	1/16W	Ĵ	
	CAPACI	TOR					
	C0081	NCB21HK-104X	C CAP.	0.1µF	50V	K	
	C0082	QENC1HM-475Z	BP E CAP.	4.7μ <b>F</b>	50V	М	
	C0083	QENC1HM-105Z	BP E CAP.	1µF	50V	M	
	C0084 C0085	QETN1HM-225Z NCB21HK-473X	E CAP. C CAP.	2.2μF 0.047μF	50V 50V	M K	
	C0086	QETN1HM-474Z	E CAP.	0.47µF	50V	M	
	C0087-88	NCB21HK-104X	C CAP.	0.1µF	50V	K	
	C0089	QETN1HM-335Z	E CAP.	3.3µF	50V	M	
	C0090	QETN1HM-105Z	E CAP.	1µF	50V	М	
	C0091	QETN1HM-106Z	E CAP.	10µF	50V	M	
	C0092-93 C0094	QETN1HM-105Z QETN1HM-475Z	E CAP. E CAP.	1μF 4.7μF	50V 50V	M M	
	C0095	QETN1HM-105Z	E CAP.	4.7μΓ 1μF	50V	M	
	C0151-52	QENC1HM-105Z	BP E CAP.	1µF	50V	М	
	C0153-54	NCB31HK-332X	C CAP.	3300pF	50V	K	
	C0155-56	NCB21HK-333X	C CAP.	0.033µF	50V	K	
	C0157-58	QETN1HM-106Z	E CAP.	10µF	50V	М	
	C0159 C0160	QETN1EM-476Z NCB21HK-104X	E CAP. C CAP.	47μF 0.1μF	25V 50V	M K	
	C0205	QETN1HM-476Z	E CAP.	0.1μF 47μF	50V 50V	M	
	C0206	NCB31HK-103X	C CAP.	0.01µF	50V	K	
	C0211	QENC1EM-106Z	BP E CAP.	10µF	25V	М	
	C0212 C0213	NDC31HJ-101X NDC31HJ-470X	C CAP. C CAP.	100pF 47pF	50V 50V	J J	
				•			
	C0214 C0215	NDC31HJ-181X QETN1HM-474Z	C CAP. E CAP.	180pF 0.47µF	50V 50V	J M	
	C0223	NCB31HK-103X	C CAP.	0.01µF	50V	K	
	C0226	NCB31HK-103X	C CAP.	0.01µF	50V	K	
	C0231-33 C0234	QETN1HM-106Z NCB31HK-103X	E CAP. C CAP.	10μF 0.01μF	50V 50V	M K	
	C0234	QETN1HM-106Z	E CAP.	0.01μF 10μF	50V	M	
	C0236	NCB31HK-103X	C CAP.	0.01µF	50V	K	

Æ	Symbol No.	Part No.	Part Name	С	Description	n	Local
	CAPACIT	ΓOR			•		
	C0237 C0238-39 C0241-45 C0246 C0247-49 C0251 C0252 C0255	NCB31HK-472X NCB31HK-103X NCB31HK-103X NDC31HJ-181X NCB31HK-103X QETN1HM-476Z NCB31HK-103X NDC31HJ-390X	C CAP. E CAP. C CAP.	4700pF 0.01µF 0.01µF 180pF 0.01µF 47µF 0.01µF 39pF	50V 50V 50V 50V 50V 50V 50V 50V	K K J K M K J	
	C0263 C0264 C0265 C0309-10 C0311-12 C0331 C0332 C0333	NDC31HJ-150X QENC1HM-474Z NCB31HK-103X NCB31HK-102X NRSA63J-0R0X QETN1CM-107Z NCB31HK-103X QETN1EM-476Z	C CAP. BP E CAP. C CAP. C CAP. MG R E CAP. C CAP. E CAP.	15pF 0.47μF 0.01μF 1000pF 0.0Ω 100μF 0.01μF 47μF	50V 50V 50V 50V 1/16W 16V 50V 25V	J M K K J M K M	
	C0334 C0335 C0336 C0337 C0338 C0339 C0340 C0343	NCB21HK-273X QETN1HM-225Z NCB31HK-222X NCB21HK-104X QETN1HM-225Z NCB31HK-222X NCB21HK-104X QETN1HM-105Z	C CAP. E CAP. C CAP. C CAP. E CAP. C CAP. C CAP. C CAP. C CAP. C CAP.	0.027µF 2.2µF 2200pF 0.1µF 2.2µF 2200pF 0.1µF 1µF	50V 50V 50V 50V 50V 50V 50V 50V	K K K M K K	
	C0344-45 C0371-72 C0373 C0391-92 C0401 C0402-03 C0404 C0407	QENC1HM-225Z QENC1HM-105Z QETN1EM-476Z QETN1HM-474Z QETN1CM-107Z NCF21CZ-105X QFV71HJ-224Z QETN1EM-108Z	BP E CAP. BP E CAP. E CAP. E CAP. E CAP. C CAP. MF CAP. E CAP.	2.2µF 1µF 47µF 0.47µF 100µF 1µF 0.22µF 1000µF	50V 50V 25V 50V 16V 16V 50V 25V	M M M M Z J	
	C0410-11 C0412-13 C0501-02 C0503 C0504 C0505 C0508 C0509	QETN1EM-108Z QETN1HM-105Z NCB31HK-103X QETN1HM-226Z QETN1EM-476Z QENC1HM-474Z QETN1HM-474Z NCB31HK-103X	E CAP. E CAP. C CAP. E CAP. E CAP. BP E CAP. E CAP. C CAP.	1000µF 1µF 0.01µF 22µF 47µF 0.47µF 0.47µF	25V 50V 50V 50V 25V 50V 50V 50V	M K M M M M	
	C0511 C0512-13 C0520-21 C0531-32 C0536-39	QETN1HM-474Z QETN1HM-105Z QETN1HM-105Z NCB31HK-103X NCB31HK-103X	E CAP. E CAP. E CAP. C CAP. C CAP.	0.47µF 1µF 1µF 0.01µF 0.01µF	50V 50V 50V 50V 50V	M M K K	
	COIL						
	L0202 L0211 L0242-43 L0261	QQL244K-150Z QQL244K-4R7Z QQL244K-4R7Z QQL244K-150Z	COIL COIL COIL	15µH 4.7µH 4.7µH 15µH		K K K	
	DIODE						
	D0391-92 D0501-02 D0504 D0509 D0511 D0515-19 D0521	MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2	ZENER DIODE				
	TRANSIS	STOR					
	Q0211-12 Q0218 Q0219 Q0251 Q0252 Q0253 Q0261-62 Q0263	2SC2412K/QR/-X 2SC2412K/QR/-X 2SA1037AK/QR/-X 2SC2412K/QR/-X 2SC2412K/QR/-X 2SC2412K/QR/-X 2SC2412K/QR/-X 2SC3412K/QR/-X	SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR				

<u> </u>	Symbol No.	Part No.	Part Name	Description	Local
	TRANSI	STOR			
	Q0301-02 Q0385 Q0387 Q0453 Q0454 Q0509	DTC124EKA-X DTC323TK-X DTC323TK-X 2SC2412K/QR/-X DTC124EKA-X 2SC2412K/QR/-X	DIGI.TRANSISTOR DIGI.TRANSISTOR DIGI.TRANSISTOR SI.TRANSISTOR DIGI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR		
-	IC				
	IC0001 IC0151 IC0201 IC0371 IC0401 IC0501	UPC1851BCU NJM2150AD TC90A53N BA15218N LA4485 CXA2089Q-X	I.C.(MONO-ANA) I.C.(MONO-ANA) I.C.(DIGI-MOS) I.C.(MONO-ANA) I.C.(MONO-ANA) I.C.(MONO-ANA)		
	Q.120.0.				
			PIN JACK PIN JACK		

# REMOTE CONTROL UNIT PARTS LIST (RM-C303G-1A)

<u> </u>	Ref.No.	Part No.	Part Name	Description	Local
		UR52EC1286C	BATTERY COVER		

## DIFFERENCE PARTS LIST BETWEEN AV-36D202/R, AV-36D202/H AND AV-36D202/Y

The picture tubes used for the models AV-36D202/R, AV-36D202/H and AV-36D202/Y are difference. The electrical parts are also difference according to the PICTURE TUBE.

In the DIFFERENCE PARTS LIST BETWEEN AV-36D202/R, AV-36D202/H and AV-36D202/Y, only difference points between these models are written. For other parts not mentioned in the list, please refer to the PARTS LIST(P42 - P47) for the AV-36D202/R.

### **DIFFERENCE PARTS LIST**

### **MAIN PWB**

_	Symbol		Part No.		Dout Name
$\triangle$	No.	AV-36D202/R	AV-36D202/H	AV-36D202/Y	- Part Name
		SAC-1524A-M2	SAC-1525A-M2	SAC-1523A-M2	MAIN PWB
	R1288	NRSA02J-471X (470Ω, 1/10W, J)	-	NRSA63J-471Z (470Ω, 1/16W, J)	MG R
	R1403	QRX01GJ-1R0 (1Ω, 1W, J)	-	QRX01GJ-1R2 (1.2Ω, 1W, J)	MFR
	R1404	QRE121J-100J (10Ω, 1/2W, J)	-	_	CR
	R1776	NRSA63J-123X (12kΩ, 1/16W, J)	NRSA63J-272X (2.7kΩ, 1/16W, J)	NRSA63J-123X (12kΩ, 1/16W,J)	MG R
	C1403	NCB21HK-273X (0.027µF, 50V, K)	-	NCB21HK-393X (0.039μF, 50V, K)	C CAP.
<b>A</b>	C1515	QFZ0197-624 (0.62μF, 250V, J)	QFZ0197-564 (0.56μF, 250V, J)	-	MPP CAP.
$\triangle$	L1511	QQR1027-003	-	CE41029-00A	LINIARITY COIL
$\triangle$	L1521	QQLZ026-430 (43µH)	-	QQLZ026-500 (50µH)	HEATER CHOKE

### **CRT SOCKET PWB**

	Symbol		Part Name		
△△	No.	AV-36D202/R	AV-36D202/H	AV-36D202/Y	Part Name
		SAC-3504A-M2	SAC-3505A-M2	SAC-3503A-M2	CRT SOCKET PWB

RESIS R3354-56 R3357-59 R3360-62 R3363-65	NRSA63J-221X				
R3357-59 R3360-62					
R3366-68 R3372-74 R3375-77 R3381	NRSA63J-101X QRZ0111-152 QRG029J-103 NRSA63J-182X NRSA63J-221X NRSA63J-0R0X QRE121J-394Y	MG R MG R C R OM R MG R MG R MG R C R	100Ω 1.5kΩ 10kΩ 1.8kΩ	1/16W J 1/16W J	
R3391 R3392 R3393-95	NRSA63J-152X NRSA63J-392X NRSA63J-102X	MG R MG R MG R	1.5kΩ 3.9kΩ 1kΩ	1/16W J	
CAPAC	CITOR				
C3354-55 C3356 C3357 C3382 C3391 C3392	NDC31HJ-331X NDC31HJ-391X QETN1CM-107Z QCZ0121-102 QETN1AM-227Z NDC31HJ-101X	C CAP. C CAP. E CAP. C CAP. E CAP. C CAP.	330pF 390pF 100µF 1000pF 220µF 100pF	50V J 50V J 16V M 3000V Z 10V M 50V J	
COIL					
L3381	QQL244K-101Z	PEAKING COIL	100µH	K	
DIODE	<u> </u>				
D3391	1SS133-T2	SI.DIODE			
TRANS	SISTOR				
Q3351-53 Q3391	2SC4544-LB 2SA933AS/QR/-T	SI.TRANSISTOR SI.TRANSISTOR			
OTHE	RS				
∆ SK3351	QNZ0464-001	C.R.T.SOCKET			

### CRT SOCKET PW BOARD ASS'Y (SAC-3505A-M2) CRT SOCKET PW BOARD ASS'Y (SAC-3503A-M2)

A	Symbol No.	Part No.	Part Name		escriptio	n	Loc
	RESIST	OR					
	R3354-56 R3357-59 R3360-62 R3363-65 R3366-68 R3372-74 R3375-77 R3381	NRSA63J-221X NRSA63J-101X QRZ0111-152 QRG029J-103 NRSA63J-182X NRSA63J-221X NRSA63J-221X NRSA63J-0ROX QRE121J-394Y	MG R MG R C R OM R MG R MG R MG R C R	100Ω 1.5kΩ 10kΩ 1.8kΩ 220Ω 0.0Ω	1/16W 1/16W 1/2W 2W 1/16W 1/16W 1/16W 1/2W	J K J J J J	
	R3391 R3392 R3393-95	NRSA63J-152X NRSA63J-392X NRSA63J-102X	MG R MG R MG R	3.9kΩ	1/16W 1/16W 1/16W	J J	
_	CAPACI	TOR					
	C3354-55 C3356 C3357 C3382 C3391 C3392	NDC31HJ-331X NDC31HJ-391X QETN1CM-107Z QCZ0121-102 QETN1AM-227Z NDC31HJ-101X	C CAP. C CAP. E CAP. C CAP. E CAP. C CAP.	330pF 390pF 100µF 1000pF 220µF 100pF	50V 50V 16V 3000V 10V 50V	J M Z	
	COIL						
	L3381	QQL244K-101Z	PEAKING COIL	100µH		K	
	DIODE						
	D3391	1SS133-T2	SI.DIODE				
	TRANSI	STOR					
	Q3351-53 Q3391	2SC4544-LB 2SA933AS/QR/-T	SI.TRANSISTOR SI.TRANSISTOR				
	OTHERS	3					
⚠	SK3351	QNZ0464-001	C.R.T.SOCKET				

### PRINTED WIRING BOARD PARTS LIST (AV-36D302/R)

MAIN PW BOARD ASS'Y (SAC-1518A-M2)

	Part No.	Part Name	Description Loc	— I — <i>'</i> —		Part Name	Description L
RESIST( R1001 R1002 R1003-04 R1011 R1012 R1013	NRSA63J-473X NRSA63J-102X NRSA63J-0R0X NRSA63J-820X NRSA63J-182X NRSA63J-562X	MG R MG R MG R MG R MG R	47kΩ 1/16W J 1kΩ 1/16W J 0.0Ω 1/16W J 82Ω 1/16W J 1.8kΩ 1/16W J 5.6kΩ 1/16W J	RESIS  R1522 R1523 ⚠ R1525 R1526 R1527-28 R1529	NRSA63J-561X QRJ146J-333X QRZ9011-470 QRE121J-272Y QRE121J-154Y NRSA63J-331X	MG R CR FR CR CR MGR	560Ω 1/16W J 33kΩ 1/4W J 47Ω 1/2W J 2.7kΩ 1/2W J 150kΩ 1/2W J 330Ω 1/16W J 390Ω 1/4W J
R1014 R1015 R1016 R1018 R1020	QRE121J-101Y NRSA63J-180X NRSA63J-270X NRSA63J-104X NRSA63J-332X	C R MG R MG R MG R MG R	100Ω 1/2W J 18Ω 1/16W J 27Ω 1/16W J 100kΩ 1/16W J 3.3kΩ 1/16W J	A R1531 R1532 R1533-34 A R1535 A R1537	QRJ146J-391X NRSA63J-273X NRSA63J-123X NRVA02D-242X NRZ0032-7151X	C R MG R MG R MF R MF R	27kΩ 1/16W J 12kΩ 1/16W J 2.4kΩ 1/10W±05% 7.15kΩ
021 022 023 024 025	NRSA63J-123X NRSA63J-151X NRSA63J-101X NRSA63J-102X NRSA63J-561X	MG R MG R MG R MG R MG R	12kΩ 1/16W J 150Ω 1/16W J 100Ω 1/16W J 1kΩ 1/16W J 560Ω 1/16W J	R1538 R1543 R1544 R1545 R1546	NRSA63J-333X QRE121J-122Y QRE121J-392Y QRE121J-822Y NRSA63J-331X	MG R C R C R C R MG R	33kΩ 1/16W J 1.2kΩ 1/2W J 3.9kΩ 1/2W J 8.2kΩ 1/2W J 330Ω 1/16W J
1026 1028 1038 1039-40 1041 1042-43 1045-46 1047	NRSA63J-331X NRSA63J-821X NRSA63J-272X NRSA63J-0R0X NRSA63J-102X NRSA63J-102X NRSA63J-0R0X NRSA63J-153X	MG R MG R MG R MG R MG R MG R MG R MG R	330Ω 1/16W J 820Ω 1/16W J 2.7kΩ 1/16W J 0.0Ω 1/16W J 2.7kΩ 1/16W J 1kΩ 1/16W J 0.0Ω 1/16W J 15kΩ 1/16W J	R1547 R1548 R1553 R1601-03 R1610-12 R1700-02 R1704-05 R1706-07	NRSA63J-104X QRE121J-152Y QRL039J-180 NRSA63J-750X NRSA63J-221X NRSA63J-102X NRSA63J-472X NRSA63J-103X	MG R C R OM R MG R MG R MG R MG R	100kΩ 1/16W J 1.5kΩ 1/2W J 18Ω 3W J 75Ω 1/16W J 220Ω 1/16W J 1kΩ 1/16W J 4.7kΩ 1/16W J 10kΩ 1/16W J
11048 11101-02 11111 11131 11134 11135 11140	NRSA63J-154X NRSA63J-101X NRSA63J-105X NRSA63J-272X NRSA63J-562X NRSA63J-102X NRSA63J-102X NRSA63J-070X	MG R MG R MG R MG R MG R MG R MG R MG R	150kΩ 1/16W J 100Ω 1/16W J 1MΩ 1/16W J 2.7kΩ 1/16W J 5.6kΩ 1/16W J 1kΩ 1/16W J 5.6kΩ 1/16W J 0.0Ω 1/16W J	R1708-09 R1715 R1721-22 R1724 R1726-28 R1729 R1731-32 R1733-34	NRSA63J-101X NRSA63J-102X NRSA63J-102X NRSA63J-102X NRSA63J-102X NRSA63J-223X NRSA63J-101X NRSA63J-272X	MG R MG R MG R MG R MG R MG R MG R	100Ω 1/16W J 10kΩ 1/16W J 1kΩ 1/16W J 1kΩ 1/16W J 1kΩ 1/16W J 22kΩ 1/16W J 100Ω 1/16W J 2.7kΩ 1/16W J
1201 1231 1237 1238 1241 1243 1281 1282	NRSA63J-333X NRSA63J-182X NRSA63J-392X NRSA63J-473X NRSA63J-332X NRSA63J-152X NRSA63J-182X NRSA63J-392X	MG R MG R MG R MG R MG R MG R MG R MG R	33kΩ 1/16W J 1.8kΩ 1/16W J 3.9kΩ 1/16W J 47kΩ 1/16W J 3.3kΩ 1/16W J 1.5kΩ 1/16W J 1.8kΩ 1/16W J 3.9kΩ 1/16W J	R1737 R1738 R1739 R1740 R1741 R1742-43 R1748 R1749-51	NRSA63J-222X NRSA63J-102X NRSA63J-272X NRSA63J-103X NRSA63J-0R0X NRSA63J-103X NRSA63J-103X NRSA63J-222X	MG R MG R MG R MG R MG R MG R MG R	2.2kΩ 1/16W J 1kΩ 1/16W J 2.7kΩ 1/16W J 10kΩ 1/16W J 0.0Ω 1/16W J 10kΩ 1/16W J 10kΩ 1/16W J 10kΩ 1/16W J 2.2kΩ 1/16W J
1283 1286 1287 1288 1289 1290 1291 1292	NRSA63J-681X NRSA63J-472X NRSA63J-101X NRSA02J-471X NRSA63J-154X NRSA63J-1561X NRSA63J-103X NRSA63J-123X	MG R MG R MG R MG R MG R MG R MG R MG R	680Ω 1/16W J 4.7kΩ 1/16W J 100Ω 1/16W J 470Ω 1/10W J 150kΩ 1/16W J 560Ω 1/10W J 10kΩ 1/16W J 12kΩ 1/16W J	R1752 R1753 R1754 R1755 R1756 R1763 R1764-68 R1769-70	NRSA63J-102X NRSA63J-102X NRSA63J-102X NRSA63J-153X NRSA63J-103X NRSA63J-103X NRSA63J-221X NRSA63J-682X	MG R MG R MG R MG R MG R MG R MG R	1kΩ 1/16W J 0.0Ω 1/16W J 1kΩ 1/16W J 15kΩ 1/16W J 10kΩ 1/16W J 10kΩ 1/16W J 220Ω 1/16W J 6.8kΩ 1/16W J
1301-03 1304-06 1354-55 1356 1359 1360 1401 1403	NRSA63J-222X NRSA63J-101X NRSA63J-080X NRSA63J-123X NRSA63J-103X NRSA63J-080X NRSA63J-822X QRX01GJ-1R0	MG R MG R MG R MG R MG R MG R MG R MF R	2.2kΩ 1/16W J 100Ω 1/16W J 0.0Ω 1/16W J 12kΩ 1/16W J 10kΩ 1/16W J 0.0Ω 1/16W J 8.2kΩ 1/16W J 1.0Ω 1W J	R1772 R1774 R1775 R1776 R1777 R1793-95 R1798-99 R1800	NRSA63J-103X NRSA63J-682X NRSA63J-473X NRSA63J-123X NRSA63J-103X NRSA63J-103X NRSA63J-103X NRSA63J-103X	MG R MG R MG R MG R MG R MG R MG R	10kΩ 1/16W J 6.8kΩ 1/16W J 47kΩ 1/16W J 12kΩ 1/16W J 10kΩ 1/16W J 330Ω 1/16W J 10kΩ 1/16W J 10kΩ 1/16W J 10kΩ 1/16W J
1404 1405 1407 1411-12 1414 1431 1432 1433	QRE121J-100Y NRSA63J-103X NRSA02J-0R0X NRSA63J-103X QRL029J-221 QRE121J-272Y NRSA63J-104X NRSA63J-473X	C R MG R MG R MG R OM R C R MG R MG R	$\begin{array}{cccc} 10\Omega & 1/2W & J \\ 10k\Omega & 1/16W & J \\ 0.0\Omega & 1/10W & J \\ 10k\Omega & 1/16W & J \\ 220\Omega & 2W & J \\ 2.7k\Omega & 1/2W & J \\ 100k\Omega & 1/16W & J \\ 47k\Omega & 1/16W & J \\ \end{array}$	R1801-04 R1806 R1807 R1810 R1811 R1812 R1814 R1815	NRSA63J-0R0X NRSA63J-102X NRSA63J-222X NRSA63J-0R0X NRSA63J-473X NRSA63J-102X NRSA63J-104X NRSA63J-154X	MG R MG R MG R MG R MG R MG R MG R	0.0Ω 1/16W J 1kΩ 1/16W J 2.2kΩ 1/16W J 0.0Ω 1/16W J 47kΩ 1/16W J 1kΩ 1/16W J 100kΩ 1/16W J 150kΩ 1/16W J
R1434 R1435 R1501 R1502 R1503 R1504-05 R1511	NRSA63J-822X NRSA63J-103X NRSA63J-0R0X NRSA63J-271X QRE121J-103Y QRL039J-152 QRE121J-220Y QRE121J-681Y	MG R MG R MG R MG R C R OM R C R C R	8.2kΩ 1/16W J 10kΩ 1/16W J 0.0Ω 1/16W J 270Ω 1/16W J 10kΩ 1/2W J 1.5kΩ 3W J 22Ω 1/2W J 680Ω 1/2W J	R1816 R1817 R1818 R1821 R1824 R1827 ⚠ R1857 ⚠ R1858	NRSA63J-0R0X NRSA63J-104X NRSA63J-0R0X NRSA63J-104X NRSA63J-103X NRSA63J-102X QRG029J-330 QRG029J-180	MG R MG R MG R MG R MG R OM R OM R	0.0Ω 1/16W J 100kΩ 1/16W J 0.0Ω 1/16W J 100kΩ 1/16W J 10kΩ 1/16W J 1kΩ 1/16W J 33Ω 2W J 18Ω 2W J

∆ Symbol     ✓ Symbol	No. Part No.	Part Name	Description	Local	<u></u>	mbol No.	Part No.	Part Name		escription	Local
RESI	STOR				C	APACI	TOR				
R1860 A R1901 A R1909 R1911 R1912-1 R1914 R1915 R1917	NRSA63J-562X QRF074K-R47 QRG01GJ-470 QRE121J-223Y	MG R UNF R OM R C R MF R C R C R	$\begin{array}{ccccc} 5.6k\Omega & 1/16W & \\ 0.47\Omega & 7W & \\ 47\Omega & 1W & \\ 22k\Omega & 1/2W & \\ 0.22\Omega & 2W & \\ 680\Omega & 1/2W & \\ 27\Omega & 1/2W & \\ 3.3k\Omega & 1/2W & \\ \end{array}$		C1: C1: C1: C1: C1: C1:	286 287 288 352 354	QETN1HM-106Z QETN1CM-107Z NCB31HK-103X QETN1CM-336Z QFV71HJ-154Z QETN1CM-107Z NCB31HK-103X NCB21HK-104X	E CAP. E CAP. C CAP. E CAP. MF CAP. E CAP. C CAP. C CAP.	10µF 100µF 0.01µF 33µF 0.15µF 100µF 0.01µF	50V M 16V M 50V K 16V M 50V J 16V M 50V K 50V K	
R1918 R1919 R1924 R1930 R1939 R1940 R1941 R1943	ORE121J-222Y QRE121J-684Y QRE121J-222Y QRE121J-223Y QRT039J-2R2 QRE121J-181Y QRL029J-183 NRSA63J-104X	C R C R C R C R MF R C R OM R MG R	2.2kΩ 1/2W 3 680kΩ 1/2W 3 2.2kΩ 1/2W 3 22kΩ 1/2W 3 2.2Ω 3W 3 180Ω 1/2W 3 18kΩ 2W 3 100kΩ 1/16W 3		C14 C14 C14 C14	403 404 405 407 410	NDC21HJ-152X NCB21HK-273X QETN1VM-107Z QCS32HJ-100Z QFLC2AK-563Z QFLC2AJ-104Z QETN1HM-105Z NCB21HK-104X	C CAP. C CAP. E CAP. C CAP. M CAP. M CAP. E CAP. C CAP.	1500pF 0.027µF 100µF 10pF 0.056µF 0.1µF 1µF 0.1µF	50V J 50V K 35V M 500V J 100V K 100V J 50V M 50V K	
R1944 R1951 R1952 R1953 R1973 R1975 R1977 R1978	NRSA63J-122X NRSA63J-473X NRSA63J-102X QRE121J-151Y QRE121J-272Y QRE121J-223Y QRE121J-473Y NRSA63J-333X	MG R MG R C R C R C R C R MG R	1.2kΩ 1/16W 47kΩ 1/16W 1 1kΩ 1/16W 1 150Ω 1/2W 2 2.7kΩ 1/2W 2 2kΩ 1/2W 47kΩ 1/2W 33kΩ 1/16W 4		C1: C1: C1: C1:	431 432	QEHQ1VM-108 QETN1HM-105Z QETN1EM-476Z QCB32HK-151Z QCB32HK-331Z QEHR2CM-105Z QEZ0203-107 QEM61HK-475Z	E CAP. E CAP. E CAP. C CAP. C CAP. E CAP. E CAP. E CAP.	1000µF 1µF 47µF 150pF 330pF 1µF 100µF 4.7µF	35V M 50V M 25V M 500V K 500V K 160V M 160V M 50V K	
R1979-8	0 QRT029J-1R2	MF R	1.2Ω 2W J	ı		513	QFZ0196-502 QFZ0198-133	MPP CAP. MPP CAP.	0.013µF	1.5kVH ±3% 1.5kVH ±3%	
CAPA	CITOR				⚠ C1:		QFP32GJ-183 QFZ0197-624	PP CAP. MPP CAP.	0.018μF 0.62μF	400V J 250V J	
C1001 C1002 C1003 C1011-1	QETN1HM-475Z QETN1HM-106Z QETN1CM-108Z	E CAP. E CAP. E CAP. C CAP.	4.7μF 50V M 10μF 50V M 1000μF 16V M 0.01μF 50V K	<b> </b> 	C1:	516 521 523	QCB32HK-561Z QETN2EM-106Z QEHR1EM-108Z QETN1EM-108Z	C CAP. E CAP. E CAP. E CAP.	560pF 10μF 1000μF 1000μF	500V K 250V M 25V M 25V M	
C1014 C1015-1 C1021 C1023	QETN1CM-107Z 6 NCB31HK-103X QFV71HJ-824Z QETN1CM-107Z	E CAP. C CAP. MF CAP. E CAP.	100μF 16V M 0.01μF 50V K 0.82μF 50V J 100μF 16V M	<u>.</u> I	C1: C1: C1:	531	QETN1VM-107Z QFV21HJ-824Z QFLC2AJ-103Z QCB32HK-102Z	E CAP. MF CAP. M CAP. C CAP. E CAP.	100µF 0.82µF 0.01µF 1000pF	35V M 50V J 100V J 500V K	
C1024 C1025 C1026 C1027 C1028	NCB31HK-103X NCB31HK-102X QETN1HM-474Z NCB21HK-104X QETN1HM-106Z	C CAP. C CAP. E CAP. C CAP. E CAP.	0.01µF 50V K 1000pF 50V K 0.47µF 50V M 0.1µF 50V K 10µF 50V M		C10 C10 C10	533 601-03 609-11 612	QETN1HM-106Z QETN1EM-476Z QFV71HJ-104Z QETN1HM-105Z	E CAP. MF CAP. E CAP.	10µF 47µF 0.1µF 1µF	50V M 25V M 50V J 50V M	
C1030 C1034 C1036	NCB31HK-103X NCB31HK-103X QETN1AM-477Z	C CAP. C CAP. E CAP.	0.01μF 50V K 0.01μF 50V K 470μF 10V M		C1' C1'	700 703 706 707 710	NCB31HK-102X NDC31HJ-181X QETN1HM-105Z QETN1CM-107Z NCB21EK-683X	C CAP. C CAP. E CAP. E CAP. C CAP.	1000pF 180pF 1µF 100µF 0.068µF	50V K 50V J 50V M 16V M 25V K	
C1037 C1038 C1041-4 C1043-4 C1045		C CAP. E CAP. E CAP. C CAP. E CAP.	0.01µF 50V K 100µF 16V M 10µF 50V M 47pF 50V J 10µF 50V M	 	C1' C1'	721 722-23 724	NCB31HK-103X NDC31HJ-390X NDC31HJ-471X	C CAP. C CAP. C CAP.	0.01µF 39pF 470pF	50V K 50V J 50V J	
C1046 C1047 C1048	NCB31HK-103X NDC21HJ-330X NCB31HK-103X	C CAP. C CAP. C CAP.	0.01µF 50V K 33pF 50V J 0.01µF 50V K		C16 C16 C16	726 800 801 802 803	NDC21HJ-561X QETN1CM-107Z NCB21HK-104X QETN1CM-107Z QETN1HM-106Z	C CAP. E CAP. C CAP. E CAP. E CAP.	560pF 100µF 0.1µF 100µF 10µF	50V J 16V M 50V K 16V M 50V M	
C1111 C1112 C1113 C1114	QETN0JM-228Z NCB31HK-103X QETN1HM-474Z QETN1HM-105Z	E CAP. C CAP. E CAP. E CAP.	2200µF 6.3V M 0.01µF 50V K 0.47µF 50V M	[   	C1	804 805 806-07	NDC31HJ-102X NCB31HK-153X QETN1HM-106Z	C CAP. C CAP. E CAP.	1000pF 0.015μF 10μF	50V J 50V K 50V M	
C1115 C1116 C1131 C1136	QFV71HJ-104Z NCB21HK-104X NDC31HJ-470X QENC1CM-106Z	MF CAP. C CAP. C CAP. BP E CAP.	0.1µF 50V J 0.1µF 50V K 47pF 50V J 10µF 16V M	<u>.</u> I	C18 C18 C18	813 816	QETN1HM-474Z QETN1HM-105Z NCB31HK-102X NCB31HK-153X	E CAP. E CAP. C CAP. C CAP.	0.47µF 1µF 1000pF 0.015µF	50V M 50V M 50V K 50V K	
C1151 C1152 C1201 C1202	NCB31HK-103X QENC1HM-105Z NDC31HJ-100X QETN1HM-224Z	C CAP. BP E CAP. C CAP. E CAP.	0.01μF 50V K 1μF 50V N 10pF 50V J 0.22μF 50V N	 	C18	853-54 856 857 904-06	QETN1CM-227Z QETN1CM-227Z QETN1CM-477Z QCZ9054-102	E CAP. E CAP. E CAP. C CAP.	220µF 220µF 470µF 1000pF	16V M 16V M 16V M 250V z	
C1203 C1233 C1237 C1281	NCB31HK-222X NDC31HJ-560X NCB31HK-103X QFV71HJ-474Z	C CAP. C CAP. C CAP. MF CAP.	2200pF 50V K 56pF 50V J 0.01μF 50V K 0.47μF 50V J				QEZ0169-477 QCZ9054-102 QCZ0340-222 QFLC1HJ-471Z	E CAP. C CAP. C CAP. M CAP.	470µF 1000pF 2200pF 470pF	200V M 250V Z 50V J	
C1282 C1283 C1284 C1285	QETN1CM-227Z NCB31HK-103X QETN1HM-225Z NCB31HK-103X	E CAP. C CAP. E CAP. C CAP.	220µF 16V M 0.01µF 50V K 2.2µF 50V M 0.01µF 50V K	i I	C1: C1: C1:	914 916 917 918	QETN1HM-107Z NDC31HJ-331X NCB21HK-122X NCB21HK-104X	E CAP. C CAP. C CAP. C CAP.	100µF 330pF 1200pF 0.1µF	50V M 50V J 50V K 50V K	

⚠	Symbol No.	Part No.	Part Name	D	escription	Local	1 1	Symbol No.	Part No.	Part Name	Description	Local
	CAPACIT	OR						DIODE				
	C1919 C1925 C1931 C1932 C1933 C1935 C1937 C1938	QFP32GJ-103 NRSA63J-0R0X QEZ0203-107 QETN1CM-108Z QETM1EM-108Z QETN1EM-108Z QCZ0340-102 QETM1EM-228	PP CAP. MG R E CAP. E CAP. E CAP. E CAP. C CAP. C CAP. E CAP.	0.01μF 0.0Ω 100μF 1000μF 2200μF 1000μF 1000pF 2200μF	1/16W 160V I 16V I 25V I	J J M M M M		D1723-24 D1800 D1801 D1810 D1811 D1901 D1910 D1911	MTZJ5.6B-T2 1SS81-T2 1SS133-T2 MTZJ8.2C-T2 1SS133-T2 D3SBA60 MA700A-T2 RGP10J-5025-T3	ZENER DIODE SI.DIODE SI.DIODE ZENER DIODE SI.DIODE DIODE BRIDGE SI.DIODE SI.DIODE		
	C1939 C1941 C1942 C1943 C1948 C1951 C1971 C1972	QCB32HK-152Z QCB32HK-102Z QEHR1HM-105Z QETN1CM-108Z QETN1EM-476Z QETN1CM-477Z QETN1CM-477Z QETN1CM-477Z QETN1CM-476Z	C CAP. C CAP. E CAP.	1500pF 1000pF 1μF 1000μF 47μF 470μF 100μF 47μF	500V 50V I 16V I 25V I 16V I	K K M M M M M		D1912 D1913 D1914 D1915 D1917 D1918 D1920 D1931	RGP10J-5025-T3 RGP10J-5025-T3 1SS133-T2 SARS01-T2 MTZJ30A-T2 MTZJ5-1C-T2 1SS133-T2 RU30A-F1	SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE ZENER DIODE ZENER DIODE SI.DIODE SI.DIODE		
⚠	C1973 C1998-99	QETN1HM-106Z QCZ9074-103	E CAP. C CAP.	10μF 0.01μF	50V I 125V I			D1933 D1935 D1937	RU3YX-LFC4 RU3YX-LFC4 RGP10J-5025-T3	SI.DIODE SI.DIODE SI.DIODE		
	TRANSF	ORMER						D1941 D1945	MTZJ33A-T2 1SS133-T2	ZENER DIODE SI.DIODE		
⚠	T1501 T1502 T1921 T1951	CE42034-002 QQH0092-001 QQS0098-001 QQT0315-001	H.DRIVE TRANSF. H.V.TRANSF. SWITCH.TRANSF. POWER TRANSF.					D1952-53 D1954-57 D1972 D1973	1SS133-T2 1SR35-400A-T2 MTZJ15C-T2 1SS133-T2	SI.DIODE SI.DIODE ZENER DIODE SI.DIODE		
	COIL						_	TDANCI	OTOD.			
$\triangle$	L1001 L1012 L1021 L1022 L1027 L1041 L1042 L1101	QQL244K-560Z QQLZ014-R39 QRN143J-0R0X QQL244K-220Z QRN143J-0R0X QRN143J-0R0X QQL244K-220Z QQL244K-470Z	PEAKING COIL PEAKING COIL C R PEAKING COIL C R C R PEAKING COIL COIL	56μH 0.39μH 0.0Ω 22μH 0.0Ω 0.0Ω 22μH 47μH	1/4W 1/4W 1/4W	K J J K K		Q1011 Q1021 Q1024 Q1025 Q1041 Q1131 Q1232-33 Q1352	2SC5083/L-P/-T 2SC2412K/QR/-X 2SC2412K/QR/-X 2SC341037AK/QR/-X 2SA1037AK/QR/-X 2SC2412K/QR/-X 2SC2412K/QR/-X 2SC2412K/QR/-X	SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR		
	L1232 L1511 L1512 L1521 L1700 L1810 L1931 L1933	QQL244K-560Z QQR1027-003 QQLZ027-821 QQLZ026-430 QQL244K-4R7Z QQL244J-100Z QQL26AK-470Z QQL26AK-470Z	PEAKING COIL LINE FILTER CHOKE COIL HEATER CHOKE COIL COIL COIL COIL	56µН 820µН 43µН 4.7µН 10µН 47µН 47µН		K K K K		Q1431 Q1501 Q1511 Q1531 Q1532 Q1541-42 Q1543 Q1700	2SC2412K/QR/-X 2SC4212/Z1/ 2SD2559-LB 2SC2785/JH/-T 2SA1037AK/QR/-X 2SA1037AK/QR/-X 2SD1408/OY/-LB 2SC2412K/QR/-X	SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR		
	L1937	QQL26AK-470Z	COIL	47µH		K		Q1701	2SA1037AK/QR/-X	SI.TRANSISTOR		
_	DIODE							Q1703 Q1706 Q1711	2SA1037AK/QR/-X 2SC2412K/QR/-X DTC124EKA-X	SI.TRANSISTOR SI.TRANSISTOR DIGI.TRANSISTOR		
	D1101-02 D1305-10 D1352 D1353 D1401 D1431 D1432	MTZJ8.2C-T2 1SS133-T2 MTZJ9.1C-T2 1SS133-T2 1SR35-400A-T2 1SR35-400A-T2 1SS133-T2	ZENER DIODE SI.DIODE ZENER DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE				-	Q1810 Q1941 Q1951 Q1971	DTC144EKA-X 2SC2412K/QR/-X 2SD1383K/AB/-X 2SA1208/ST/Z1-T	DIGI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR		
$\triangle$	D1501 D1502 D1521 D1523 D1524 D1525-26 D1527 D1529 D1531	RH3G-F1 RU3AM-LFC4 RH1S-T3 RGP10J-5025-T3 RGP10J-5025-T3 1SS81-T5 1SR124-400A-T2 MTZJ5.1C-T2 MA4068N/Z1/-T2	SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE ZENER DIODE ZENER DIODE					IC1101 IC1401 IC1701 IC1702 IC1703 IC1852 IC1853 IC1911	TB1253AN LA7841 MN1876478JL1 AT24C04-32D502 MM1437AF-X AN7809F AN7805F STR-G6624/F8 SE135N	I.C.(M) I.C.(MONO-ANA) I.C.(MICRO-COMP) I.C.(MEMORY-OTH) I.C.(MONO-ANA) I.C.(MONO-ANA) I.C.(MONO-ANA) I.C.(HYBRID) I.C.(HYBRID)	(SERVICE)	
	D1535	1SS133-T2	SI.DIODE							- \/		
	D1537 D1601 D1603 D1606 D1701 D1706-10 D1721-22	1SR35-400A-T2 MTZJ9.1C-T2 MTZJ9.1C-T2 MTZJ9.1C-T2 1SS133-T2 MTZJ8.2C-T2 1SS133-T2	SI.DIODE ZENER DIODE ZENER DIODE ZENER DIODE SI.DIODE ZENER DIODE SI.DIODE SI.DIODE					OTHERS CF1001 CF1021 CF1041 CP1932-33 CP1936	QAX0349-001 QAX0639-001Z QAX0642-001Z ICP-N75-Y ICP-N75-Y	CERAMIC FILTER CERAMIC FILTER CERAMIC FILTER I.C.PROTECT I.C.PROTECT		
_							-					

### FRONT CONTROL PW BOARD ASS'Y (SAC-8502A-M2)

<u>^</u>	Symbol No.	Part No.	Part Name	D	Description		
	OTHERS	<b>.</b>					
<u>^</u>	F1905 FR1521 FR1523-24 FR1525 J1601 J1810 K1401 K1912	QMFZ034-5R0Z-J1 QRK126J-150X QRX029J-3R3 QRZ9017-4R7 QNN0349-002 QNS0001-001 QQR0621-002Z QQR0582-001Z	FUSE C R MF R F R PIN JACK JACK BEADS CORE BEADS CORE	5Α 15Ω 3.3Ω 4.7Ω	1/2W 2W 1/4W	J	
<u>^</u>	K1916-17 K1931-33 K1935 K1937 K1940 K1941 LC1601-03 PC1921	QQR0582-001Z QQR0582-001Z QQR0582-001Z QQR0582-001Z QQR0582-001Z QQR0621-002Z NQR0169-001X TLP421F/D4-GR/	BEADS CORE BEADS CORE BEADS CORE BEADS CORE BEADS CORE BEADS CORE EMI FILTER I.C.(PH.COUPLER)				
<u>^</u>	RY1941 RY1951 SF1011 TH1901 TU1001 X1201 X1700	QSK0120-001 QSK0113-001 QAX0324-002 QAD0129-3R0 QAU0176-001 CE40668-001Z QAX0307-001	RELAY RELAY SAW FILTER P.THERMISTOR TUNER CRYSTAL CER.RESONATOR				

⚠	Symbol No.	Part No.	Part Name		Description		Local					
	RESIST	OR .										
	R8702 R8703 R8705 R8706 R8707 R8708 R8709	NRSA63J-472X NRSA63J-153X NRSA63J-472X NRSA63J-153X NRSA63J-332X NRSA63J-152X NRSA63J-561X	MG R MG R MG R MG R MG R MG R MG R	15kΩ 4.7kΩ 15kΩ 3.3kΩ 1.5kΩ	1/16W 1/16W	] ] ]						
_	CAPACITOR											
	C8701	QETN1EM-476Z	E CAP.	47µF	25V	М						
	DIODE											
	D8701	SLR-342VR3F	L.E.D.									
	TRANSI	STOR										
	Q8701-02	DTA124EKA-X	DIGI.TRANSISTOR									
	IC											
	IC8701	GP1U281Q	IFR DETECT UNIT									
	OTHERS	3										
	\$8701 \$8702 \$8703 \$8704 \$8705 \$8706	LC30190-001B-A QSW0619-003Z QSW0619-003Z QSW0619-003Z QSW0619-003Z QSW0619-003Z QSW0619-003Z	L.E.D.HOLDER PUSH SWITCH	I	POWER MENU CH- CH+ VOL- VOL+	MENU CH- CH+ VOL-						

### CRT SOCKET PW BOARD ASS'Y (SAC-3504A-M2)

<u> </u>	Symbol No.	Part No.	No. Part Name Descript		escription	Local
ı	RESISTO	OR .				
F	R3354-56 R3357-59 R3360-62	NRSA63J-221X NRSA63J-101X QRZ0111-152	MG R MG R C R	220Ω 100Ω 1.5kΩ	1/16W J 1/16W J 1/2W K	
F	R3363-65 R3366-68 R3372-74	QRG029J-103 NRSA63J-182X NRSA63J-221X	OM R MG R MG R	10kΩ 1.8kΩ 220Ω	2W J 1/16W J 1/16W J	
F	R3375-77 R3381	NRSA63J-0R0X QRE121J-394Y	MG R C R	0.0Ω 390kΩ	1/16W J 1/2W J	
F	R3391 R3392 R3393-95	NRSA63J-152X NRSA63J-392X NRSA63J-102X	MG R MG R MG R	1.5kΩ 3.9kΩ 1kΩ	1/16W J 1/16W J 1/16W J	
(	CAPACIT	ΓOR				
(	C3354-55 C3356 C3357 C3382 C3391 C3392	NDC31HJ-331X NDC31HJ-391X QETN1CM-107Z QCZ0121-102 QETN1AM-227Z NDC31HJ-101X	C CAP. C CAP. E CAP. C CAP. E CAP. C CAP.	330pF 390pF 100µF 1000pF 220µF 100pF	50V J 50V J 16V M 3000V Z 10V M 50V J	
(	COIL					
L	_3381	QQL244K-101Z	PEAKING COIL	100µH	K	
ı	DIODE					
	D3391	1SS133-T2	SI.DIODE			
1	TRANSIS	STOR				
	Q3351-53 Q3391	2SC4544-LB 2SA933AS/QR/-T	SI.TRANSISTOR SI.TRANSISTOR			
OTHERS						
î S	SK3351	QNZ0464-001	C.R.T.SOCKET			

### FRONT AV INPUT PW BOARD ASS'Y (SAC-8602A-M2)

<u> </u>	Symbol No.	Part No.	Part Name	Γ	Description		Local	
	RESISTO	OR						
	R8401 R8402-03	NRSA63J-750X NRSA63J-224X	MG R MG R	75Ω 220kΩ	1/16W 1/16W	J		
_	CAPACI	TOR						
	C8401 C8402-03	QETN1HM-474Z QETN1HM-105Z	E CAP. E CAP.	0.47μF 1μF	50V 50V	M M		
_	OTHERS	3						
	J8401 J8402 J8403 LC8401	QNN0281-003 QNN0281-002 QNN0282-001 QQR1199-001	PIN JACK PIN JACK PIN JACK FILTER					

#### LF PW BOARD ASS'Y (SAC-9502A-M2)

⚠	Symbol No.	Part No.	Part Name	Descriptio 5.6Ω 1/2W 2.7MΩ 1/2W		n	Local
	RESISTO	)R					
⚠	R9997 R9998	QRE121J-5R6Y QRZ9041-275	C R C R		.,	J K	
_	CAPACIT	ror					
<u>^</u> <u>^</u> <u>^</u>	C9901 C9902 C9904	QFZ9067-104 QFZ9067-473 QCZ9052-102	MM CAP. MM CAP. C CAP.	0.1μF 0.047μF 1000pF			
_	OTHERS	<u> </u>					
<u>↑</u>	CN90PW F9901 FC9901 LF9902 VA9901	QMPD200-200-JC QMF0007-5R0J1 CEMG002-001Z QQR0527-003 ERZV10V621CS	POWER CORD FUSE FUSE CLIP LINE FILTER VARISTOR	5A			

#### AV SELECTOR PW BOARD ASS'Y (SAC0S507A-M2)

Symbol No.  RESIST  R0081 R0082 R0083 R0084 R0085 R0086 R0087 R0088 R0090 R0151-54 R0155 R0157 R0159 R0202 R0210  R0211 R0212 R0213 R0214 R0215 R0216 R0217 R0218 R0218 R0223 R0230 R0230 R0230 R0231 R0232 R0233 R0234 R0235-36 R0238 R0238 R0238 R0238 R0239 R0229 R0231 R0231 R0232 R0231 R0232 R0233 R0234 R0235-36	Part No.	Part Name	С	Description	Loc
RESIST	OR				
R0081	NRSA63J-102X	MG R	1kΩ	1/16W	J
	NRSA63J-682X	MG R	6.8kΩ	1/16W	J
			0.6kΩ 15kΩ	1/16W	
	NRSA63J-153X	MG R			J
	NRSA63J-683X	MG R	68kΩ	1/16W	J
	NRSA63J-332X	MG R	3.3kΩ	1/16W	J
	NRSA63J-333X	MG R	33kΩ	1/16W	J
R0087	NRSA63J-153X	MG R	15kΩ	1/16W	J
R0088	NRSA63J-152X	MG R	1.5kΩ	1/16W	J
R0089	NRSA63J-562X	MG R	5.6kΩ	1/16W	J
R0090	NRSA63J-563X	MG R	56kΩ	1/16W	J
R0151-54	NRSA63J-223X	MG R	22kΩ	1/16W	J
R0155	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J
	NRSA63J-0R0X	MG R	0.0Ω	1/16W	Ĵ
	NRSA63J-103X	MG R	10kΩ	1/16W	Ĵ
	NRSA63J-101X	MG R	100Ω	1/16W	J
	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J
NU210	NHOAUGU-UHUX	WG N	0.052	1/ TOVV	J
R0211	NRSA63J-153X	MG R	15kΩ	1/16W	J
R0212	NRSA63J-333X	MG R	33kΩ	1/16W	J
	NRSA63J-102X	MG R	1kΩ	1/16W	Ĵ
	NRSA63J-181X	MG R	180Ω	1/16W	Ĵ
	NRSA63J-152X	MG R	1.5kΩ	1/16W	Ĵ
		MG R		1/16W	J
	NRSA63J-182X		1.8kΩ		
	NRSA63J-102X	MG R	1kΩ	1/16W	J
H0218	NRSA63J-222X	MG R	2.2kΩ	1/16W	J
	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J
R0229	NRSA63J-473X	MG R	47kΩ	1/16W	J
R0230	NRSA63J-223X	MG R	22kΩ	1/16W	J
R0231	NRSA63J-101X	MG R	100Ω	1/16W	J
R0232	NRSA63J-102X	MG R	1kΩ	1/16W	J
R0233	NRSA63J-272X	MG R	2.7kΩ	1/16W	J
	NRSA63J-102X	MG R	1kΩ	1/16W	Ĵ
	NRSA63J-101X	MG R	100Ω	1/16W	Ĵ
R0238	NRSA63J-822X	MG R	8.2kΩ	1/16W	J
	NRSA63J-123X	MG R	12kΩ	1/16W	Ĵ
	NRSA63J-821X	MG R	820Ω	1/16W	J
	NRSA63J-474X	MG R	470kΩ	1/16W	J
R0243-44	NRSA63J-103X	MG R	10kΩ	1/16W	J
R0247	NRSA63J-101X	MG R	100Ω	1/16W	J
R0251	NRSA63J-471X	MG R	470Ω	1/16W	J
R0253	NRSA63J-681X	MG R	680Ω	1/16W	J

Symbol No.	Part No.	Part Name	D	escriptio	n	Loc
RESIST	OR					
R0254	NRSA63J-391X	MG R	390Ω	1/16W	J	
R0255	NRSA63J-681X	MG R	680Ω	1/16W	J	
R0258	NRSA63J-101X	MG R	100Ω	1/16W	J	
R0259	NRSA63J-222X	MG R	2.2kΩ	1/16W	J	
R0261	NRSA63J-101X	MG R	100Ω	1/16W	J	
R0262	NRSA63J-222X	MG R	2.2kΩ	1/16W	J	
R0263	NRSA63J-471X	MG R	470Ω	1/16W	J	
R0265	NRSA63J-102X	MG R	1kΩ	1/16W	J	
R0269	NRSA63J-681X	MG R	680Ω	1/16W	J	
R0270	NRSA63J-102X	MG R	1kΩ	1/16W	Ĵ	
R0301-02	NRSA63J-222X	MG R	2.2kΩ	1/16W	J	
R0303-04	NRSA63J-221X	MG R	220Ω	1/16W	J	
R0305	NRSA63J-0R0X	MG R	$\Omega$ 0.0	1/16W	J	
R0333-34	NRSA63J-101X	MG R	100Ω	1/16W	J	
R0371-74	NRSA63J-103X	MG R	10kΩ	1/16W	J	
R0375-76	NRSA63J-333X	MG R	33kΩ	1/16W	J	
R0377-78	NRSA63J-472X	MG R	4.7kΩ	1/16W	J	
R0385	NRSA63J-223X	MG R	22kΩ	1/16W	J	
R0387	NRSA63J-223X	MG R	22kΩ	1/16W	Ĵ	
R0391-92	NRSA63J-221X	MG R	220Ω	1/16W	Ĵ	
R0393-94	NRSA63J-823X	MG R	82kΩ	1/16W	Ĵ	
R0395-96	NRSA63J-221X	MG R	220Ω	1/16W	Ĵ	
R0401	NRSA63J-183X	MG R	18kΩ	1/16W	J	
R0402	NRSA63J-223X	MG R	22kΩ	1/16W	J	
DOVEO	NRSA63J-333X	MC P	33kΩ	1/16///		
R0458 R0459	NRSA63J-333X NRSA63J-183X	MG R MG R	33kΩ 18kΩ	1/16W 1/16W	J J	
R0501-02	NRSA63J-102X	MG R	1kΩ	1/16W	J	
R0504-05	NRSA63J-102X	MG R	1kΩ	1/16W	J	
R0507-08	NRSA63J-102X	MG R	1kΩ	1/16W	Ĵ	
R0509	NRSA63J-221X	MG R	220Ω	1/16W	Ĵ	
R0518	NRSA63J-333X	MG R	33kΩ	1/16W	Ĵ	
R0519-21	NRSA63J-750X	MG R	75Ω	1/16W	Ĵ	
D	110010010011					
R0522-23	NRSA63J-224X	MG R	220kΩ	1/16W	J	
R0528-29	NRSA63J-0R0X	MG R	Ω0.0	1/16W	J	
R0532-33	NRSA63J-224X	MG R	220kΩ	1/16W	J	
R0558-61	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
R0566-67 R0571	NRSA63J-331X NRSA63J-101X	MG R MG R	330Ω 100Ω	1/16W 1/16W	J J	
R0573	NRSA63J-272X	MG R	2.7kΩ	1/16W	J	
R0574	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
R0906	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
CAPACI	TOD					
C0081	NCB21HK-104X	C CAP.	0.1µF	50V	K	
C0082	QENC1HM-475Z	BP E CAP.	4.7µF	50V		
C0083	QENC1HM-105Z	BP E CAP.	1µF	50V	M	
C0084 C0085	QETN1HM-225Z NCB21HK-473X	E CAP. C CAP.	2.2µF 0.047µF	50V 50V	M K	
C0086	QETN1HM-474Z	E CAP.	0.47μF	50V	M	
C0087-88	NCB21HK-104X	C CAP.	0.1μF	50V	K	
C0089	QETN1HM-335Z	E CAP.	3.3µF	50V	M	
C0090	QETN1HM-105Z	E CAP.	1µF	50V	М	
C0091	QETN1HM-106Z	E CAP.	10µF	50V	M	
C0092-93	QETN1HM-105Z	E CAP.	1µF	50V	M	
C0094	QETN1HM-475Z	E CAP.	4.7μF	50V	M M	
C0095 C0151-52	QETN1HM-105Z QENC1HM-105Z	E CAP. BP E CAP.	1μF 1μF	50V 50V	M	
C0151-52 C0153-54	NCB31HK-332X	C CAP.	3300pF	50V 50V	K	
C0155-54 C0155-56	NCB21HK-333X	C CAP.	0.033µF	50V	K	
, , , , , , , , , , , , , , , , , , , ,			υ.υυομι			
C0157-58	QETN1HM-106Z	E CAP.	10μ <b>F</b>	50V	М	
C0159	QETN1EM-476Z	E CAP.	47μF	25V	M	
C0160	NCB21HK-104X	C CAP.	0.1µF	50V	K	
C0205	QETN1HM-476Z	E CAP.	47µF	50V	M	
	NCB31HK-103X	C CAP.	0.01µF	50V	K	
C0206	QENC1EM-106Z NDC31HJ-101X	BP E CAP. C CAP.	10µF 100pF	25V 50V	M	
C0211		C CAP.	47pF	50V	J J	
C0211 C0212	NDC31HJ-470X		۱۰٬ ۲۰		-	
C0211 C0212 C0213	NDC31HJ-470X					
C0211 C0212 C0213 C0214	NDC31HJ-181X	C CAP.	180pF	50V	J	
C0211 C0212 C0213		C CAP. E CAP. C CAP.	180pF 0.47μF 0.01μF	50V 50V 50V	J M K	

Æ	Symbol No.	Part No.	Part Name	1	Description	Local
	CAPACI	ΓOR				
	C0226 C0231-33 C0234 C0235 C0236 C0237 C0238-39 C0241-45	NCB31HK-103X QETN1HM-106Z NCB31HK-103X QETN1HM-106Z NCB31HK-103X NCB31HK-472X NCB31HK-103X NCB31HK-103X	C CAP. E CAP. C CAP. E CAP. C CAP. C CAP. C CAP. C CAP. C CAP. C CAP.	0.01µF 10µF 0.01µF 10µF 0.01µF 4700pF 0.01µF 0.01µF	50V K 50V M 50V K 50V M 50V K 50V K 50V K	
	C0246 C0247-49 C0251 C0252 C0255 C0263 C0264 C0265	NDC31HJ-181X NCB31HK-103X QETN1HM-476Z NCB31HK-103X NDC31HJ-390X NDC31HJ-150X QENC1HM-474Z NCB31HK-103X	C CAP. C CAP. E CAP. C CAP. C CAP. C CAP. BP E CAP. C CAP.	180pF 0.01µF 47µF 0.01µF 39pF 15pF 0.47µF	50V J 50V K 50V M 50V K 50V J 50V J 50V M 50V K	
	C0309-10 C0311-12 C0331 C0332 C0333 C0334 C0335 C0336	NCB31HK-102X NRSA63J-0R0X QETN1CM-107Z NCB31HK-103X QETN1EM-476Z NCB21HK-273X QETN1HM-225Z NCB31HK-222X	C CAP. MG R E CAP. C CAP. E CAP. C CAP. E CAP. C CAP. C CAP.	1000pF 0.0Ω 100μF 0.01μF 47μF 0.027μF 2.2μF 2200pF	50V K 1/16W J 16V M 50V K 25V M 50V K 50V M 50V K	
	C0337 C0338 C0339 C0340 C0343 C0344-45 C0371-72 C0373	NCB21HK-104X QETN1HM-225Z NCB31HK-222X NCB21HK-104X QETN1HM-105Z QENC1HM-225Z QENC1HM-105Z QETN1EM-476Z	C CAP. E CAP. C CAP. C CAP. E CAP. BP E CAP. BP E CAP. E CAP.	0.1µF 2.2µF 2200pF 0.1µF 1µF 2.2µF 1µF 47µF	50V K 50V M 50V K 50V K 50V M 50V M 50V M	
	C0391-92 C0401 C0402-03 C0404 C0407 C0410-11 C0412-13 C0501-02	QETN1HM-474Z QETN1CM-107Z NCF21CZ-105X QFV71HJ-224Z QETN1EM-108Z QETN1EM-108Z QETN1HM-105Z NCB31HK-103X	E CAP. E CAP. C CAP. MF CAP. E CAP. E CAP. E CAP. C CAP.	0.47µF 100µF 1µF 0.22µF 1000µF 1000µF 1µF 0.01µF	50V M 16V M 16V Z 50V J 25V M 25V M 50V M 50V K	
	C0503 C0504 C0505 C0508 C0509 C0511 C0512-13 C0520-21	QETN1HM-226Z QETN1EM-476Z QENC1HM-474Z QETN1HM-474Z NCB31HK-103X QETN1HM-474Z QETN1HM-105Z QETN1HM-105Z	E CAP. E CAP. BP E CAP. E CAP. C CAP. E CAP. E CAP. E CAP. E CAP.	22µF 47µF 0.47µF 0.47µF 0.01µF 0.47µF 1µF	50V M 25V M 50V M 50V M 50V K 50V M 50V M 50V M	
	C0531-32 C0536-39	NCB31HK-103X NCB31HK-103X	C CAP. C CAP.	0.01μF 0.01μF	50V K 50V K	
	COIL					
	L0202 L0211 L0242-43 L0261	QQL244K-150Z QQL244K-4R7Z QQL244K-4R7Z QQL244K-150Z	COIL COIL COIL	15μΗ 4.7μΗ 4.7μΗ 15μΗ	K K K	
	DIODE					
	D0391-92 D0501-02 D0504 D0509 D0511 D0515-19 D0521	MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2	ZENER DIODE			
	TRANSIS	STOR				
	Q0211-12 Q0218	2SC2412K/QR/-X 2SC2412K/QR/-X	SI.TRANSISTOR SI.TRANSISTOR			

<u> </u>	Symbol No.	19	Part Name	Description	Local
	TRANSI	STOR			
	Q0219 Q0251 Q0252 Q0253 Q0261-62 Q0263 Q0301-02 Q0385	2SC2412K/QR/-X 2SA1037AK/QR/-X 2SC2412K/QR/-X 2SC2412K/QR/-X 2SA1037AK/QR/-X DTC124EKA-X	SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR DIGI.TRANSISTOR		
	Q0387 DTC323TK-X Q0453 2SC2412K/QR/-X Q0454 DTC124EKA-X		SI.TRANSISTOR DIGI.TRANSISTOR		
-	IC				
	IC0001 IC0151 IC0201 IC0371 IC0401 IC0501	UPC1851BCU NJM2150AD TC90A53N BA15218N LA4485 CXA2089Q-X	I.C.(MONO-ANA) I.C.(MONO-ANA) I.C.(DIGI-MOS) I.C.(MONO-ANA) I.C.(MONO-ANA) I.C.(MONO-ANA)		
	OTHERS	3			
	J0501 J0502-03	QNZ0454-001 QNN0348-001	PIN JACK PIN JACK		

# REMOTE CONTROL UNIT PARTS LIST (RM-C303G-1A) A Ref.No. Part No. Part Name Description

<u> </u>	Ref.No.	Part No.	Part Name	Description	Local
		UR52EC1286C	BATTERY COVER		

# DIFFERENCE PARTS LIST BETWEEN AV-36D302/R, AV-36D302/H AND AV-36D302/Y

The picture tubes used for the models AV-36D302/R, AV-36D302/H and AV-36D302/Y are difference. The electrical parts are also difference according to the PICTURE TUBE.

In the DIFFERENCE PARTS LIST BETWEEN AV-36D302/R, AV-36D302/H and AV-36D302/Y, only difference points between these models are written. For other parts not mentioned in the list, please refer to the PARTS LIST(P50 - P55) for the AV-36D302/R.

#### **DIFFERENCE PARTS LIST**

#### **MAIN PWB**

	Symbol		Part No.		Doub Nome
$\triangle$	No.	AV-36D302/R	AV-36D302/H	AV-36D302/y	Part Name
		SAC-1518A-M2	SAC-1519A-M2	SAC-1517A-M2	MAIN PWB
	R1288	NRSA02J-471X (470Ω, 1/10W, J)	<b>—</b>	NRSA63J-471X (470Ω, 1/16W, J)	MG R
	R1403	QRX01GJ-1R0 (1Ω, 1W, J)	•	QRX01GJ-1R5 (1.5Ω, 1W, J)	MF R
	R1404	QRE121J-100Y (10Ω, 1/2W, J)	-	_	CR
	R1775	NRSA63J-473X (47kΩ, 1/16W, J)	•	NRSA63J-563X (56kΩ, 1/16W, J)	MG R
	R1776	NRSA63J-123X (12kΩ, 1/16W, J)	NRSA63J-272X (2.7kΩ, 1/16W, J)	-	MG R
	C1403	NCB21HK-273X (0.027µF, 50V, k)	•	NCB21HK-393X (0.039µF, 50V, K)	C CAP.
<u> </u>	C1515	QFZ0197-624 (0.62µF, 250V, J)	QFZ0197-564 (0.56μF, 250V, J)	-	MPP CAP.
$\triangle$	L1511	QQR1027-003	-	CE41029-00A	LINIARITY COIL
<u> </u>	L1521	QQLZ026-430 (43µH)	•	QQLZ026-500 (50µH)	HEATER CHOKE

#### **CRT SOCKET PWB**

	Symbol No.		Part No.				
 7		AV-36D302/R	AV-36D302/H	AV-36D302/Y	Part Name		
		SAC-3504A-M2	SAC-3505A-M2	SAC-3503A-M2	CRT SOCKET PWB		

<u> </u>	Symbol No.	Part No.	Part Name	Descripti	on	Local	
	RESIST	OR					
	R3354-56 R3357-59 R3360-62 R3363-65 R3366-68 R3372-74 R3375-77 R3381	NRSA63J-221X NRSA63J-101X QRZ0111-152 QRG029J-103 NRSA63J-182X NRSA63J-221X NRSA63J-221X NRSA63J-0R0X QRE121J-394Y	MG R MG R C R OM R MG R MG R C R	220Ω 1/16W 100Ω 1/16W 1.5kΩ 1/2W 10kΩ 2W 1.8kΩ 1/16W 220Ω 1/16W 0.0Ω 1/16W 390kΩ 1/2W	J K J J J		
	R3391 R3392 R3393-95	NRSA63J-152X NRSA63J-392X NRSA63J-102X	MG R MG R MG R	1.5kΩ 1/16W 3.9kΩ 1/16W 1kΩ 1/16W	J		
_	CAPACI	TOR					
	C3354-55 C3356 C3357 C3382 C3391 C3392	NDC31HJ-331X NDC31HJ-391X QETN1CM-107Z QCZ0121-102 QETN1AM-227Z NDC31HJ-101X	C CAP. C CAP. E CAP. C CAP. E CAP. C CAP.	330pF 50V 390pF 50V 100µF 16V 1000pF 3000V 220µF 10V 100pF 50V	J M Z M		
	COIL						
	L3381	QQL244K-101Z	PEAKING COIL	100µH	K		
	DIODE						
	D3391	1SS133-T2	SI.DIODE				
	TRANSI	STOR					
	Q3351-53 Q3391	2SC4544-LB 2SA933AS/QR/-T	SI.TRANSISTOR SI.TRANSISTOR				
	OTHERS	3					
⚠	SK3351	QNZ0464-001	C.R.T.SOCKET				

### CRT SOCKET PW BOARD ASS'Y (SAC-3505A-M2) CRT SOCKET PW BOARD ASS'Y (SAC-3503A-M2)

Syn	nbol No.	Part No.	Part Name		Description	n	L
RE	ESIST	OR					
R33 R33 R33 R33 R33	854-56 857-59 860-62 863-65 866-68 872-74 875-77	NRSA63J-221X NRSA63J-101X QRZ0111-152 QRG029J-103 NRSA63J-182X NRSA63J-221X NRSA63J-221X NRSA63J-0ROX QRE121J-394Y	MG R MG R C R OM R MG R MG R MG R		1/16W 1/2W 2W 1/16W 1/16W 1/16W	JKJJJJ	
R33 R33 R33		NRSA63J-152X NRSA63J-392X NRSA63J-102X	MG R MG R MG R	3.9kΩ	1/16W 1/16W 1/16W	J J	
CA	APACI	TOR					
C33 C33 C33 C33 C33	857 882 891	NDC31HJ-331X NDC31HJ-391X QETN1CM-107Z QCZ0121-102 QETN1AM-227Z NDC31HJ-101X	C CAP. C CAP. E CAP. C CAP. E CAP. C CAP.	330pF 390pF 100µF 1000pF 220µF 100pF	3000V 10V	J M Z M J	
CC	OIL						
L33	81	QQL244K-101Z	PEAKING COIL	100µH		K	
DI	ODE						
D33	391	1SS133-T2	SI.DIODE				
TF	RANSI	STOR					
Q33 Q33	351-53 391	2SC4544-LB 2SA933AS/QR/-T	SI.TRANSISTOR SI.TRANSISTOR				
01	THERS	 }					
sk3	3351	QNZ0464-001	C.R.T.SOCKET				

## PRINTED WIRING BOARD PARTS LIST (AV-36D502<sub>M</sub>)

MAIN PW BOARD ASS'Y (SAC-1503A-M2)

Symbol No.	Part No.	Part Name	Description	Local		Part No.	Part Name	Description	Loca
RESIST	OR .				RESIST	OR			
R1001 R1002 R1003-04 R10011 R1012 R1013 R1014 R1015	NRSA63J-473X NRSA63J-102X NRSA63J-0R0X NRSA63J-820X NRSA63J-182X NRSA63J-562X QRE121J-101Y NRSA63J-180X	MG R MG R MG R MG R MG R MG R C R MG R	47kΩ 1/16W J 1kΩ 1/16W J 0.0Ω 1/16W J 82Ω 1/16W J 1.8kΩ 1/16W J 5.6kΩ 1/16W J 100Ω 1/2W J 18Ω 1/16W J		R1523  ⚠ R1525 R1526 R1527-28 R1529  ⚠ R1531 R1532 R1533-34	QRJ146J-333X QRZ9011-470 QRE121J-272Y QRE121J-154Y NRSA63J-331X QRJ146J-391X NRSA63J-273X NRSA63J-123X	CRFR CRCR CRMGR CRMGR	33kΩ 1/4W 47Ω 1/2W 2.7kΩ 1/2W 150kΩ 1/2W 330Ω 1/16W 390Ω 1/4W 27kΩ 1/16W 12kΩ 1/16W	
016 1018 1020 1021 1022 1023 1024 1025	NRSA63J-270X NRSA63J-104X NRSA63J-332X NRSA63J-123X NRSA63J-151X NRSA63J-101X NRSA63J-102X NRSA63J-561X	MG R MG R MG R MG R MG R MG R MG R	27Ω 1/16W J 100kΩ 1/16W J 3.3kΩ 1/16W J 12kΩ 1/16W J 150Ω 1/16W J 100Ω 1/16W J 1kΩ 1/16W J 560Ω 1/16W J		⚠ R1535 ⚠ R1537 R1538 R1543 R1544 R1545 R1546 R1547	NRVA02D-242X NRZ0032-7151X NRSA63J-333X QRE121J-122Y QRE121J-392Y QRE121J-822Y NRSA63J-331X NRSA63J-104X	MF R MF R MG R C R C R C R MG R MG R	2.4kΩ 1/10W±0.5N 7.15kΩ 33kΩ 1/16W 1.2kΩ 1/2W 3.9kΩ 1/2W 8.2kΩ 1/2W 330Ω 1/16W 100kΩ 1/16W	 
1026 1028 1038 1039-40 1041 1042-43 1045-46 1047	NRSA63J-331X NRSA63J-821X NRSA63J-272X NRSA63J-0R0X NRSA63J-102X NRSA63J-102X NRSA63J-102X NRSA63J-153X	MG R MG R MG R MG R MG R MG R MG R MG R	330Ω 1/16W J 820Ω 1/16W J 2.7kΩ 1/16W J 0.0Ω 1/16W J 2.7kΩ 1/16W J 1kΩ 1/16W J 0.0Ω 1/16W J 15kΩ 1/16W J		R1548 R1553 R1601-03 R1610-12 R1700-02 R1704-05 R1706-07 R1708-09	QRE121J-152Y QRL039J-180 NRSA63J-750X NRSA63J-221X NRSA63J-102X NRSA63J-103X NRSA63J-103X NRSA63J-101X	C R OM R MG R MG R MG R MG R MG R MG R	1.5kΩ 1/2W 18Ω 3W 75Ω 1/16W 220Ω 1/16W 1kΩ 1/16W 4.7kΩ 1/16W 10kΩ 1/16W 10k	
1048 1101-02 1111 1131 1134 1135 1140 1141	NRSA63J-154X NRSA63J-101X NRSA63J-105X NRSA63J-272X NRSA63J-562X NRSA63J-102X NRSA63J-562X NRSA63J-070X	MG R MG R MG R MG R MG R MG R MG R	150kΩ 1/16W J 100Ω 1/16W J 1MΩ 1/16W J 2.7kΩ 1/16W J 5.6kΩ 1/16W J 5.6kΩ 1/16W J 0.0Ω 1/16W J		R1714 R1715 R1721-22 R1724 R1726-28 R1729 R1731-32 R1733-34	NRSA63J-102X NRSA63J-103X NRSA63J-102X NRSA63J-102X NRSA63J-102X NRSA63J-223X NRSA63J-101X NRSA63J-272X	MG R MG R MG R MG R MG R MG R MG R MG R	1kΩ 1/16W 10kΩ 1/16W 1kΩ 1/16W 1kΩ 1/16W 1kΩ 1/16W 1kΩ 1/16W 1kΩ 1/16W 100Ω	 
1201 1231 1237 1238 1241 1243 1281 1282	NRSA63J-333X NRSA63J-182X NRSA63J-392X NRSA63J-473X NRSA63J-332X NRSA63J-152X NRSA63J-182X NRSA63J-392X	MG R MG R MG R MG R MG R MG R MG R	33kQ 1/16W J 1.8kQ 1/16W J 3.9kQ 1/16W J 47kQ 1/16W J 3.3kQ 1/16W J 1.5kQ 1/16W J 1.8kQ 1/16W J 3.9kQ 1/16W J		R1737 R1738 R1739 R1740 R1741 R1742-43 R1748 R1749-51	NRSA63J-222X NRSA63J-102X NRSA63J-272X NRSA63J-103X NRSA63J-00X NRSA63J-103X NRSA63J-103X NRSA63J-103X NRSA63J-222X	MG R MG R MG R MG R MG R MG R MG R MG R	2.2kΩ 1/16W 1/16W 2.7kΩ 1/16W 10kΩ 1/16W 10	
1283 1286 1287 1288 1289 1290 1291 1292	NRSA63J-681X NRSA63J-472X NRSA63J-101X NRSA02J-471X NRSA63J-154X NRSA02J-561X NRSA63J-103X NRSA63J-123X	MG R MG R MG R MG R MG R MG R MG R	680Ω 1/16W J 4.7kΩ 1/16W J 100Ω 1/16W J 470Ω 1/10W J 150kΩ 1/16W J 560Ω 1/10W J 10kΩ 1/16W J 12kΩ 1/16W J		R1752 R1753 R1754 R1755 R1756 R1763 R1764-68 R1769-70	NRSA63J-102X NRSA63J-0R0X NRSA63J-102X NRSA63J-153X NRSA63J-103X NRSA63J-103X NRSA63J-221X NRSA63J-682X	MG R MG R MG R MG R MG R MG R MG R MG R	1kΩ 1/16W 0.0Ω 1/16W 1kΩ 1/16W 15kΩ 1/16W 10kΩ 1/16W 220Ω 1/16W 220Ω 1/16W 6.8kΩ 1/16W 16kΩ 1/16W	
1301-03 1304-06 1354-55 1356 1359 1360 1401 1403	NRSA63J-222X NRSA63J-101X NRSA63J-0R0X NRSA63J-123X NRSA63J-103X NRSA63J-0R0X NRSA63J-822X QRX01GJ-1R5	MG R MG R MG R MG R MG R MG R MG R MG R	2.2kΩ 1/16W J 100Ω 1/16W J 0.0Ω 1/16W J 12kΩ 1/16W J 10kΩ 1/16W J 0.0Ω 1/16W J 8.2kΩ 1/16W J 1.5Ω 1W J		R1772 R1774 R1775 R1776 R1777 R1793-95 R1798-99 R1800	NRSA63J-103X NRSA63J-682X NRSA63J-473X NRSA63J-123X NRSA63J-103X NRSA63J-331X NRSA63J-103X NRSA63J-103X	MG R MG R MG R MG R MG R MG R MG R	10kΩ 1/16W 6.8kΩ 1/16W 47kΩ 1/16W 12kΩ 1/16W 330Ω 1/16W 10kΩ 1/16	 
1405 1407 1411-12 1414 1431 1432 1433 1434	NRSA63J-103X NRSA02J-0R0X NRSA63J-103X QRL029J-221 QRE121J-272Y NRSA63J-104X NRSA63J-473X NRSA63J-822X	MG R MG R MG R OM R C R MG R MG R MG R	10kΩ 1/16W J 0.0Ω 1/10W J 10kΩ 1/16W J 220Ω 2W J 2.7kΩ 1/2W J 100kΩ 1/16W J 47kΩ 1/16W J 8.2kΩ 1/16W J		R1806 R1807 R1810 R1811 R1812 R1814 R1815 R1816	NRSA63J-102X NRSA63J-222X NRSA63J-0R0X NRSA63J-473X NRSA63J-102X NRSA63J-104X NRSA63J-154X NRSA63J-0R0X	MG R MG R MG R MG R MG R MG R MG R MG R	1kΩ 1/16W 2.2kΩ 1/16W 0.0Ω 1/16W 47kΩ 1/16W 1100kΩ 1/16W 150kΩ 1/16W 0.0Ω 1/	
1435 1501 1502 1503 1504-05 1511 1512 1522	NRSA63J-103X NRSA63J-0R0X NRSA63J-271X QRE121J-103Y QRL039J-152 QRE121J-220Y QRE121J-681Y NRSA63J-561X	MG R MG R MG R C R OM R C R C R MG R	10kΩ 1/16W J 0.0Ω 1/16W J 270Ω 1/16W J 10kΩ 1/2W J 1.5kΩ 3W J 22Ω 1/2W J 680Ω 1/2W J 560Ω 1/16W J		R1817 R1818 R1821 R1824 R1827 ⚠ R1857 ⚠ R1858 R1860	NRSA63J-104X NRSA63J-0R0X NRSA63J-104X NRSA63J-103X NRSA63J-102X QRL029J-270 QRG01GJ-270 NRSA63J-562X	MG R MG R MG R MG R MG R OM R OM R MG R	100kΩ 1/16W 0.0Ω 1/16W 100kΩ 1/16W 116W 1/16W 27Ω 2W 27Ω 1W 5.6kΩ 1/16W 15.6kΩ 1/16W 16W 16W 16W 16W 16W 16W 16W 16W 16W	

∆ Symbol No.	Part No.	Part Name	Description Local	<u> </u>	Symbol No.	Part No.	Part Name	Description	Local
RESISTO	OR				CAPACI	TOR			
⚠ R1901 ⚠ R1909 R1911 R1912-13 R1914 R1915 R1917 R1918	QRF074K-R47 QRG01GJ-470 QRE121J-223Y QRT029J-R22 QRK126J-681X QRE121J-270Y QRK126J-332X QRE121J-222Y	UNF R OM R C R MF R C R C R C R	$\begin{array}{cccc} 0.47\Omega & 7W & K \\ 47\Omega & 1W & J \\ 22k\Omega & 1/2W & J \\ 0.22\Omega & 2W & J \\ 680\Omega & 1/2W & J \\ 27\Omega & 1/2W & J \\ 3.3k\Omega & 1/2W & J \\ 2.2k\Omega & 1/2W & J \\ \end{array}$		C1288 C1352 C1354 C1391 C1392 C1393-95 C1401 C1403	NCB31HK-103X QETN1CM-336Z QFV71HJ-154Z QETN1CM-107Z NCB31HK-103X NCB21HK-104X NDC21HJ-152X NCB21HK-273X	C CAP. E CAP. MF CAP. E CAP. C CAP. C CAP. C CAP. C CAP. C CAP.	0.01µF 50V K 33µF 16V M 0.15µF 50V J 100µF 16V M 0.01µF 50V K 0.1µF 50V K 1500pF 50V J 0.027µF 50V K	
R1919 R1924 R1930 R1939 R1940 R1941 R1943 R1944	QRE121J-684Y QRE121J-222Y QRE121J-223Y QRT039J-2R2 QRE121J-181Y QRL029J-183 NRSA63J-104X NRSA63J-122X	C R C R C R MF R C R OM R MG R MG R	680kΩ 1/2W J 2.2kΩ 1/2W J 22kΩ 1/2W J 2.2Ω 3W J 180Ω 1/2W J 18kΩ 2W J 100kΩ 1/16W J 1.2kΩ 1/16W J		C1404 C1405 C1407 C1410 C1411 C1415 C1421 C1431	QETN1VM-107Z QCS32HJ-100Z QFLC2AK-563Z QFLC2AJ-104Z QETN1HM-105Z NCB21HK-104X QEHQ1VM-108 QETN1HM-105Z	E CAP. C CAP. M CAP. M CAP. E CAP. C CAP. E CAP. E CAP.	100μF 35V M 10pF 500V J 0.056μF 100V K 0.1μF 100V J 1μF 50V M 0.1μF 50V K 1000μF 35V M 1μF 50V M	
R1951 R1952 R1953 R1973 R1975 R1977 R1978 R1979-80	NRSA63J-473X NRSA63J-102X QRE121J-151Y QRE121J-272Y QRE121J-223Y QRE121J-473Y NRSA63J-333X QRT029J-1R2	MG R MG R C R C R C R C R MG R MF R	47kΩ 1/16W J 1kΩ 1/16W J 150Ω 1/2W J 2.7kΩ 1/2W J 22kΩ 1/2W J 47kΩ 1/2W J 33kΩ 1/16W J 1.2Ω 2W J		C1432 C1501 C1502 C1503 C1504 C1507-08 C1510 C1513	QETN1EM-476Z QCB32HK-151Z QCB32HK-331Z QEHR2CM-105Z QEZ0203-107 QEM61HK-475Z QFZ0196-502 QFZ0198-133	E CAP. C CAP. C CAP. E CAP. E CAP. E CAP. MPP CAP. MPP CAP.	47μF 25V M 150pF 500V K 330pF 500V K 1μF 160V M 100μF 160V M 4.7μF 50V K 5000pF 1.5kVH±3% 0.013μF 1.5kVH±3%	
CAPACI	TOR				C1514 C1515	QFP32GJ-183 QFZ0197-564	PP CAP. MPP CAP.	0.018μF 400V J 0.56μF 250V J	
C1001 C1002 C1003 C1011-12 C1014 C1015-16	QETN1HM-475Z QETN1HM-106Z QETN1CM-108Z NCB31HK-103X QETN1CM-107Z NCB31HK-103X	E CAP. E CAP. E CAP. C CAP. E CAP. C CAP.	4.7µF 50V M 10µF 50V M 1000µF 16V M 0.01µF 50V K 100µF 16V M 0.01µF 50V K		C1516 C1521 C1523 C1524 C1525 C1526	QCB32HK-561Z QETN2EM-106Z QEHR1EM-108Z QETN1EM-108Z QETN1VM-107Z QFV21HJ-824Z	C CAP. E CAP. E CAP. E CAP. E CAP. MF CAP.	560pF 500V K 10μF 250V M 1000μF 25V M 1000μF 25V M 1000μF 35V M 0.82μF 50V J	
C1021 C1023	QFV71HJ-824Z QETN1CM-107Z	MF CAP. E CAP.	0.82μF 50V J 100μF 16V M		C1527 C1531	QFLC2AJ-103Z QCB32HK-102Z	M CAP. C CAP.	0.01μF 100V J 1000pF 500V K	
C1024 C1025 C1026 C1027 C1028 C1030	NCB31HK-103X NCB31HK-102X QETN1HM-474Z NCB21HK-104X QETN1HM-106Z NCB31HK-103X	C CAP. C CAP. E CAP. C CAP. E CAP. C CAP.	0.01µF 50V K 1000pF 50V K 0.47µF 50V M 0.1µF 50V K 10µF 50V M 0.01µF 50V K		C1533 C1601-03 C1609-11 C1612 C1700 C1703	QETN1HM-106Z QETN1EM-476Z QFV71HJ-104Z QETN1HM-105Z NCB31HK-102X NDC31HJ-181X	E CAP. E CAP. MF CAP. E CAP. C CAP. C CAP.	10μF 50V M 47μF 25V M 0.1μF 50V J 1μF 50V M 1000pF 50V K 180pF 50V J	
C1034 C1036	NCB31HK-103X QETN1AM-477Z	C CAP. E CAP.	0.01μF 50V K 470μF 10V M		C1706 C1707	QETN1HM-105Z QETN1CM-107Z	E CAP. E CAP.	1μF 50V M 100μF 16V M	
C1037 C1038 C1041-42 C1043-44 C1045 C1046	NCB31HK-103X QETN1CM-107Z QETN1HM-106Z NDC31HJ-470X QETN1HM-106Z NCB31HK-103X	C CAP. E CAP. E CAP. C CAP. E CAP. C CAP.	0.01µF 50V K 100µF 16V M 10µF 50V M 47pF 50V J 10µF 50V M 0.01µF 50V K		C1710 C1721 C1722-23 C1724 C1726 C1800	NCB21EK-683X NCB31HK-103X NDC31HJ-390X NDC31HJ-471X NDC21HJ-561X QETN1CM-107Z	C CAP. C CAP. C CAP. C CAP. C CAP. E CAP.	0.068µF 25V K 0.01µF 50V K 39pF 50V J 470pF 50V J 560pF 50V J 100µF 16V M	
C1047 C1048	NDC21HJ-330X NCB31HK-103X	C CAP. C CAP.	33pF 50V J 0.01µF 50V K		C1801 C1802	NCB21HK-104X QETN1CM-107Z	C CAP. E CAP.	0.1μF 50V K 100μF 16V M	
C1111 C1112 C1113 C1114 C1115 C1116	QETN0JM-228Z NCB31HK-103X QETN1HM-474Z QETN1HM-105Z QFV71HJ-104Z NCB21HK-104X	E CAP. C CAP. E CAP. E CAP. MF CAP. C CAP.	2200µF 6.3V M 0.01µF 50V K 0.47µF 50V M 1µF 50V M 0.1µF 50V J 0.1µF 50V K		C1803 C1804 C1805 C1806-07 C1810 C1811	QETN1HM-106Z NDC31HJ-102X NCB31HK-153X QETN1HM-106Z QETN1HM-474Z QETN1HM-105Z	E CAP. C CAP. C CAP. E CAP. E CAP. E CAP.	10μF 50V M 1000pF 50V J 0.015μF 50V K 10μF 50V M 0.47μF 50V M 1μF 50V M	
C1131 C1136	NDC31HJ-470X QENC1CM-106Z	C CAP. BP E CAP.	47pF 50V J 10μF 16V M		C1813 C1816	NCB31HK-102X NCB31HK-153X	C CAP. C CAP.	1000pF 50V K 0.015μF 50V K	
C1151 C1152 C1201 C1202 C1203 C1233	NCB31HK-103X QENC1HM-105Z NDC31HJ-100X QETN1HM-224Z NCB31HK-222X NDC31HJ-560X	C CAP. BP E CAP. C CAP. E CAP. C CAP. C CAP.	0.01µF 50V K 1µF 50V M 10pF 50V J 0.22µF 50V M 2200pF 50V K 56pF 50V J	⚠	C1853-54 C1856 C1857 C1904-06 C1907 C1908	QETN1CM-227Z QETN1CM-227Z QETN1CM-477Z QCZ9054-102 QEZ0169-477 QCZ9054-102	E CAP. E CAP. E CAP. C CAP. E CAP. C CAP.	220µF 16V M 220µF 16V M 470µF 16V M 1000pF 250V Z 470µF 200V M 1000pF 250V Z	
C1237 C1281	NCB31HK-103X QFV71HJ-474Z	C CAP. MF CAP.	0.01μF 50V K 0.47μF 50V J		C1912 C1913	QCZ0340-222 QFLC1HJ-471Z	C CAP. M CAP.	2200pF 470pF 50V J	
C1282 C1283 C1284 C1285 C1286 C1287	QETN1CM-227Z NCB31HK-103X QETN1HM-225Z NCB31HK-103X QETN1HM-106Z QETN1CM-107Z	E CAP. C CAP. E CAP. C CAP. E CAP. E CAP.	220µF 16V M 0.01µF 50V K 2.2µF 50V M 0.01µF 50V K 10µF 50V M 100µF 16V M		C1914 C1916 C1917 C1918 C1919 C1925	QETN1HM-107Z NDC31HJ-331X NCB21HK-122X NCB21HK-104X QFP32GJ-103 NRSA63J-0R0X	E CAP. C CAP. C CAP. C CAP. PP CAP. MG R	100μF 50V M 330pF 50V J 1200pF 50V K 0.1μF 50V K 0.01μF 400V J 0.0Ω 1/16W J	

<b>∆</b> S	Symbol No.	Part No.	Part Name	D	escriptio	n	Local	1 1	Symbol No.	Part No.	Part Name	D	escription	n Loca	ıl
(	CAPACI	ГOR							DIODE						
	C1931 C1932 C1933 C1935 C1937 C1938 C1939 C1941	QEZ0203-107 QETN1CM-108Z QETM1EM-228 QETN1EM-108Z QCZ0340-102 QETM1EM-228 QCB32HK-152Z QCB32HK-102Z	E CAP. E CAP. E CAP. E CAP. C CAP. E CAP. C CAP. C CAP. C CAP. C CAP.	100µF 1000µF 2200µF 1000µF 1000pF 2200µF 1500pF 1000pF	160V 16V 25V 25V 25V 500V 500V	M M M		<u> </u>	D1810 D1811 D1901 D1910 D1911 D1912 D1913 D1914	MTZJ8.2C-T2 1SS133-T2 D3SBA60 MA700A-T2 RGP10J-5025-T3 RGP10J-5025-T3 1SS133-T2	ZENER DIODE SI.DIODE DIODE BRIDGE SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE				
	C1942 C1943 C1948 C1951 C1971 C1972 C1973 C1998-99	QEHR1HM-105Z QETN1CM-108Z QETN1EM-476Z QETN1CM-477Z QETN1CM-107Z QETN1EM-476Z QETN1HM-106Z QCZ9074-103	E CAP. C CAP.	1µF 1000µF 47µF 470µF 100µF 47µF 10µF 0.01µF	16V 25V 16V 16V	M M M			D1915 D1917 D1918 D1920 D1931 D1933 D1935 D1937	SARS01-T2 MTZJ30A-T2 MTZJ5.1C-T2 1SS133-T2 RU30A-F1 RU3YX-LFC4 RU3YX-LFC4 RGP10J-5025-T3	SI.DIODE ZENER DIODE ZENER DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE				
	TRANSF	ORMER							D1941 D1945	MTZJ33A-T2 1SS133-T2	ZENER DIODE SI.DIODE				
T ↑ 1 ↑ 1	T1501 T1502 T1921 T1951	CE42034-002 QQH0092-001 QQS0098-001 QQT0315-001	H.DRIVE TRANSF. H.V.TRANSF. SWITCH.TRANSF. POWER TRANSF.						D1952-53 D1954-57 D1972 D1973	1SS133-T2 1SR35-400A-T2 MTZJ15C-T2 1SS133-T2	SI.DIODE SI.DIODE ZENER DIODE SI.DIODE				
_	COIL							-	TRANSI	STOR					_
Æ L L L L L	L1001 L1012 L1021 L1022 L1027 L1041 L1042 L1101	QQL244K-560Z QQLZ014-R39 QRN143J-0R0X QQL244K-220Z QRN143J-0R0X QRN143J-0R0X QQL244K-220Z QQL244K-470Z	PEAKING COIL PEAKING COIL C R PEAKING COIL C R C R PEAKING COIL COIL	56μH 0.39μH 0.0Ω 22μH 0.0Ω 0.0Ω 22μH 47μH	1/4W 1/4W 1/4W	K J K J K K			Q1011 Q1021 Q1024 Q1025 Q1041 Q1131 Q1232-33 Q1352	2SC5083/L-P/-T 2SC2412K/QR/-X 2SC2412K/QR/-X 2SA1037AK/QR/-X 2SA1037AK/QR/-X 2SC2412K/QR/-X 2SC2412K/QR/-X 2SC2412K/QR/-X	SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR				
<u> </u>	L1232 L1511 L1512 L1521 L1700 L1810 L1931 L1933	QQL244K-560Z CE41029-00A QQLZ027-821 QQLZ026-500 QQL244K-4R7Z QQL244J-100Z QQL26AK-470Z QQL26AK-470Z	PEAKING COIL LINEARITY COIL CHOKE COIL INDUCTOR COIL COIL COIL COIL	56μH 820μH 50μH 4.7μH 10μH 47μH 47μH		K K K K		<u></u>	Q1431 Q1501 Q1511 Q1531 Q1532 Q1541-42 Q1543 Q1700	2SC2412K/QR/-X 2SC4212/Z1/ 2SD2559-LB 2SC2785/JH/-T 2SA1037AK/QR/-X 2SA1037AK/QR/-X 2SD1408/OY/-LB 2SC2412K/QR/-X	SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR				
L	L1937	QQL26AK-470Z	COIL	47µH		K			Q1701 Q1703	2SA1037AK/QR/-X 2SA1037AK/QR/-X	SI.TRANSISTOR SI.TRANSISTOR				
	DIODE								Q1706 Q1711	2SC2412K/QR/-X DTC124EKA-X DTC144EKA-X	SI.TRANSISTOR DIGI.TRANSISTOR				
] ] ] ] ]	D1101-02 D1305-10 D1352 D1353 D1401 D1431	MTZJ8.2C-T2 1SS133-T2 MTZJ9.1C-T2 1SS133-T2 1SR35-400A-T2 1SR35-400A-T2	ZENER DIODE SI.DIODE ZENER DIODE SI.DIODE SI.DIODE SI.DIODE					_	Q1810 Q1941 Q1951 Q1971	2SC2412K/QR/-X 2SD1383K/AB/-X 2SA1208/ST/Z1-T	DIGI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR				_
	D1432 D1501	1SS133-T2 RH3G-F1	SI.DIODE SI.DIODE					<u> </u>	IC1101 IC1401	TB1253AN LA7841	I.C.(M) I.C.(MONO-ANA)				
] ] ] ]	D1502 D1521 D1523 D1524 D1525-26 D1527	RU3AM-LFC4 RH1S-T3 RGP10J-5025-T3 RGP10J-5025-T3 1SS81-T5 1SR124-400A-T2	SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE SI.DIODE						IC1701 IC1702 IC1703 IC1852 IC1853 IC1911	MN1876478JL1 AT24C04-32D502 MM1437AF-X AN7809F AN7805F STR-G6624/F8	I.C.(MICRO-COMP) I.C.(MEMORY-OTH) I.C.(MONO-ANA) I.C.(MONO-ANA) I.C.(MONO-ANA) I.C.(HYBRID)	(SERVICE)			
	D1529 D1531	MTZJ5.1C-T2 MA4068N/Z1/-T2	ZENER DIODE ZENER DIODE					<u> </u>	IC1921	SE135N	I.C.(HYBRID)				
1 1 1 1 1 1	D1535 D1537 D1601 D1603 D1606 D1701 D1706-10 D1721-22 D1723-24 D1800	1SS133-T2 1SR35-400A-T2 MTZJ9.1C-T2 MTZJ9.1C-T2 MTZJ9.1C-T2 1SS133-T2 MTZJ8.2C-T2 1SS133-T2 MTZJ5.6B-T2 1SS81-T2	SI.DIODE SI.DIODE ZENER DIODE ZENER DIODE ZENER DIODE ZENER DIODE SI.DIODE ZENER DIODE SI.DIODE ZENER DIODE SI.DIODE ZENER DIODE SI.DIODE					<u>↑</u>	OTHERS  CF1001 CF1021 CF1041 CP1932-33 CP1936 F1905 FR1521 FR1523-24	QAX0349-001 QAX0639-001Z QAX0642-001Z ICP-N75-Y ICP-N75-Y QMFZ034-5R0Z-J1 QRK126J-150X QRX029J-3R3	CERAMIC FILTER CERAMIC FILTER CERAMIC FILTER I.C.PROTECT I.C.PROTECT FUSE C R MF R	5Α 15Ω 3.3Ω	1/2W 2W		_
	D1801	1SS133-T2	SI.DIODE						FR1525	QRZ9017-4R7	FR	4.7Ω	1/4W	J	

#### FRONT CONTROL PW BOARD ASS'Y (SAC-8502A-M2)

⚠	Symbol No.	Part No.	Part Name	Description	Local
	OTHERS	3			
	J1601 J1810 K1401 K1912 K1916-17 K1931-33 K1935 K1937	QNN0349-002 QNS0001-001 QQR0621-002Z QQR0582-001Z QQR0582-001Z QQR0582-001Z QQR0582-001Z QQR0582-001Z	PIN JACK JACK BEADS CORE BEADS CORE BEADS CORE BEADS CORE BEADS CORE BEADS CORE		
<u>^</u>	RY1941 RY1951 SF1011	QQR0582-001Z QQR0621-002Z NQR0169-001X TLP421F/D4-GR/ QSK0120-001 QSK0113-001 QAX0324-002 QAD0129-3R0	BEADS CORE BEADS CORE EMI FILTER I.C.(PH.COUPLER) RELAY SAW FILTER P.THERMISTOR		
⚠	TU1001 X1201 X1700	QAU0234-001 CE40668-001Z QAX0307-001	TUNER CRYSTAL CER.RESONATOR		

1 1	∆ Symbol No. Part No.		Part Name		escriptio	n	Local	
	RESIST	OR						
	R8702 R8703 R8705 R8706 R8707 R8708 R8709	NRSA63J-472X NRSA63J-153X NRSA63J-472X NRSA63J-153X NRSA63J-332X NRSA63J-152X NRSA63J-561X	MG R MG R MG R MG R MG R MG R MG R	4.7kΩ 15kΩ 4.7kΩ 15kΩ 3.3kΩ 1.5kΩ 560Ω	1/16W	] ] ]		
-	CAPACI	TOR						
	C8701	QETN1EM-476Z	E CAP.	47μF	25V	М		
-	DIODE							
	D8701	SLR-342VR3F	L.E.D.					
-	TRANSI	STOR						
	Q8701-02	DTA124EKA-X	DIGI.TRANSISTOR					
-	IC							
	IC8701	GP1U281Q	IFR DETECT UNIT					
-	OTHERS	3						
	\$8701 \$8702 \$8703 \$8704 \$8705 \$8706	LC30190-001B-A QSW0619-003Z QSW0619-003Z QSW0619-003Z QSW0619-003Z QSW0619-003Z QSW0619-003Z	L.E.D.HOLDER PUSH SWITCH	ı	POWER MENU CH- CH+ VOL- VOL+			

#### CRT SOCKET PW BOARD ASS'Y (SAC-3503A-M2)

Symbol No.	Part No.	Part Name		Description	n	Loca
RESISTO	OR					
R3354-56 R3357-59 R3360-62 R3363-65 R3366-68 R3372-74 R3375-77 R3381	NRSA63J-221X NRSA63J-101X QRZ0111-152 QRG029J-103 NRSA63J-182X NRSA63J-221X NRSA63J-221X NRSA63J-0ROX QRE121J-394Y	MG R MG R C R OM R MG R MG R MG R C R	220Ω 100Ω 1.5kΩ 10kΩ 1.8kΩ 220Ω 0.0Ω 390kΩ	1/16W 1/2W 2W 1/16W 1/16W	JKJJJJ	
R3391 R3392 R3393-95	NRSA63J-152X NRSA63J-392X NRSA63J-102X	MG R MG R MG R	1.5kΩ 3.9kΩ 1kΩ	1/16W	J J J	
CAPACI	TOR					
C3354-55 C3356 C3357 C3382 C3391 C3392	NDC31HJ-331X NDC31HJ-391X QETN1CM-107Z QCZ0121-102 QETN1AM-227Z NDC31HJ-101X	C CAP. C CAP. E CAP. C CAP. E CAP. C CAP.	330pF 390pF 100µF 1000pF 220µF 100pF	50V 50V 16V 3000V 10V 50V	J M Z M J	
COIL						
L3381	QQL244K-101Z	PEAKING COIL	100µH		K	
DIODE					_	
D3391	1SS133-T2	SI.DIODE				
TRANSIS	STOR					
Q3351-53 Q3391	2SC4544-LB 2SA933AS/QR/-T	SI.TRANSISTOR SI.TRANSISTOR				
OTHERS	 }					
SK3351	QNZ0464-001	C.R.T.SOCKET				

#### FRONT AV INPUT PW BOARD ASS'Y (SAC-8602A-M2)

⚠	Symbol No.	Part No.	Part Name	[	Description		Local
	RESISTO	OR					
	R8401 R8402-03	NRSA63J-750X NRSA63J-224X	MG R MG R	75Ω 220kΩ	1/16W 1/16W	J	
_	CAPACI	TOR					
	C8401 C8402-03	QETN1HM-474Z QETN1HM-105Z	E CAP. E CAP.	0.47μF 1μF	50V 50V	M M	
_	OTHERS	6					
	J8401 J8402 J8403 LC8401	QNN0281-003 QNN0281-002 QNN0282-001 QQR1199-001	PIN JACK PIN JACK PIN JACK FILTER				

### LF PW BOARD ASS'Y (SAC-9502A-M2)

⚠	Symbol No.	Part No.	Part Name	D	Description		Local
	RESISTO	OR .					
⚠	R9997 QRE121J-5R6Y		C R C R	5.6Ω 2.7MΩ	1/2W 1/2W	J K	
_	CAPACIT	ГOR					
<u>^</u> <u>^</u> <u>^</u>	C9901 C9902 C9904	QFZ9067-104 QFZ9067-473 QCZ9052-102	MM CAP. MM CAP. C CAP.	0.1μF 0.047μF 1000pF			
	OTHERS	•					
<u>↑</u>	CN90PW F9901 FC9901 LF9902 VA9901	QMPD200-200-JC QMF0007-5R0J1 CEMG002-001Z QQR0527-003 ERZV10V621CS	POWER CORD FUSE FUSE CLIP LINE FILTER VARISTOR	5A			

⚠	Symbol No.	Part No.	Part Name	Descri	ption	Local
	COIL					
	L0302-04	QQL244J-6R8Z	COIL	6.8µH	J	
	DIODE					
	D0301	1SS133-T2	SI.DIODE			
	TRANSI	STOR				
	Q0301-03	2SC2412K/QR/-X	SI.TRANSISTOR			
_	IC					
	IC0001 IC0301	AN7805F SDA9389X-X	I.C.(MONO-ANA) I.C.(DIGI-MOS)			
	OTHERS	3				
$\triangle$	TU0001 X0301	QAU0206-001 QAX0521-001Z	TUNER CRYSTAL			

#### PIP PW BOARD ASS'Y (SAC0P502A-M2)

Symbol No.	Part No.	Part Name	С	escription)	า	Lo
RESIST	OR					
R0001-02	NRSA63J-103X	MG R	10kΩ	1/16W	J	
R0003-04	NRSA63J-101X	MG R	100Ω	1/16W	J	
R0005	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
R0011	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
R0121	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
R0301	NRSA63J-473X	MG R	47kΩ	1/16W	J	
R0303	NRSA63J-222X	MG R	2.2kΩ	1/16W	J	
R0304	NRSA63J-473X	MG R	47kΩ	1/16W	J	
R0306	NRSA63J-222X	MG R	2.2kΩ	1/16W	J	
R0307-08	NRSA63J-332X	MG R	3.3kΩ	1/16W	J	
R0309	NRSA63J-102X	MG R	1kΩ	1/16W	J	
R0311	NRSA63J-101X	MG R	100Ω	1/16W	J	
R0313	NRSA63J-101X	MG R	100Ω	1/16W	J	
R0314	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
R0316	NRSA63J-331X	MG R	330Ω	1/16W	J	
R0317	NRSA63J-0R0X	MG R	Ω0.0	1/16W	J	
R0331	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
R0337	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
R0343	NRSA63J-0R0X	MG R	Ω0.0	1/16W	J	
CAPACI	TOR					
C0003-04	QETN1HM-106Z	E CAP.	10µF	50V	М	
C0006	QETN1HM-106Z	E CAP.	10μF	50V	M	
C0008	QETN1EM-476Z	E CAP.	47µF	25V	M	
C0301-02	NRSA63J-0R0X	MG R	0.0Ω	1/16W	J	
C0312-13	NDC31HJ-270X	C CAP.	27pF	50V	J	
C0314	QETN1HM-106Z	E CAP.	10μF	50V	M	
C0315	NCB31HK-103X	C CAP.	0.01µF	50V	K	
C0316-18	NCB21HK-104X	C CAP.	0.1µF	50V	K	
C0319	QETN1HM-106Z	E CAP.	10µF	50V	М	
C0320	NCB31HK-103X	C CAP.	0.01µF	50V	K	
C0321	QETN1HM-105Z	E CAP.	1µF	50V	M	
C0322	NCB31HK-103X	C CAP.	0.01µF	50V	K	
C0323	QETN1HM-106Z	E CAP.	10µF	50V	M	
C0324-25	NCB31HK-103X	C CAP.	0.01µF	50V	K	
C0326	NCB21HK-104X	C CAP.	0.1µF	50V	K	
C0327	QETN1HM-225Z	E CAP.	2.2µF	50V	М	
C0328	NCB31HK-103X	C CAP.	0.01µF	50V	K	
C0329	QETN1HM-225Z	E CAP.	2.2µF	50V	M	
C0330	NCB31HK-103X	C CAP.	0.01µF	50V	K	
C0331	NCB21HK-104X	C CAP.	0.1µF	50V	K	

#### AV SELECTOR PW BOARD ASS'Y (SAC0S504A-M2)

Λ	Symbol No.	Part No.	Part Name	С	Description	
	RESISTO	OR				
	R0081	NRSA63J-102X	MG R	1kΩ	1/16W J	
	R0082	NRSA63J-682X	MG R	6.8kΩ	1/16W J	
	R0083	NRSA63J-153X	MG R	15kΩ	1/16W J	
	R0084	NRSA63J-683X	MG R	68kΩ	1/16W J	
	R0085	NRSA63J-332X	MG R	3.3kΩ	1/16W J	
	R0086	NRSA63J-333X	MG R	33kΩ	1/16W J	
	R0087	NRSA63J-153X	MG R	15kΩ	1/16W J	
	R0088	NRSA63J-152X	MG R	1.5kΩ	1/16W J	
	R0089	NRSA63J-562X	MG R	5.6kΩ	1/16W J	
	R0090	NRSA63J-563X	MG R	56kΩ	1/16W J	
	R0151-54	NRSA63J-223X	MG R	22kΩ	1/16W J	
	R0155	NRSA63J-0R0X	MG R	Ω0.0	1/16W J	
	R0157	NRSA63J-0R0X	MG R	Ω0.0	1/16W J	
	R0159	NRSA63J-103X	MG R	10kΩ	1/16W J	
	R0202	NRSA63J-101X	MG R	100Ω	1/16W J	
	R0210	NRSA63J-0R0X	MG R	0.0Ω	1/16W J	
	R0211	NRSA63J-153X	MG R	15kΩ	1/16W J	
	R0212	NRSA63J-333X	MG R	33kΩ	1/16W J	
	R0213	NRSA63J-102X	MG R	1kΩ	1/16W J	
	R0214	NRSA63J-181X	MG R	180Ω	1/16W J	
	R0215	NRSA63J-152X	MG R	1.5kΩ	1/16W J	
	R0216	NRSA63J-182X	MG R	1.8kΩ	1/16W J	
	R0217	NRSA63J-102X	MG R	1kΩ	1/16W J	
	R0218	NRSA63J-222X	MG R	2.2kΩ	1/16W J	
	R0223	NRSA63J-0R0X	MG R	0.0Ω	1/16W J	
	R0229	NRSA63J-473X	MG R	47kΩ	1/16W J	
	R0230	NRSA63J-223X	MG R	22kΩ	1/16W J	
	R0231	NRSA63J-101X	MG R	100Ω	1/16W J	
	R0232	NRSA63J-102X	MG R	1kΩ	1/16W J	
	R0233	NRSA63J-272X	MG R	2.7kΩ	1/16W J	
	R0234	NRSA63J-102X	MG R	1kΩ	1/16W J	
	R0235-36	NRSA63J-101X	MG R	100Ω	1/16W J	
	R0238	NRSA63J-822X	MG R	8.2kΩ	1/16W J	
	R0239	NRSA63J-123X	MG R	12kΩ	1/16W J	
	R0241	NRSA63J-821X	MG R	820Ω	1/16W J	
	R0242	NRSA63J-474X	MG R	470kΩ	1/16W J	
	R0243-44	NRSA63J-103X	MG R	10kΩ	1/16W J	
	R0247	NRSA63J-101X	MG R	100Ω	1/16W J	
	R0251	NRSA63J-471X	MG R	470Ω	1/16W J	
	R0253	NRSA63J-681X	MG R	680Ω	1/16W J	

Symbol No.	Part No.	Part Name	Description	Local	∆ Symbol No.	Part No.	Part Name	U	escription	Lo
RESIST	OR			_	CAPACI	TOR				
R0254 R0255 R0258 R0259 R0261 R0262 R0263 R0265	NRSA63J-391X NRSA63J-681X NRSA63J-101X NRSA63J-222X NRSA63J-101X NRSA63J-222X NRSA63J-471X NRSA63J-102X	MG R MG R MG R MG R MG R MG R MG R MG R	390Ω 1/16W J 680Ω 1/16W J 100Ω 1/16W J 2.2kΩ 1/16W J 100Ω 1/16W J 2.2kΩ 1/16W J 470Ω 1/16W J 1kΩ 1/16W J		C0214 C0215 C0223 C0226 C0231-33 C0234 C0235 C0236	NDC31HJ-181X QETN1HM-474Z NCB31HK-103X NCB31HK-103X QETN1HM-106Z NCB31HK-103X QETN1HM-106Z NCB31HK-103X	C CAP. E CAP. C CAP. C CAP. E CAP. E CAP. E CAP. E CAP. C CAP. C CAP.	180pF 0.47µF 0.01µF 0.01µF 10µF 0.01µF 0.01µF	50V J 50V M 50V K 50V K 50V M 50V K 50V M	
R0269 R0270 R0301-02 R0303-04 R0305-06 R0331-34 R0371-74 R0375-76	NRSA63J-681X NRSA63J-102X NRSA63J-222X NRSA63J-221X NRSA63J-0R0X NRSA63J-101X NRSA63J-103X NRSA63J-333X	MG R MG R MG R MG R MG R MG R MG R MG R	680Ω 1/16W J 1kΩ 1/16W J 2.2kΩ 1/16W J 220Ω 1/16W J 0.0Ω 1/16W J 100Ω 1/16W J 10kΩ 1/16W J 33kΩ 1/16W J		C0237 C0238-39 C0241-45 C0246 C0247-49 C0251 C0252 C0255	NCB31HK-472X NCB31HK-103X NCB31HK-103X NDC31HJ-181X NCB31HK-103X QETN1HM-476Z NCB31HK-103X NDC31HJ-390X	C CAP. C CAP. C CAP. C CAP. C CAP. C CAP. E CAP. E CAP. C CAP. C CAP.	4700pF 0.01µF 0.01µF 180pF 0.01µF 47µF 0.01µF 39pF	50V K 50V K 50V K 50V J 50V K 50V M 50V K 50V J	
R0377-78 R0385 R0387 R0391-92 R0393-94 R0395-96 R0401 R0402	NRSA63J-472X NRSA63J-223X NRSA63J-223X NRSA63J-221X NRSA63J-823X NRSA63J-221X NRSA63J-221X NRSA63J-183X NRSA63J-223X	MG R MG R MG R MG R MG R MG R MG R	4.7kΩ 1/16W J 22kΩ 1/16W J 22kΩ 1/16W J 220Ω 1/16W J 82kΩ 1/16W J 220Ω 1/16W J 18kΩ 1/16W J 22kΩ 1/16W J		C0263 C0264 C0265 C0309-10 C0311-12 C0331 C0332 C0333	NDC31HJ-150X QENC1HM-474Z NCB31HK-103X NCB31HK-102X NRSA63J-0R0X QETN1CM-107Z NCB31HK-103X QETN1EM-476Z	C CAP. BP E CAP. C CAP. C CAP. MG R E CAP. C CAP. E CAP.	15pF 0.47μF 0.01μF 1000pF 0.0Ω 100μF 0.01μF 47μF	50V J 50V M 50V K 50V K 1/16W J 16V M 50V K 25V M	
R0458 R0459 R0501-02 R0504-05 R0506 R0507-08 R0509 R0518	NRSA63J-333X NRSA63J-102X NRSA63J-102X NRSA63J-102X NRSA63J-221X NRSA63J-102X NRSA63J-221X NRSA63J-333X	MG R MG R MG R MG R MG R MG R MG R MG R	33kΩ 1/16W J 18kΩ 1/16W J 1kΩ 1/16W J 1kΩ 1/16W J 220Ω 1/16W J 1kΩ 1/16W J 220Ω 1/16W J 33kΩ 1/16W J		C0334 C0335 C0336 C0337 C0338 C0339 C0340 C0343	NCB21HK-273X QETN1HM-225Z NCB31HK-222X NCB21HK-104X QETN1HM-225Z NCB31HK-222X NCB21HK-104X QETN1HM-105Z	C CAP. E CAP. C CAP. C CAP. E CAP. C CAP. C CAP. C CAP. C CAP. C CAP.	0.027µF 2.2µF 2200pF 0.1µF 2.2µF 2200pF 0.1µF 1µF	50V K 50V M 50V K 50V K 50V M 50V K 50V K	
R0519-21 R0522-23 R0524 R0525-26 R0528-29 R0532-33 R0558-63 R0566-67	NRSA63J-750X NRSA63J-224X NRSA63J-333X NRSA63J-750X NRSA63J-070X NRSA63J-224X NRSA63J-070X NRSA63J-331X	MG R MG R MG R MG R MG R MG R MG R MG R	75Ω 1/16W J 220kΩ 1/16W J 33kΩ 1/16W J 75Ω 1/16W J 0.0Ω 1/16W J 220kΩ 1/16W J 0.0Ω 1/16W J 330Ω 1/16W J		C0344-45 C0371-72 C0373 C0391-92 C0401 C0402-03 C0404 C0407	QENC1HM-225Z QENC1HM-105Z QETN1EM-476Z QETN1HM-474Z QETN1CM-107Z NCF21CZ-105X QFV71HJ-224Z QETN1EM-108Z	BP E CAP. BP E CAP. E CAP. E CAP. E CAP. C CAP. MF CAP. E CAP.	2.2µF 1µF 47µF 0.47µF 100µF 1µF 0.22µF 1000µF	50V M 50V M 25V M 50V M 16V M 16V Z 50V J 25V M	
R0571 R0573 R0574 R0901 R0906	NRSA63J-101X NRSA63J-272X NRSA63J-0R0X NRSA63J-101X NRSA63J-0R0X	MG R MG R MG R MG R MG R	100Ω 1/16W J 2.7kΩ 1/16W J 0.0Ω 1/16W J 100Ω 1/16W J 0.0Ω 1/16W J		C0410-11 C0412-13 C0501-02 C0503 C0504 C0505 C0508	QETN1EM-108Z QETN1HM-105Z NCB31HK-103X QETN1HM-226Z QETN1EM-476Z QENC1HM-474Z QETN1HM-474Z	E CAP. E CAP. C CAP. E CAP. E CAP. BP E CAP. E CAP.	1000µF 1µF 0.01µF 22µF 47µF 0.47µF	25V M 50V M 50V K 50V M 25V M 50V M	
C0081 C0082 C0083 C0084 C0085 C0086 C0087-88 C0089	NCB21HK-104X QENC1HM-475Z QENC1HM-105Z QETN1HM-225Z NCB21HK-473X QETN1HM-474Z NCB21HK-104X QETN1HM-335Z	C CAP. BP E CAP. BP E CAP. E CAP. C CAP. E CAP. C CAP. C CAP. C CAP.	0.1µF 50V K 4.7µF 50V M 1µF 50V M 2.2µF 50V M 0.047µF 50V K 0.47µF 50V M 0.1µF 50V K 3.3µF 50V M		C0509 C0511 C0512-13 C0514 C0515 C0520-21 C0531-32 C0536-37	NCB31HK-103X QETN1HM-474Z QETN1HM-105Z QETN1HM-474Z NCB31HK-103X QETN1HM-105Z NCB31HK-103X NCB31HK-103X	C CAP. E CAP. E CAP. E CAP. C CAP. C CAP. C CAP. C CAP. C CAP.	0.01µF 0.47µF 1µF 0.47µF 0.01µF 0.01µF 0.01µF	50V K 50V M 50V M 50V K 50V K 50V K 50V K	
C0090 C0091 C0092-93 C0094 C0095 C0151-52 C0153-54 C0155-56	QETN1HM-105Z QETN1HM-106Z QETN1HM-105Z QETN1HM-475Z QETN1HM-105Z QENC1HM-105Z NCB31HK-332X NCB21HK-333X	E CAP. E CAP. E CAP. E CAP. E CAP. BP E CAP. C CAP. C CAP.	1μF 50V M 10μF 50V M 1μF 50V M 4.7μF 50V M 1μF 50V M 1μF 50V M 3300pF 50V K 0.033μF 50V K		COIL L0202 L0211 L0242-43 L0261	QQL244K-150Z QQL244K-4R7Z QQL244K-4R7Z QQL244K-150Z	COIL COIL COIL COIL	15µН 4.7µН 4.7µН 15µН	K K K	
C0157-58 C0159 C0160 C0205 C0206 C0211 C0212 C0213	QETN1HM-106Z QETN1EM-476Z NCB21HK-104X QETN1HM-476Z NCB31HK-103X QENC1EM-106Z NDC31HJ-101X NDC31HJ-470X	E CAP. E CAP. C CAP. E CAP. C CAP. BP E CAP. C CAP. C CAP.	10µF 50V M 47µF 25V M 0.1µF 50V K 47µF 50V M 0.01µF 50V K 10µF 25V M 100pF 50V J		DIODE  D0391-92 D0501-02 D0504 D0509-12 D0514-19 D0521	MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2 MTZJ10C-T2	ZENER DIODE ZENER DIODE ZENER DIODE ZENER DIODE ZENER DIODE ZENER DIODE ZENER DIODE			

⚠	Symbol No.	Part No.	Part Name	Description	Local
	TRANSIS	STOR			
	Q0211-12 Q0218 Q0219 Q0251 Q0252 Q0253 Q0261-62 Q0263	2SC2412K/QR/-X 2SC2412K/QR/-X 2SA1037AK/QR/-X 2SC2412K/QR/-X 2SA1037AK/QR/-X 2SC2412K/QR/-X 2SC2412K/QR/-X 2SC2412K/QR/-X	SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR SI.TRANSISTOR		
	Q0301-02 Q0385 Q0387 Q0453 Q0454 Q0509	DTC124EKA-X DTC323TK-X DTC323TK-X 2SC2412K/QR/-X DTC124EKA-X 2SC2412K/QR/-X	DIGI.TRANSISTOR DIGI.TRANSISTOR DIGI.TRANSISTOR SI.TRANSISTOR DIGI.TRANSISTOR SI.TRANSISTOR		
	IC				
	IC0001 IC0151 IC0201 IC0371 IC0401 IC0501	UPC1851BCU NJM2150AD TC90A53N BA15218N LA4485 CXA2089Q-X	I.C.(MONO-ANA) I.C.(MONO-ANA) I.C.(DIGI-MOS) I.C.(MONO-ANA) I.C.(MONO-ANA) I.C.(MONO-ANA)		
	OTHERS	<b>3</b>			
	J0501 J0502 J0503	QNZ0454-001 QNZ0531-001 QNN0348-001	PIN JACK AV JACK PIN JACK		

# REMOTE CONTROL UNIT PARTS LIST (RM-C301G-2A)

•		,		
⚠ Ref.No.	Part No.	Part Name	Description	Local
	UR52EC1286C	BATTERY COVER		

# DIFFERENCE PARTS LIST BETWEEN AV-36D502/Y, AV-36D502/H AND AV-36D502/R

The picture tubes used for the models AV-36D502/Y, AV-36D502/H and AV-36D502/R are difference. The electrical parts are also difference according to the PICTURE TUBE.

In the DIFFERENCE PARTS LIST BETWEEN AV-36D502/ $^{\prime\prime}$ , AV-36D502/ $^{\prime\prime}$ , and AV-36D502/ $^{\prime\prime}$ , only difference points between these models are written. For other parts not mentioned in the list, please refer to the PARTS LIST(P58 – P64) for the AV-36D502/ $^{\prime\prime}$ .

#### **DIFFERENCE PARTS LIST**

#### **MAIN PWB**

	Symbol No.		Dout Name		
$\triangle$		AV-36D502/Y	AV-36D502/H	AV-36D502/R	Part Name
		SAC-1504A-M2	SAC-1505A-M2	SAC-1503A-M2	MAIN PWB
	R1403	QRX01GJ-1R5 (1.5Ω, 1W, J)	QRX01GJ-1R0 (1Ω, 1W, J)	-	MFR
	R1404	_	QRE121J-100Y (10Ω, 1/2W, J)	•	CR
<b>A</b>	C1515	QFZ0197-564 (0.56µF, 250V, J)	-	QFZ0197-624 (0.62μF, 250V, J)	MPP CAP.
⚠	L1511	CE41029-00A	QQR1027-003	•	LINIARITY COIL
$\triangle$	L1521	QQLZ026-500 (50µH)	QQLZ026-430 (43µH)	•	HEATER CHOKE

#### **CRT SOCKET PWB**

Symbol		Part Name		
No.	AV-36D502/Y	AV-36D502/H	AV-36D502/R	Part Name
	SAC-3503A-M2	SAC-3505A-M2	SAC-3504A-M2	CRT SOCKET PWB


#### CRT SOCKET PW BOARD ASS'Y (SAC-3505A-M2)

Δ	Symbol No.	Part No.	Part Name	· 	Description	n '	Local
=	,						
	RESIST	OR					
	R3354-56 R3357-59 R3360-62 R3363-65 R3366-68 R3372-74 R3375-77 R3381	NRSA63J-221X NRSA63J-101X QRZ0111-152 QRG029J-103 NRSA63J-182X NRSA63J-221X NRSA63J-0R0X QRE121J-394Y	MG R MG R C R OM R MG R MG R C R	220Ω 100Ω 1.5kΩ 10kΩ 1.8kΩ 220Ω 0.0Ω 390kΩ	1/16W 1/16W 1/2W 2W 1/16W 1/16W 1/16W 1/2W	JKJJJJ	
	R3391 R3392 R3393-95	NRSA63J-152X NRSA63J-392X NRSA63J-102X	MG R MG R MG R	1.5kΩ 3.9kΩ 1kΩ	1/16W 1/16W 1/16W	J J	
	CAPACI	TOR					
	C3354-55 C3356 C3357 C3382 C3391 C3392	NDC31HJ-331X NDC31HJ-391X QETN1CM-107Z QCZ0121-102 QETN1AM-227Z NDC31HJ-101X	C CAP. C CAP. E CAP. C CAP. E CAP. C CAP.	330pF 390pF 100µF 1000pF 220µF 100pF	50V 50V 16V 3000V 10V 50V	J M Z M J	
_	COIL						
	L3381	QQL244K-101Z	PEAKING COIL	100µH		K	
	DIODE						
	D3391	1SS133-T2	SI.DIODE				
_	TRANSI	STOR					
	Q3351-53 Q3391	2SC4544-LB 2SA933AS/QR/-T	SI.TRANSISTOR SI.TRANSISTOR				
	OTHERS	3					
⚠	SK3351	QNZ0464-001	C.R.T.SOCKET				
_							

### CRT SOCKET PW BOARD ASS'Y (SAC-3504A-M2)

⚠	Symbol No.	Part No.	Part Name	0	escriptic	n	Local
	RESISTO	OR					
	R3354-56 R3357-59 R3360-62 R3363-65 R3366-68 R3372-74 R3375-77 R3381	NRSA63J-221X NRSA63J-101X QRZ0111-152 QRG029J-103 NRSA63J-182X NRSA63J-221X NRSA63J-201X QRE121J-394Y	MG R MG R C R OM R MG R MG R MG R		1/16W 1/16W 1/2W 2W 1/16W 1/16W 1/16W 1/2W	J K J J J	
	R3391 R3392 R3393-95	NRSA63J-152X NRSA63J-392X NRSA63J-102X	MG R MG R MG R	1.5kΩ 3.9kΩ 1kΩ	1/16W 1/16W 1/16W	J J	
_	CAPACI	TOR					
	C3354-55 C3356 C3357 C3382 C3391 C3392	NDC31HJ-331X NDC31HJ-391X QETN1CM-107Z QCZ0121-102 QETN1AM-227Z NDC31HJ-101X	C CAP. C CAP. E CAP. C CAP. E CAP. C CAP.	330pF 390pF 100µF 1000pF 220µF 100pF	50V 50V 16V 3000V 10V 50V	J M Z M J	
_	COIL						
	L3381	QQL244K-101Z	PEAKING COIL	100µH		K	
	DIODE						
	D3391	1SS133-T2	SI.DIODE				
_	TRANSIS	STOR					
	Q3351-53 Q3391	2SC4544-LB 2SA933AS/QR/-T	SI.TRANSISTOR SI.TRANSISTOR				
	OTHERS	3					
<u> </u>	SK3351	QNZ0464-001	C.R.T.SOCKET				

### **PACKING**



### **PACKING PARTS LIST**

⚠ Ref.No.	Part No.	Part Name	Description	Local
1 2	CP30055-A02-A CP30056-004-A	TOP COVER POLY BAG		
3	RM-C303G-1A RM-C301G-2A	RC HAND UNIT RC HAND UNIT	(AV-36D202, AV-36D302)	
	LCT0903-001A-A	INST BOOK	(AV-36D502)	
5 6	BT-20071B-Q BT-52004-1Q	SVC CENTER LIST WARRANTY CARD		
7	LC10645-002A-A	CUSHION ASSY	4pcs in 1set	
8	LC10181-011A-A	PACKING CASE	Ones in test	
9 10	CM36616-001-A QPA02503505	CORNER LABEL POLY BAG	2pcs in 1set	